



## UV Resistant Car Clear Coat Varnish Multifunctional Nontoxic

Our Product Introduction

for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)


### Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Ferrari series
- Certification: ISO14025、ISO9001,CCC
- Model Number: 8100
- Minimum Order Quantity: 200cartoon
- Price: 3.26USD-5USD
- Packaging Details: 1L\*12tins,4L\*6tins,4L\*4tins
- Delivery Time: 20-30days
- Payment Terms: T/T
- Supply Ability: 5000L per month



### Product Specification

- Main Raw Material: Acrylic Paint
- Application Method: Spray
- OEM: Acceptable
- Place Of Origin: Guangdong, China
- Advantage: Good Adhesion, High Coverage, High Gloss
- Shelf Life: 2 Years
- High Light: Fast Drying Clear Coat, Acrylic Fast Drying Clear Coat, Transparent High Gloss Car Paint
- Application Tool: Splash Gun
- State: Spray Coating
- Highlight: **UV Resistant Car Clear Coat Varnish, primer paint for car body, metal car paint**



### More Images



## Product Description

### Product Description

#### Good UV Lights Resistance Spray Paint 2K Car Refinish Paint Varnish

1. BASF raw materials
2. Easy application
3. Accurate color matching
4. Long-lasting bright color

#### Product Description

**Clear Coat:** We offer three levels of high-performance varnish to meet the diverse needs of our customers: an economic type, a standard type, and a high solid content type. All three types boast superior hardness, gloss, and resistance to alcohol and gasoline. When applied over a 1K base coat, our clear coat provides excellent protection, durability, and brightness. For a crystal-clear, smooth finish, we recommend wet spraying the clear coat twice.

**Hardener:** Our varnish products are of exceptional quality and are formulated to resist yellowing over time. We offer three types of varnish: Economic, Standard, and High Solid Content (HS), as well as three drying speed options: Fast Dry, Standard, and Slow Dry. Our varnish is compatible with both 2K tinters and 2K ready-mixed paint and can be used as a clear coat for added protection and durability.

**Thinner:** Our thinner is available in three drying speed options: Fast Dry, Standard, and Slow Dry. It is compatible with a range of coatings, including 2K paint, 1K paint, clear coat, and 2K primer. Our thinner is formulated to effectively dissolve coatings and promote strong bonding between the coating and substrate.

#### SURFACE PREPARATION:

1. Surface Should Be Clean And Free Of Dust, Grease And Oil.
2. Old Varnish Surfaces Must Be Sanded Using Grit Sandpaper Number 1200, Before Applying The Clear Coat

Temperature& mixed	Temperature	Clear Coat	Activator/ Hardener	Thinner
Temperature& mixed	<15	Ferrari series Clear Coat	Ferrari series Fast Dry Activator	Ferrari series Fast Dry Thinner
Temperature& mixed	15-25	Ferrari series Clear Coat	Ferrari series Standard Activator	Ferrari series Standard Thinner
Temperature& mixed	25-35	Ferrari series Clear Coat	Ferrari series Slow Dry Activator	Ferrari series Slow Dry Thinner
Mixing Ratio		2	1	0.3-0.5

Number Of Coats & Thickness: 2-3 Coats, 40-60µm Flash Time: Allow 5-10 Minutes Between Coats

Apply Using a Spray

Gun Nozzle:

1.2-1.4mm (Gravity Spray Gun)

1.3-1.5mm (Suction Spray Gun)

-Spraying Pressure: 3-4 Bar.

-Spraying Viscosity: 13~18s(Ford Cup #4 At 20 )

-Number Of Coats: 3 Coats Maximum.

Drying Time	Temperature	Dust Free	Tack Free	Complete Dry
Drying Time	20	1h	2-3 hours	24h
Drying Time	60	5 minutes	10 minutes	60 minutes



#### Our Services

1. Support from the manufacturer is available. We are able to create items for clients who want to use their own branding.
2. Fast Shipping. After the order is confirmed, we can complete production and deliver/ship the products in 7 to 10 days.
3. We will produce the products that comply with the requirements, requirements for quality, and unique needs of the customers.
4. We give our customers promotional presents. If the clients have their own brand, their name and logo will be on the promotional items.

5. Our team will help our customers wholeheartedly.



**Guangzhou Meklon Chemical Technology Co., Ltd.**



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province