

Waterproof Automotive 2K Clear Coat Harmless Chemical Resistant

Our Product Introduction

Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Ferrari series
- Certification: ISO,SGS,MSDS
- Model Number: 8700
- Minimum Order Quantity: 100 L
- Price: 3.26USD-5USD
- Packaging Details: 0.5L/1L/4L/10L/20L/200L
- Delivery Time: 7-30days
- Payment Terms: T/T
- Supply Ability: 50000L/month



Product Specification

- Main Raw Materials: Acrylic Resin,Polyurethane Resin
- Feature: High Leveling,high Glossy,high Fullness,good Covering,high Adhesion
- Color: Transparent,transparent With Light Yellow
- Substrate: 1k Base Coat
- Shelf Time: 2 Years,at 20
- Component Style: Bi-component
- High Light: Anti Scratch Auto Base Paint, Oil Based Auto Base Paint, Acrylic Car Primer High Adhesion
- Highlight: **Waterproof Automotive 2K Clear Coat, Automotive 2K Clear Coat Harmless, Chemical Resistant 2K Auto Clear Coat**



More Images



for more products please visit us on refinishcarpaint.com

Product Description

Chinese Supplier High Gloss 2K Acrylic Car Paint Lacquer Clear Coat

AUTOMOTIVE REFINISH PAINT

We have a complete set of car refinish paint. includes :

1K autobase colors (1K pure colors, 1K silver, 1K pearl colors and 1K crystal pearl color).
2K autocryl colors (2K pure colors).

primers (1K primer surfacer, 1k nc putty, 2k intermediate primer, 2k epoxy primer and 1k plastic primer).

clear coats, hardeners, thinners, putty, 1k binder, 2k binder and other auto refinish paint additives, etc.

Product Description:

Clear coat series(vernish)

High performance and heat resistant clear coat, suitable for overall refinishing or panel repairs with high gloss. It has good chemical and weathering resistance to ensure durable gloss.

Substrates	1k basecoat				
Mixing Ratio	<18°C<> Clear coat 100 parts Fast hardener 50 parts Thinner 10-30 parts		18-24°C Clear coat 100 parts Standard hardener 50 parts Thinner 10-30 parts		
	25-30°C Clear coat 100 parts Standard hardener 50 parts Thinner 10-30 parts		>30°C Clear coat 100 parts Slow hardener 50 parts Thinner 10-30 parts		
Pot Life	25°C , Diamond clear coat + Fast hardener :1.5 hours; Diamond clear coat + Standard or Slow hardener : 2 hours. 25°C, Special grade clear coat (or Mirror effect clear coat)+ Fast hardener :2 hours; Diamond clear coat + Standard or Slow hardener : 4 hours.				
Spraying coat	2-3 coats, total 40-60 um				
Interval	At 25°C, 5-10 minutes between coats, allow 15-20 minutes air-drying time before baking				
Spray Gun & Pressure	Gravity Feed 1.2-1.5mm 3-5 bar Siphon Feed 1.4-1.7mm 3-5 bar				
Drying Time	Temperature	Dust Time	Tack Free	Dry to Handle	Thorough Dry
	25°C	40 minutes	2-3 hours	10 hours	48 hours
	70°C	5 minutes	15 minutes	30 minutes	60 minutes
Shelf Life	2 years in original sealed can at cool and dry place at 20°C				
Packaging	1L, 4L				





Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province