



Multipurpose Car Paint Thinner Alkali Resistant Practical 0.9KG

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: ISO,MSDS,SGS
- Model Number: C-603
- Minimum Order Quantity: 200Boxes
- Price: 2.73USD-5.56USD
- Packaging Details: Carton
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500 boxes per day



Product Specification

- Brand: CarCharm
- Code: C-603
- Name: Advanced Thinner
- Net Weight: 0.9KG
- Color: Transparent
- Density: High
- Packaging: Can
- Highlight: 2k paint hardener, automotive clear coat finish, spraying automotive paint



More Images



Product Description

Advance Thinner Wide Range of Applications Good Thinning Effect

F-603 Advance Thinner is a high quality thinner for use in markets where quality is critical. The following are the characteristics and performance of the F-603 Advance Thinner:

Wide range of applications: F-603 Advance Thinner is suitable for many different types of automotive paints, including single coats and double coats, etc. It effectively thins the paint, making it easier to apply.

Good thinning effect: F-603 Advance Thinner can effectively thin the paint, making it easier to apply, while maintaining the performance and quality of the paint.

Fast drying: F-603 Advance Thinner can accelerate the drying time of paint, shorten the production cycle and improve production efficiency.

High quality: F-603 Advance Thinner is a medium-to-high quality product with better dilution effect and higher performance, which can meet the market demand with higher quality requirements.

Moderate price: Compared with other high-quality thinners, the price of F-603 Advance Thinner is moderate. Although it is relatively high compared to F-601, its quality is very good and the cost performance is high.

F-603 Advance Thinner is a thinner with wide application range, good thinning effect, fast drying, high quality and moderate price. Its high quality and excellent performance can meet the market demand with high quality requirements, and at the same time, the price is relatively moderate and the cost performance is high.

Instructions:

Try to use the same manufacturer and brand for thinner hardener color paint, so that the matching effect will be better. According to the ratio table provided by the car paint manufacturer, determine the amount of thinner added. Normally, the amount of thinner added should not exceed 10% of the total paint.

Add thinner to car paint and mix thoroughly until desired thinning is achieved. The method of adding thinner can be done by pouring or using a thinner gun, etc.

Test thinned automotive paint to ensure it has the desired viscosity and flow. If necessary, it can be adjusted by adding an appropriate amount of diluent again according to the test results.





Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province