

# 1K Blue phase Special Black Paint High Solid System Auto Refinish Paint for Car Repair

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100 L
- Price:

Our Product Introduction

- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:





# **Product Specification**

- Main Raw Materials:
- Color:
- Color Level:
- Substrate:
- Shelf Time:
- Component Style:
- High Light:
- Acrylic Resin White,black,yellow,red And Other Optional Color
- Good Coverage, High Gloss

**GUANGDONG CHINA** 

Ferrari series

106

ISO,SGS,MSDS

3.26USD-5USD

7-30days

50000L/month

T/T

0.5L/1L/4L/10L/20L/200L

- 1k Base Coat
- 2 Years,at 20
- Bi-component
- Anti Scratch Auto Base Paint, Oil Based Auto Base Paint, Acrylic Car Primer High Adhesion
- Highlight:
- Car Repair Auto Refinish Paint



### More Images



#### 1K Blue phase Special Black Paint High Solid System Auto Refinish Paint for Car Repair

#### **Product Description**

Color	Color chart and customized
Mixing Ratio	1k autobase color:thinner=1:1; 2k autocryl color:hardener:thinner=2:1:(0.2-0.6)
Application	Automotive refinish paint and car paint
Feature	Weathering resistant, good coverage and high solid
Shelf Life	2 years in original sealer can in cool and dry place at 20

#### Product Description:

Our car paint is a high-quality, eco-friendly paint remover that is safe to use and easy to operate. It is non-corrosive and does not contain any harmful materials such as acid or benzene. Our paint is specially designed to remove various types of paint quickly and efficiently, including phenolic resin, acrylic, epoxy, polyurethane finishing paint, and premier paint.

One of the key features of our car paint is its reusability. The paint film and paint slag in the solution can be easily cleaned, allowing for multiple uses. This not only makes our product environmentally friendly but also cost-effective. Features:

Our car paint has several features that make it an exceptional product. It has a high solids content, which means that it has a thicker consistency and provides better coverage than other paints. Additionally, it has a high build, which makes it easy to apply and creates a smooth, even finish. Our car paint also has excellent hiding power, which means that it can cover imperfections or previous layers of paint with ease. This results in a flawless finish that looks professional and polished.

Our car paint is ISO TS 16949 certified, which means that it meets international quality standards for automotive production. This certification ensures that our product is of the highest quality and can be trusted for use in the automotive industry.

Finally, our car paint is available in a range of customizable colors, allowing our customers to choose the perfect color for their vehicle. Overall, our car paint is a top-quality product that offers exceptional performance and is safe for both the user and the environment.

Substrates	Dried and sanded existing finishes or primer
Substrates treatment	Remove paint dust and contaminations with degreaser

Mixing Ratio					
Name	2K Solid color	K Solid color Hardener			
Volume Ratio	2 parts	1 parts	0.3-0.5 parts		
			·		
Port life	4 hours@20	4 hours@20ºC			
Viscosity	Solid colour	Solid colour: 110-120S			
VISCOSILY	Silver colou	Silver colour:180-220S			
Period of Coa	ts 2-3 coats	2-3 coats			
Flash-off time	10-15 Minute	10-15 Minutes			
Each thicknes	s 40-60 Micro	40-60 Micron			
Spray Pressu	Gravity type	Gravity type:1.2-1.5mm, 3.4Pa			
Spray Pressu	Suction type:1.4-1.6mm				
Drying Time					

I				
	Temperature	Dust Free	Dry to Handle	Thorough Dry
1		30 minutes	10 hours	1 day
	60ºC	15 minutes	1 hours	1 hour

Sand ability and Polish ability	wet sanding P800 P1000 sand paper if need polish
Shelf Life	5 years in original sealed
Packaging	1L*12 tins /ctn 4L*4tins /ctn













