




## High Glossy 2K High density Extra White Top Acrylic Colorful Car Refinish Automotive Paint

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: Faralli
- Certification: ISO,MSDS,SGS
- Model Number: 201
- Minimum Order Quantity: 100 L
- Price: 3.26USD-5USD
- Packaging Details: 1L\*12tins, 4L\*6tins, 4L\*4tins, 0.5L\*24tins, 10L, 20L, 200L
- Delivery Time: 5-8days
- Payment Terms: T/T
- Supply Ability: 500000L/month



#### Product Specification

- Application Method: Brush, Roller, Or Spray
- Coats Required: 2
- Coverage: 400 Sq. Ft. Per Gallon
- Dry Time: 2 Hours
- Finish: Glossy
- Product Name: Car Paint Topcoat
- VOC Level: Low
- Color: White
- Highlight: Colorful Car Refinish Automotive Paint, Extra White Car Refinish Paint, High Glossy Car Refinish Paint



#### More Images



## Product Description

### High Glossy 2K High density Extra White Top Acrylic Colorful Car Refinish Automotive Paint

Meklon is an easy-to-apply automotive paint that can be used with standard spray booths and common spray guns. Leftovers can be stored and used for a long time, reducing waste and disposal costs.

One of the key benefits of Meklon is its color and product reliability. By adding 10-20% Meklon Tinner as the only addition to the top tinters, visibility can be easily adjusted and the color can be immediately adjusted during the application. The high thixotropy of the top tinters eliminates the danger of color differences caused by insufficient stirring, resulting in more color shades that can be achieved easily and safely.

Meklon S series provides the highest efficiency and covering power, allowing for time savings and lower material consumption. Additionally, Meklon's low emissions of organic solvents make it an environmentally friendly option, reducing overall emissions in a body shop without incurring additional costs.

Meklon's excellent application is supported by the Color System II, which helps find and compare colors quickly and safely. The series offers top tinters and other products for car refining with perfect quality while remaining within the legal emission limits for effective environmental protection.

Overall, Meklon provides the highest quality automotive paint, with benefits that include easy application, color and product reliability, time savings, and environmental protection.

PHYSICAL PROPERTIES	
Specific Gravity	0.95-1.0KG/L
Viscosity	140-180S
Ingredients	Acrylic resin, CAB, pigment, solvents, addition agents
Colour	All kinds of colors. For detailed information please refer to Roch® Tinters in the catalog
Mix Ratio (by volume)	2K paint: 2 part Hardener: 1 part Thinner(RC-X110, RC-X111, RC-X112): 0.3~0.5 parts
Pot Life	48 hours@20°C
Spray Gun & Air Pressure	2-3 single coating to coverage (volatilization time of each layer: 15-20 minutes)
Drying Time	Clearcoat can be sprayed within 15 minutes to 5 hours
Sanding	Before spray: P600-800 by dry sanding After spray: P1000 by wet sanding
Substrate	OEM paint, Roch® brand primer surfacer
Unapplicable Substrate	Thermal plasticity acrylic paint or alloy base coat
Packaging	1L x 12 tins/ctn, 4L x 4 tins/ctn
Shelf Life	5 years

Meklon Topcoat is a high-quality automotive paint that is easy to mix, apply, and provides excellent coverage with good metallic orientation. It is designed to imitate OEM solid, metallic, and pearl color effects, providing an optimal color match. For optimal durability, Meklon Topcoat should be used in combination with a Meklon clearcoat. Before application, surfaces must be properly prepared and cleaned to ensure maximum adherence and longevity. Old or original paintwork should be well-sanded and cleaned, while repair areas should be sanded with P500-P600 (by machine) or P800-P1000 (by hand) and thoroughly cleaned.

Meklon Topcoat offers several features that make it an excellent choice for automotive use. It has a hard paint film, good leveling performance, and strong adhesion. Additionally, it boasts excellent outdoor weather resistance and a long anti-oxidation time. It can be mixed with a variety of plain color, metal effect, and pearl effect one-component base paint, providing excellent adhesion between layers.

Overall, Meklon Topcoat is an easy-to-use, high-quality automotive paint that provides excellent color matching and durability when used in combination with a Meklon clearcoat. Its features make it an excellent choice for automotive use, providing a hard paint film, strong adhesion, and excellent outdoor weather resistance.





**2K  
201**

**High Density Extra White**

*Product Features*

- Standard white, good hiding power, used for toning and individual spraying



**Guangzhou Meklon Chemical Technology Co., Ltd.**



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province