



# Durable Anti UV Auto Top Coat Clear , Waterproof Metallic White Car Paint

### **Basic Information**

Place of Origin: ChinaBrand Name: Faralli

• Certification: ISO,MSDS,SGS

Model Number: 202Minimum Order Quantity: 100 L

• Price: 3.26USD-5USD

Packaging Details: 1L\*12tins, 4L\*6tins, 4L\*4tins, 0.5L\*24tins, 10L, 20L, 200L

Delivery Time: 5-8daysPayment Terms: T/T

• Supply Ability: 500000L/month



# **Product Specification**

• Application Method: Brush, Roller, Or Spray

• Coats Required: 2

• Coverage: 400 Sq. Ft. Per Gallon

Dry Time: 2 HoursFinish: Glossy

• Product Name: Car Paint Topcoat

VOC Level: LowColor: White

• Highlight: replacement car paint, two stage paint,

full body auto paint



# More Images



### **Product Description**

### Acrylic 2K Extra White Automotive Paint Car Spray Colors 2K Pigment Tinter for Auto Paint

#### **AUTOMOTIVE REFINISH PAINT**

We have a complete set of car refinish paint. includes :

1k autobase colors (1k pure colors, 1k silver, 1k pearl colors and 1k crystal pearl color).

2k autocryl colors (2k pure colors).

primers (1k primer surfacer, 1k nc putty, 2k intermediate primer, 2k epoxy primer and 1k plastic primer).

clear coats, hardeners, thinners, putty, 1k binder, 2k binder and other auto refinish paint additives, etc.

Color:	White
Appearance:	Liquid
Main raw material:	Acrylic
Film performance:	Heat-Resisting Paint
Construction method:	Spray
Use level:	Finish Coat
Certification:	ISO1401, ISO9001
Bottom:	Iron
Composition:	Film Forming Matter
Film formation mechanism:	Conversion Type
Transport packaging:	OEM package could be provided
Specifications:	1L, 2L, 4L, 5L
Trademark:	MLB
Country of Origin:	China
Shelf life:	2 years

Meklon Topcoat is a high-quality automotive paint that is easy to mix, apply, and provides excellent coverage with good metallic orientation. It is designed to imitate OEM solid, metallic, and pearl color effects, providing an optimal color match. For optimal durability, Meklon Topcoat should be used in combination with a Meklon clearcoat. Before application, surfaces must be properly prepared and cleaned to ensure maximum adherence and longevity. Old or original paintwork should be well-sanded and cleaned, while repair areas should be sanded with P500-P600 (by machine) or P800-P1000 (by hand) and thoroughly cleaned.

Meklon Topcoat offers several features that make it an excellent choice for automotive use. It has ahard paint film, good leveling performance, and strong adhesion. Additionally, it boasts excellent outdoor weather resistance and a long anti-oxidation time. It can be mixed with a variety of plain color, metal effect, and pearl effect one-component base paint, providing excellent adhesion between layers.

Overall, Meklon Topcoat is an easy-to-use, high-quality automotive paint that provides excellentcolor matching and durability when used in combination with a Meklon clearcoat. Its features make it an excellent choice for automotive use, providing a hard paint film, strong adhesion, and excellent outdoor weather resistance.

#### FAG

Q:What's your MOQ?

A:Our MOQ is 300 Liters.

Q: Can we do OEM?

A:Yes, OEM is welcome.

Q: Are you manufacturer or trading company?

A:We are professional manufacturer and we have our own factory.

Q:Can we visit your factory?

A:Yes. You are welcome to our factory.

Q:How about your payment?

A:50% deposit in advance, 50% balance by T/T, L/C, paypal, Western Union or else before shipment.

Q:Do you provide samples?

A:Yes, we can provide you with free sampples, you just need to pay for freight.

Q:How about your delivery time?

A:Usually 15 days after receiving your deposit.


















Guangzhou Meklon Chemical Technology Co., Ltd.







refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province