

Waterproof Nontoxic Metallic Auto Paint, Harmless Clear Top Coat Paint For **Cars**

Basic Information

. Place of Origin: China . Brand Name: Faralli

ISO,MSDS,SGS · Certification:

Model Number: 203 • Minimum Order Quantity: 100 L

• Price: 3.26USD-5USD

 Packaging Details: 1L*12tins, 4L*6tins, 4L*4tins, 0.5L*24tins,10L, 20L, 200L

• Delivery Time: 5-8days • Payment Terms: T/T

• Supply Ability: 500000L/month



Product Specification

· Application Method: Brush, Roller, Or Spray · Coverage: 400 Sq. Ft. Per Gallon

• Dry Time: 2 Hours · Finish: Glossy

Product Name: Car Paint Topcoat

VOC Level: Low • Color: White

. Highlight: acrylic auto paint, 2 stage auto paint,

small auto paint repair



More Images



Product Description

2K Through Black Auto Refinish Car Paint Acrylic Colors with Free Samples Auto Paint

Product Description

Automotive Coating Body Car Paint:

Our 1K Solid Color Basecoat offers an extra quick dry time and high-quality finish, while also providing superior inter-coat adhesion to reduce the possibility of mottling or unevenness in the final coat. Additionally, this basecoat offers good covering power and leveling, with a complete range of colors that offer outstandingcolor accuracy.

Our 1K Metallic Color Basecoat is designed specifically to withstandharsh outdoor environments, providing unsurpassed scratch and stain resistance. This basecoat also offers outstanding metal control, preventing discoloration of the clear coat, and delivers incredibly vivid color with a durable high-gloss finish.

For a unique and attractive finish, our 1K Pearl Color Basecoat delivers extremely bright and intense pearlescent effects. This basecoat offers superior covering power, with quick dry times and an attractive pearl layout. With a wide range of colors featuring high color saturation, this basecoat provides a unique depth and stereo perception with a durable colorful appearance.



Packaging Information

Storage

Sealed stored in dry conditions within the temperature range 15°C to 20°C and relative humidity range 55% to 75%.

Shelf Life

24 months (Original sealed under above storage conditions)

Packaging (per carton)

1 L*12 tins/carton, 3.75L*4 tins/carton; 2 L*4 tins/carton, 2.5 L*4 tins/carton; 4 L*6 tins/carton, 5 L*4 tins/carton

Our Advantages

The reason you choose us:

- 1. Competive price with good quality;
- 2. Very good package, store products better in your country;
- 3. We have over 27 years experience, support you professional technical;
- 4. Fast delivery time, let you get products quickly after make order;
- 5. Reliable Manufacturer because our products quality approved by over 800 customers.

FAQ

Q: Do you have any certificates concerning the quality?

A: Yes, our products are certified by ISO 9001:2008, ISO/TS 16949:2009.

Q: What kind of materials do you use for your automotive paint?

A: We use high quality raw materials for our automotive paint.

Q: How about your delivery time?

A:7 - 15 days after order confirmed.

Q: Where are your product distributed?

A: Our product are distributed all over the world. Main overseas markets are Africa, Middle East, Central Asia, North America, Eastern Europe, Oceania etc.

Q: Are you trading company or manufacturer?

A: we are manufacturer. Our factory is in Guangzhou, Guangdong, China. Welcome to pay a visit to our factory.
























Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province