

# 1K Crystal Yellow Pearl Auto Paint: Bright Colors & Weather Resistance for Car Body

# **Basic Information**

Place of Origin: GUANGDONG CHINA

Brand Name: Ferrari seriesCertification: ISO,SGS,MSDS

Model Number: X-04Minimum Order Quantity: 100 L

• Price: 3.26USD-5USD

Packaging Details: 0.5L/1L/4L/10L/20L/200L

Delivery Time: 7-30daysPayment Terms: T/T

• Supply Ability: 50000L/month



# **Product Specification**

Main Raw Materials: Acrylic Resin, Polyurethane Resin

• Feature: High Leveling,high Glossy,high

Fullness,good Covering,high Adhesion

Color: Transparent,transparent With Light Yellow

Substrate: 1k Base CoatShelf Time: 2 Years,at 20

High Light: Anti Scratch Auto Base Paint, Oil Based Auto

Base Paint, Acrylic Car Primer High

Adhesion

Coating Type: Acrylic

• Highlight: 1K Crystal Yellow Pearl Auto Paint,

**Yellow Pearl Auto Paint** 



# More Images



## **Product Description**

### 1K Crystal Yellow Pearl Auto Paint: Bright Colors & Weather Resistance for Car Body

#### **Product Description**

#### **Characteristic:**

High gloss and build, good performance of leveling property, easy construction, excellent pretective and coveraging power, long lasting bright color. excellent weathering and chemical resistance.

Mainly applies to intermediate cars, MPV and bus.

### Why Us:

- 1. The leading professional manufacturer of automotive refinish paints in China .
- 2.Up to 30% increase annually in overseas market.
- 3. China famous Influentail & Innovative Brand in Car Paint Industry.
- 4. Strict quality control and steady product performance.
- 5. Great brand image, advanced color mixing system and excellent customer service system.

| Туре             | 1K Crystal Yellow Pearl Colors   |                      |
|------------------|--|----------------------|
| Sunctratec       | Well-sanded,completely dried and good existing finishes as:  |                      |
|                  | A. original paint B.old paint firm C.1K or 2K primer   |                      |
|                  | Wash by warm soap, remove wax, silicon and other contaminations with degreaser, sanding with P800- |                      |
| Surface Cleaning | P1000,   |                      |
|                  | wash with clean water then keep dry, again with degreaser.   |                      |
| Mixing Ratio     | Basecoat   | Thinner              |
| <15°C            | 1K Crystal Yellow Pearl colors   | 602 Fast Thinner     |
| 15-30°C          | 1K Crystal Yellow Pearl colors   | 602 Standard Thinner |
| >30°C            | 1K Crystal Yellow Pearl colors   | 602 Slow Thinner     |
| Spray Viscosity  | 14-16s to drop off, in 4# viscosity cup at 25°C  |                      |
| Re-Treatment     | After Spray, allow 10-20 minutes air-drying time, then spray clear coat at once.                   |                      |
|                  | Gravity Feed: 1.2-1.5mm 3-5kg/cm <sup>2</sup>  |                      |
| Up               | Gravity Feed: 1.4-1.6mm 3-5kg/cm <sup>2</sup>  |                      |
|                  | Coats & Thickness: 2-3 coats, total 15-20um.   |                      |
| Technology       | Flash-Off Time: At 25°C, 5-10 minutes between two coats, it depends on temperature and paint film. |                      |
| Shelf Life       | 2 years in original sealed can, cool and dry place at 25°C   |                      |
| OEM/ODM          | As customers' order  |                      |
| Package Size     | 1L*12 Tins or 3.75L*4 Tins   |                      |

The manufacturer's commitment to sourcing high-quality raw materials from reputable suppliers around the world, such as Germany, the United States, and Poland, reflects their dedication to providing customers with top-of-the-line automotive coatings. By maintaining close communication and cooperation with foreign suppliers, the company is able to stay up-to-date with the latest technological advancements and industry trends, ensuring that their products remain competitive in the constantly changing market.

With tens of thousands of automotive paint colors and hundreds of masterbatches, the company has demonstrated their ability to adapt to the diverse and evolving needs of their customers. Their fine coating formula system ensures that each coating formula is carefully calibrated to provide stable and reliable performance, consistently meeting the high standards expected by customers.

Overall, the company's commitment to innovation and optimization is evident in their extensive product portfolio, which adds new vitality to the market. By leveraging their expertise and resources, the company is able to provide customers with a wide range of high-quality coatings that meet their specific needs and exceed their expectations.

















Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province