



## Durable Wear Resistant And Environmentally Friendly White Car Pearl Paint Moistureproof Alkali Resistant

Our Product Introduction

for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)

### Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: ISO9000
- Model Number: P-302 White Pearl
- Minimum Order Quantity: 200Boxes
- Price: 4.09USD-5.62USD
- Packaging Details: Carton
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500 boxes per day




### Product Specification

- Brand: PORSHICHE
- Name: White Pearl
- Net Weight: 0.95KG
- Clean Up: Soap And Water
- Color: White
- Coverage: 10-12 Sq Ft/quart
- Dry Time: 2-3 Hours
- Durability: High
- Finish: Glossy
- Sheen: High
- Highlight: one stage automotive paint, color coating for car, one stage auto paint



### More Images



## Product Description

### White Pearl Car Paint High Gloss Variety Of Colors Luxury With 1K Coat

#### P-302 White Pearl Color Features

Different from the traditional pure white paint. Under the irradiation of sunlight or light, it will show a rich luster and sparkle effect, making the appearance of the car more dazzling and charming.

High Gloss: White pearl car paint has high gloss, which makes the appearance of the whole car brighter. It reflects light and makes the surface of the car body look smoother and more delicate.

Variety Of Colors: Although it is called white pearl car paint, it is not pure white. It usually has subtle color variations, possibly with some hints of gold, pink, blue or green on top of the white base. These subtle color variations can be seen in different angles and lighting, adding depth and visual interest to the car's paintwork.

High Quality And Luxury: White Pearl car paint is usually used on luxury models or high-end vehicles because it gives a high quality and luxurious feeling. It can enhance the exterior texture of the vehicle and add a unique premium atmosphere to the car.

#### Mixing Ratio

2K Tinters	Hardener	Thinner(volume ratio)
2	1	0.2-0.5

#### Packaging Information

Storage
Sealed stored in dry conditions within the temperature range 15°C to 20°C and relative humidity range 55% to 75%.
Shelf Life
24 months (Original sealed under above storage conditions)
Packaging (per carton)
3.75L * 4 can

#### Picture





**Guangzhou Meklon Chemical Technology Co., Ltd.**



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province