



Basic Information

Place of Origin: ChinaBrand Name: Meklon

• Certification: ISO,MSDS,SGS

Model Number: P-306 Minimum Order Quantity: 200Boxes

• Price: 4.64USD-6.92USD

Packaging Details: Carton

• Delivery Time: 10-15 Work Day

Payment Terms: T/T

• Supply Ability: 500 boxes per day



Product Specification

Brand: PORSHICHE

• Name: Fine Copper Pearl

• Net Weight: 0.95KG

• Highlight: auto paint coatings,

Copper Metallic Car Paint Stable, Smooth Copper Automotive Spray Paint



More Images





Product Description

Meklon Fine Copper Pearl Car Paint Smooth Surface Rich Metallic High Gloss

Features of P-306 Fine copper pearl car paint:

Fine particles: The copper-colored pearl particles in fine copper pearl car paint are very small, making the paint surface show a fine particle effect. This kind of fine particles makes the color of the car body more uniform and smooth, and at the same time increases the reflection and refraction of light on the paint surface.

Rich Metallic: The coppery sheen of Fine Copper Pearl Automotive Paint gives a rich metallic feel. It can show different color changes under different angles and light conditions, making the appearance of the vehicle more dynamic and three-dimensional.

High Gloss: Fine Copper Pearl car paint usually has a high gloss, which makes the surface of the car body appear bright and shiny. This high gloss adds to the visual appeal of the overall vehicle, making the vehicle more eye-catching.

Instructions:

Surface Preparation: Before applying Fine Copper Pearl Automotive Paint, you need to ensure that the surface of the vehicle body is clean and smooth, free of grease, dirt and scratches. Proper sanding and cleaning can be done to ensure the finish is ready for paint work.

Coating technology: Fine copper pearl car paint usually needs to be painted by spraying. Apply according to manufacturer's recommendations using professional spray equipment and techniques to ensure an even, smooth finish.

Number of Coats: Depending on the make and model of Fine Copper Pearl car paint chosen, multiple coats may be required to achieve the desired effect. It is recommended to follow the manufacturer's recommendations and apply in layers to ensure color saturation and uniformity.

Drying time:

Fine copper pearl car paint needs to be fully dried and cured after painting to get the best effect. Manufacturers usually provide appropriate drying time recommendations, which may involve waiting hours or days. Make sure to avoid contact with water and other substances that may damage the paint finish during the drying process.

Mixing Ratio	Ambient	Basecoat Colors	Thinner
	Temperature	1	1-1.2
	<15ºC	1K metallic paint	602
	15-30ºC	1K metallic paint	602
	>30ºC	1K metallic paint	602

Picture:







Guangzhou Meklon Chemical Technology Co., Ltd.

+8613392100968

Meklonpaint@gzmeklon.com

refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province