

MSDS Metallic Car Pearl Paint White Practical Mildew Resistant

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

for more products please visit us on refinishcarpaint.com

- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Ferrari series

GUANGDONG CHINA

- 100 L 3.26USD-5USD
 - 0.5L/1L/4L/10L/20L/200L
- 7-30days





Product Specification

- Main Raw Materials:
- Feature:
- Certification:
- Substrate:
- Coating Type:
- Mildew Resistant:
- Transport Package:
- Dry Film Thickness:
- Coating Material:
- Color:
- Highlight:

- High Leveling, high Glossy, high
- Fullness,good Covering,high Adhesion
- Acrylic
- Yes
- In Standard Export Cartons
- Acrylic
- MSDS Car Pearl Paint, Metallic Car Pearl Paint, auto paint hardener



More Images



Acrylic Resin, Polyurethane Resin

- Pigment
- 1k Base Coat

- 1.5-2.0 Mils
- 1K Young White Pearl

Product Introduction

The meticulous selection process behind 1k white pearls in Meklon's car paint products revolves around a fusion of refined attributes tailored for the automotive realm. A focal point lies in the deployment of ultra-fine particles, ensuring an impeccably smooth application onto the vehicle's surface. From the frontal perspective, a pristine and lustrously white hue takes center stage, exuding an aura of sophistication. Yet, it's the subtle yet discernible hint of pale yellow when viewed from the side that lends an element of depth and character, creating an entrancing visual interplay.

This product stands as a testament to the stringent demands of the automotive industry, where precision is paramount. The formulation strikes a harmonious chord, facilitating effortless blending into the vehicle's bodywork. This seamless integration is a testament to both the science and artistry of automotive finishing. By offering this extraordinary synergy of attributes, Meklon not only elevates the aesthetic allure of vehicles but also underscores the unparalleled precision required in the realm of automotive paint applications.

Specification:

Product name	1K BASE COAT 1K Young White Pearl	
	1: 1-1.2	
Mixing ratio	100 parts 1K Base coat	
	100-120 parts Thinner	
Spray coats	Spray 2-3 layers, the flash-off time is 5 to 8 mins.	
Dry Time	15 min(20ºC)	
Shelf Life	2 years in original sealer in cool and dry place at 20°C	
Packaging (per carton)	1L*12can, 4L*4can	
Product advantages	Extra fast drying and high quality finishing.	
	Good color covering power and leveling.	
	Varied color cover full range with high color	
	saturation.	
Instructions	Spray	
Brand Name	Meklon	

Application method

spray gun	Gravity gun	Suction gun	
	gun nozzle: 1.2mm, gun pressure: 2.0-3.0 MPa	gun nozzle: 1 5mm	
substrate	dry 1K primer surface with smooth effect		
Paint preparation	1K Mud Yellowpaint- thinner-EX10/EX20/EX30		
mix ratio	1 : 1 (base paint : thinner)		
spraying layers	2-3 coats		
flash off time	3-5 mins , 20-25		
surface dry time	15-20mins		
Time to Polish	1h, P1000 sanded paper		
Relationship between drying temperature and time of 1K base coat			
Tenmperture	Surface Drying time	Time to Polish	
25	10-15 mins	1 hour	
35	5-10 mins	40 mins	
60	3-5 mins	15 mins	

Opt for Meklon, a distinguished choice offering a harmonious blend of superior quality and competitive pricing. Experience a comprehensive array of products, ranging from the versatile 1K basecoat and 2K topcoat to the advanced HS&MS clear coat, encompassing essentials such as hardeners, thinners, and primers, along with supplementary solutions like fillers, matting agents, flexible agents, graders, and more. Immerse in the realm of matured technologies and an innovative self-mixing system. Garner satisfaction through the resounding acclaim from a diverse clientele both domestically and internationally, attesting to Meklon's unwavering commitment to excellence.













Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province