

Durable Glossy Pearlescent White Car Paint, Waterproof Pearl Clear Coat **Auto Paint**

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

for more products please visit us on refinishcarpaint.com

- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



GUANGDONG CHINA

- 100 L 3.26USD-5USD

50000L/month

- 0.5L/1L/4L/10L/20L/200L 7-30days
- T/T



Product Specification

- Main Raw Materials:
- Feature:
- Certification:
- Substrate:
- Coating Type:
- Mildew Resistant:
- Transport Package:
- Dry Film Thickness:
- Coating Material:
- Color:
- Highlight:

- Acrylic Resin, Polyurethane Resin
- High Leveling, high Glossy, high Fullness,good Covering,high Adhesion
- Pigment
- 1k Base Coat Acrylic
- In Standard Export Cartons
- - Acrylic



More Images



Yes 1.5-2.0 Mils

- 1K White Pearl
- quality auto paint, car refinish paint, professional paint for cars

Good Performance Paint Mixing System UV Resistant 1K White Pearl Car Paint

Туре	1K Basecoat White Pearl			
Substrates	Well-sanded,completely dried and good existing finishes as: A. original paint B.old paint firm C.1K or 2K primer			
Surface Cleaning	Wash by warm soap, remove wax, silicon and other contaminations with degreaser, sanding with P800- P1000, wash with clean water then keep dry, again with degreaser.			
Mixing Ratio	Basecoat	Thinner		
<15°C	1K Basecoat White Pearl	62 Fast Thinner		
15-30°C	1K Basecoat White Pearl	62 Standard Thinner		
>30°C	1K Basecoat White Pearl	62 Slow Thinner		
Spray Viscosity	14-16s to drop off, in 4# viscosity cup at 25C			
Re-Treatment	After Spray, allow 10-20 minutes air-drying time, then spray clear coat at once.			
Spray Gun Set Up	Gravity Feed: 1.2-1.5mm 3-5kg/cm ² Gravity Feed: 1.4-1.6mm 3-5kg/cm ²			
Spray Technology	Coats & Thickness: 2-3 coats, total 15-20um. Flash-Off Time: At 25°C, 5-10 minutes between two coats, it depends on temperature and paint film.			
Shelf Life	2 years in original sealed can, cool and dry place at 25°C			
OEM/ODM	As customers' order			
Package Size	1L*12 Tins or 3.75L*4 Tins			

Size Imformation

Product Name	Package Size
tinter	3.75L*4tins/ 1L*12tins
clear coat	2.5L*8tins /1L*12tins/ 0.5L*12tins
thinner &	1L*12 tins / 0.5L*12tins 0.25IL*12tins / 5L*4 tins / 4L*6
harder	tins
primer	3.75L*4tins / 1L*12tins
auxiliaries	0.5L*12tins / 1L*12tins


Elevating Excellence through Pristine Raw Materials:

At the core of our unwavering commitment to quality lies our meticulous selection of raw materials sourced from industry stalwarts. The pursuit of unparalleled hues and steadfast colors leads us to procure primarily from renowned names such as BASF, MERCK, ECKART, EASTMAN, DSM, BYK, and BAYER, among others. It's our synergy with these titans that forms the bedrock of our color stability and unwavering quality. Of particular note is our esteemed status as a strategic partner to BASF —a distinction that underscores our significance as a major Chinese procurer of their finest raw materials. This strategic alliance epitomizes our dedication to pioneering excellence, ensuring that our products consistently surpass your expectations and redefine industry standards.

RAW MATERIAL SUPPLIERS					
• BASF We create commercy	Ødsм	С вук	BAYER		
QLAB	C ALTANA	ELEMENTIS	allnex		
Toyal	NETZSCH	nuplex	MERCK		
			a second and		

Empowering Expertise through Specialized Technical Training:

A cornerstone of our commitment to customer empowerment is our comprehensive technical training program. Our proficient technicians are frequently deployed to your local markets, ensuring you have access to professional guidance where it matters most. Our training is a holistic endeavor encompassing essential aspects such as mastering our formula software, adeptly navigating color cards, and harnessing the potential of the invaluable Spectrophotometer. Additionally, we delve into the artistry of color mixing and paint spraying techniques, equipping you with the mastery needed for flawless execution.









Guangzhou Meklon Chemical Technology Co., Ltd.

+8613392100968 Seklonpaint@gzmeklon.com

@ refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province