

Coarse White Car Pearl Paint UV Resistant 1K Basecoat Practical

Our Product Introduction

Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Ferrari series
- Certification: ISO,SGS,MSDS
- Model Number: F-303
- Minimum Order Quantity: 100 L
- Price: 3.26USD-5USD
- Packaging Details: 0.5L/1L/4L/10L/20L/200L
- Delivery Time: 7-30days
- Payment Terms: T/T
- Supply Ability: 50000L/month



Product Specification

- Main Raw Materials: Acrylic Resin,Polyurethane Resin
- Feature: High Leveling,high Glossy,high Fullness,good Covering,high Adhesion
- Certification: Pigment
- Substrate: 1k Base Coat
- Coating Type: Acrylic
- Mildew Resistant: Yes
- Transport Package: In Standard Export Cartons
- Dry Film Thickness: 1.5-2.0 Mills
- Coating Material: Acrylic
- Color: 1K White Coarse Pearl
- Highlight: pearl automotive paint,
Car Pearl Paint UV Resistant,
Practical Pearl White Car Paint



More Images



for more products please visit us on refinishcarpaint.com

Product Description

Coarse White Pearl Car Paint, UV Resistant, 1K Basecoat, Good Performance Mixing System

Type	1K Basecoat Coarse White Pearl	
Substrates	Well-sanded, completely dried and good existing finishes as: A. original paint B. old paint firm C. 1K or 2K primer	
Surface Cleaning	Wash by warm soap, remove wax, silicon and other contaminations with degreaser, sanding with P800-P1000, wash with clean water then keep dry, again with degreaser.	
Mixing Ratio	Basecoat	Thinner
<15°C	1K Basecoat Coarse White Pearl	62 Fast Thinner
15-30°C	1K Basecoat Coarse White Pearl	62 Standard Thinner
>30°C	1K Basecoat Coarse White Pearl	62 Slow Thinner
Spray Viscosity	14-16s to drop off, in 4# viscosity cup at 25°C	
Re-Treatment	After Spray, allow 10-20 minutes air-drying time, then spray clear coat at once.	
Spray Gun Set Up	Gravity Feed: 1.2-1.5mm 3-5kg/cm ² Gravity Feed: 1.4-1.6mm 3-5kg/cm ²	
Spray Technology	Coats & Thickness: 2-3 coats, total 15-20um. Flash-Off Time: At 25°C, 5-10 minutes between two coats, it depends on temperature and paint film.	
Shelf Life	2 years in original sealed can, cool and dry place at 25°C	
OEM/ODM	As customers' order	
Package Size	1L*12 Tins or 3.75L*4 Tins	

Size Information

Product Name	Package Size
tinter	3.75L*4tins/ 1L*12tins
clear coat	2.5L*8tins / 1L*12tins/ 0.5L*12tins
thinner & harder	1L*12 tins / 0.5L*12tins 0.25L*12tins / 5L*4 tins / 4L*6 tins
primer	3.75L*4tins / 1L*12tins
auxiliaries	0.5L*12tins / 1L*12tins

Elevating Excellence through Pristine Raw Materials:

Nestled at the heart of our unyielding dedication to superior quality is a meticulous curation of metallic raw materials, sourced with precision from industry leaders. Our relentless pursuit of unparalleled hues and unwavering color integrity drives us to primarily select from esteemed entities such as BASF, MERCK, ECKART, EASTMAN, DSM, BYK, and BAYER. This strategic alignment serves as the bedrock of our color stability and steadfast quality. Of exceptional significance is our distinguished role as a strategic partner to BASF—a testament to our pivotal position as a major Chinese procurer of their finest raw materials. This strategic alliance is emblematic of our unwavering commitment to pioneering excellence, ensuring that our products consistently transcend your expectations and redefine industry standards.



Characteristics:

Boasting an exceptional high gloss and impressive build, our product excels in leveling properties, ensuring effortless application. Its user-friendly nature, coupled with its outstanding coverage and proactive prowess, guarantees an enduringly vibrant color finish. Additionally, the formula is characterized by remarkable weathering and chemical resistance, ensuring the color's longevity. This makes it ideal for a wide range of applications, including intermediate cars, MPVs, and buses.

Why Choose Us:

As the foremost professional manufacturer of automotive refinishing paints in China, we set the industry standard. Witness annual market growth of up to 30%, indicative of our resounding market demand. Our brand stands as a beacon of influence and innovation in the Chinese car paint sector.

Rigorous quality control ensures consistent product performance that you can rely on. Benefit from our distinguished brand image, advanced color mixing system, and unparalleled customer service network. Your satisfaction is our priority.



P303

COARSE WHITE PEARL

PRODUCT FEATURES

- COARSE WHITE PEARLS WITH MORE SHIMMERING PARTICLES, WHITE ON THE FRONT AND YELLOW ON THE SIDES



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province