

1K Copper Pearl Car Paint Glossy Finish Chemical Resistant Stable Efficient And Fast Drying

Basic Information

Place of Origin: GUANGDONG CHINA

Brand Name: Ferrari seriesCertification: ISO,SGS,MSDS

Model Number: F-305Minimum Order Quantity: 100 L

• Price: 3.26USD-5USD

Packaging Details: 0.5L/1L/4L/10L/20L/200L

Delivery Time: 7-15daysPayment Terms: T/T

• Supply Ability: 50000L/month



Product Specification

Main Raw Materials: Acrylic Resin, Polyurethane Resin

• Feature: High Leveling,high Glossy,high

Fullness,good Covering,high Adhesion

• Certification: Pigment

• Substrate: 1k Base Coat

Coating Type: AcrylicMildew Resistant: Yes

• Transport Package: In Standard Export Cartons

Dry Film Thickness: 1.5-2.0 MilsCoating Material: Acrylic

Color: 1K Copper Pearl

• Highlight: 1K Car Pearl Paint, Car Pearl Paint Glossy,

Chemical Resistant Copper Pearl Car Paint



More Images





Product Description

Automotive Colors Auto Car Paint 1K Copper Pearl Colors Base Coat Car Paint

Experience the epitome of 1K Pearl Colors, meticulously crafted to redefine excellence. Renowned for their impeccable leveling properties, these colors promise an effortless application process that elevates your automotive painting experience. Moreover, they boast exceptional adhesion power and coverage prowess, ensuring a flawless finish that endures the test of time. With the remarkable ability to seamlessly harmonize with an array of solid colors, metallic shades, and captivating pearl effects, these colors are a true chameleon on the automotive palette.

Primarily tailored for intermediate cars, MPVs, and buses, these colors encapsulate versatility and sophistication in equal measure. Elevate your automotive projects with the seamless fusion of aesthetics and performance that only our 1K Pearl Colors can deliver.

| Туре | 1K Basecoat 1K Copper Pearl | |
|---------------------|---|----------------------|
| Substrates | Well-sanded,completely dried and good existing finishes as: A. original paint B.old paint firm C.1K or 2K primer | |
| Surface Cleaning | Wash by warm soap, remove wax, silicon and other contaminations with degreaser, sanding with P800-P1000, wash with clean water then keep dry, again with degreaser. | |
| Mixing Ratio | Basecoat | Thinner |
| <15°C | 1K Basecoat 1K Copper Pearl | 602 Fast Thinner |
| 15-30°C | 1K Basecoat 1K Copper Pearl | 602 Standard Thinner |
| >30°C | 1K Basecoat 1K Copper Pearl | 602 Slow Thinner |
| Spray Viscosity | 14-16s to drop off, in 4# viscosity cup at 25°C | |
| Re-Treatment | After Spray, allow 10-20 minutes air-drying time, then spray clear coat at once. | |
| Spray Gun Set Up | Gravity Feed: 1.2-1.5mm 3-5kg/cm² Gravity Feed: 1.4-1.6mm 3-5kg/cm² | |
| Spray Technology | Coats & Thickness: 2-3 coats, total 15-20um. Flash-Off Time: At 25°C, 5-10 minutes between two coats, it depends on temperature and paint film. | |
| Shelf Life | 2 years in original sealed can, cool and dry place at 25°C | |
| OEM/ODM | As customers' order | |
| Package Size | 1L*12 Tins or 3.75L*4 Tins | |

Size Imformation

| Product Name | Package Size |
|--------------------|---|
| Tinter | 3.75L*4tins/ 1L*12tins |
| Clear coat | 2.5L*8tins /1L*12tins/ 0.5L*12tins |
| Thinner & | 1L*12 tins / 0.5L*12tins 0.25lL*12tins / 5L*4 tins / 4L*6 |
| Hardener | tins |
| Primer | 3.75L*4tins / 1L*12tins |
| <u>Auxiliaries</u> | 0.5L*12tins / 1L*12tins |

Characteristics

Explore the elemental attributes defining the choice of 1k copper pearls within Meklon's prestigious car paint lineup: boasting a front facade adorned with a captivating red copper hue that exudes elegance. From the sides, a beguiling hint of brownish-red unveils itself, enhancing the visual depth. The formula is characterized by a medium particle size, meticulously calibrated to perfection, ensuring a seamless application. With an unwavering commitment to quality, these copper pearls exhibit exceptional covering power, guaranteeing a flawless and enduring finish.

Delve into the heart of this product's essence, intricately tailored to the automotive realm's exacting standards. Precision is paramount, as this paint effortlessly blends with the vehicle's intricate contours, facilitated by our innovative self-mixing system. The harmonious amalgamation of rich copper tones, seamlessly applied, caters to the discerning aesthetic demands of automotive finishes—a union of precision engineering and artistic mastery. This emblem of excellence encapsulates the industry's unyielding pursuit of perfection, elevating the visual and tactile impact of vehicles as they navigate the roads, adorned with a coppery symphony of colors that resonates with automotive enthusiasts.

Elevating Excellence through Pristine Raw Materials

At the core of our resolute commitment to uncompromised quality lies a scrupulously curated selection of metallic raw materials, meticulously sourced from vanguards of the automotive paint industry. Our tireless pursuit of unrivaled hues and resolute color fidelity propels us to predominantly align with esteemed industry luminaries: BASF, MERCK, ECKART, EASTMAN, DSM, BYK, and BAYER. This strategic convergence forms the bedrock of our color stability and unwavering quality—a symphony of automotive precision.

Of paramount significance is our distinguished stature as a strategic partner to BASF, emblematic of our pivotal role as a key Chinese procurer of their finest raw materials. This alliance stands as a testament to our unwavering dedication to pioneering automotive excellence, ensuring our products consistently exceed your expectations and redefine the very standards that underpin the automotive paint landscape.











Guangzhou Meklon Chemical Technology Co., Ltd.

+8613392100968

Meklonpaint@gzmeklon.com

refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province