



## 2K Acrylic Car Clear Coat Varnish Multipurpose Scratch Resistant

Our Product Introduction

### Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Meshilianke series
- Certification: ISO,SGS,MSDS
- Model Number: 8000
- Minimum Order Quantity: 100 L
- Price: 3.26USD-5USD
- Packaging Details: 0.5L/1L/4L/10L/20L/200L
- Delivery Time: 7-30days
- Payment Terms: T/T
- Supply Ability: 50000L/month



### Product Specification

- Main Raw Materials: Acrylic Resin,Polyurethane Resin
- Feature: High Leveling,high Glossy,high Fullness,good Covering,high Adhesion
- Color: Transparent,transparent With Light Yellow
- Substrate: 2K Base Coat
- Shelf Time: 2 Years,at 20
- Component Style: Bi-component
- High Light: Anti Scratch Auto Base Paint, Oil Based Auto Base Paint, Acrylic Car Primer High Adhesion
- Product Name: Car Clear Coat Varnish
- Highlight: **2K Car Clear Coat Varnish, Acrylic Car Clear Coat Varnish, metallic vehicle paint**



for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)

## Product Description

### 2K Best Car Paint Brand Auto Base Acrylic Clear Coat Car Refinish Paint Varnish

Meklon Automotive Paint's clear coat is a high performance clear coat with a number of benefits and market positioning. This solution, which uses cutting-edge polymer technology and UV absorbers, has high durability and UV resistance and can keep the car paint's original color and gloss even in harsh circumstances. Its quality is rigorously monitored and examined to ensure that it satisfies the needs and demands of clients. At the same time, Meklon car Paint's varnish products hold a significant place in the car paint market and are well-liked.

Type	Clear Coat				
Substrates	1K Basecoat				
Mixing Ratio	Clear Coat(2)	Hardener(1)	Thinner(0.2-0.5)		
<15°C	8000 Clear Coat	120 Fast Hardener	602 Fast Thinner		
15-30°C	8000 Clear Coat	120 Standard Hardener	602 Standard Thinner		
>30°C	8000 Clear Coat	120Slow Hardener	602 Slow Thinner		
Spray Viscosity	16-19s to drop off, in 4# viscosity cup at 25°C				
Re-Treatment	There are particles or runs after spray, sand affected area with P2000 sand paper after thorough dring, then polish to solve it.				
Spray Gun Set Up	Gravity Feed: 1.2-1.5mm 4-5kg/cm <sup>2</sup> Gravity Feed: 1.4-1.6mm 4-5kg/cm <sup>2</sup>				
Spray Technology	Coats & Thickness: 2-3 coats, total 25-35um Flash-Off Time: At 25°C, 5-10 minutes between two coats Air-Drying Time: Allow 10-15 minutes air drying before forced drying				
Drying Time	Temperature	Dust Free	Tack Free	Dry to Handle	Dry to Test
	25°C	30minutes	2 hours	8 hours	6 days
	70°C	5 minutes	10 minutes	25 minutes	60minutes
OEM ODM	As customers' order				
Shelf Life	2 years in original sealed can, cool and dry place at 25°C				
Package Size	5L*4 Tins or 2.5L*8 Tins or 5L+2.5L+1L				

The product has good coating and color matching capabilities, which can be tailored to each customer's needs and increase client satisfaction. Additionally, Meklon Automotive Paint has a robust capacity for producing varnish products that can accommodate high-volume production and supply requirements. Meklon is a well-known manufacturer of automobile paint with a significant market presence, a strong brand name, and varnish products that are well-liked and regarded. Meklon automotive paint clearcoat products are a reputable name in the automotive painting industry, offering reliable appearance protection and value maintenance for cars as well as high-quality and high-performance painting solutions for automakers and car owners.

#### Product Description:

Meklon automotive paint's varnish products have a variety of benefits and impacts, particularly in the areas listed below:

**Protection for car paint:** Meklon car paint varnish products effectively shield the surface of the automobile from environmental hazards including UV rays, acid rain, oxidation, and corrosion, extending the life of the paint and minimizing wear and scratches on the surface.

**Enhanced Gloss:** The varnish product has a high gloss, which can reflect more light and color, making the surface of the vehicle more dazzling, and enhance the look quality and value of the vehicle.

**Enhance durability:** The varnish products of Meklon automotive paint have excellent durability, and they can keep the car paint's original color and gloss in harsh environments, lessen wear and scratches on the surface of the car, and enhance the car's ability to resist oxidation and corrosion.

**prevent maintenance costs:** This varnish solution may effectively preserve automotive paint, prevent wear and scratches on the vehicle surface, and improve the vehicle's service life and value. This in turn lowers maintenance costs and frequency.

**Enhance driving experience:** Meklon's automotive paint varnish solutions offer good coating and color matching capabilities that can be tailored to each customer's specific requirements, enhancing both their satisfaction and driving experience.

**Sustainability and environmental friendliness:** The varnish product uses a low-volatile organic compound (VOC) formula that complies with environmental protection norms and criteria, as well as reducing emissions and waste production.

To sum up, the varnish products of Meklon Automotive Paint can provide comprehensive protection and coating solutions for car manufacturers and car owners, with the functions of protecting car paint, increasing gloss, improving durability, reducing maintenance costs, improving driving experience and environmental protection. It is a trusted brand with multiple effects and benefits such as lasting.



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong  
Province