



Anti UV Clear Coat Automotive Paint Mildewproof Acid Resistant And Corrosion-Resistant

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Meshilianke series
- Certification: ISO,SGS,MSDS
- Model Number: 8100
- Minimum Order Quantity: 100 L
- Price: 3.26USD-5USD
- Packaging Details: 0.5L/1L/4L/10L/20L/200L
- Delivery Time: 7-15days
- Payment Terms: T/T
- Supply Ability: 50000L/month



Product Specification

- Main Raw Materials: Acrylic Resin,Polyurethane Resin
- Feature: High Leveling,high Glossy,high Fullness,good Covering,high Adhesion
- Color: Transparent,transparent With Light Yellow
- Substrate: 1k Base Coat
- Shelf Time: 2 Years,at 20
- Component Style: Bi-component
- High Light: Anti Scratch Auto Base Paint, Oil Based Auto Base Paint, Acrylic Car Primer High Adhesion
- Product Name: Car Clear Coat Varnish
- Highlight: **Anti UV Clear Coat Automotive Paint, Clear Coat Automotive Paint Mildewproof, Acid Resistant Automotive Clear Coat**



More Images



Product Description

Car Body Automotvie Solid Paint Repair Acrylic Mirror Effort Car Coating Clear Coat

The clear coat from Meklon Automotive Paint is a high performance clear coat with a number of advantages and a favorable market position. The UV resilience of this solution, which makes use of cutting-edge polymer technology and UV absorbers, allows it to maintain the original color and shine of the automotive paint even under challenging conditions. To guarantee that it meets the needs and requirements of customers, its quality is carefully controlled and evaluated. At the same time, Meklon Car Paint's varnish products enjoy popularity and a considerable market share.

Type	Clear Coat				
Substrates	1K Basecoat				
Mixing Ratio	Clear Coat(2)	Hardener(1)		Thinner(0.2-0.5)	
<15°C	8100 Clear Coat	120 Fast Hardener		602 Fast Thinner	
15-30°C	8100 Clear Coat	120 Standard Hardener		602 Standard Thinner	
>30°C	8100 Clear Coat	120 Slow Hardener		602 Slow Thinner	
Spray Viscosity	16-19s to drop off, in 4# viscosity cup at 25°C				
Re-Treatment	There are particles or runs after spray, sand affected area with P2000 sand paper after thorough dring, then polish to solve it.				
Spray Gun Set Up	Gravity Feed: 1.2-1.5mm	4-5kg/cm²			
	Gravity Feed: 1.4-1.6mm	4-5kg/cm²			
Spray Technology	Coats & Thickness: 2-3 coats, total 25-35um Flash-Off Time: At 25°C, 5-10 minutes between two coats Air-Drying Time: Allow 10-15 minutes air drying before forceddrying				
Drying Time	Temperature	Dust Free	Tack Free	Dry to Handle	Dry to Test
	25°C	30minutes	2 hours	8 hours	6 days
	70°C	5 minutes	10 minutes	25 minutes	60minutes
OEM ODM	As customers' order				
Shelf Life	2 years in original sealed can, cool and dry place at 25°C				
Package Size	5L*4 Tins or 2.5L*8 Tins or 5L+2.5L+1L				

The product's superior coating and color matching capabilities allow it to be customized to the demands of each customer and raise customer satisfaction. Furthermore, Meklon Automotive Paint has a sizable capability for manufacturing varnish products that can meet demand for high-volume supply and manufacture. Meklon is a reputable vehicle paint producer with a sizable market presence, a strong brand name, and varnish products that are well-liked and respected. Meklon automotive paint clearcoat products have earned a solid reputation in the automotive painting market by providing dependable aesthetic protection and value preservation for automobiles in addition to high-quality and high-performance painting solutions for automakers and car owners.

Product Introduction

The varnish products from Meklon automotive paint provide a variety of advantages and effects, especially in the following areas:

Meklon vehicle paint [varnish](#) solutions successfully protect the surface of the car from environmental risks such as UV radiation, acid rain, oxidation, and corrosion, extending the paint's life and reducing wear and scratches on the surface.

Enhancement of Gloss: The varnish product has a high gloss, which can reflect more light and color, making the surface of the car more brilliant, and enhancing the appearance quality and value of the vehicle.

Enhance durability: The varnish products of Meklon automotive paint have excellent durability, and they can keep the car paint's original color and gloss in harsh environments, lessen wear and scratches on the surface of the car, and enhance the car's ability to resist oxidation and corrosion.

Preventing wear and scratches on the surface of the car, preserving the paint, and extending the service life and value of the vehicle are all possible benefits of this varnish solution. As a result, maintenance expenses and frequency are reduced.

Improve driving experience: Meklon's automotive paint varnish solutions provide good coating and color matching capabilities that can be customized to meet the unique needs of each client, improving both their satisfaction and driving experience.

Sustainability and environmental friendliness: The varnish product employs a low-volatile organic compound (VOC) composition that conforms with standards and guidelines for environmental protection while also lowering emissions and waste creation.

In conclusion, Meklon Automotive Paint's varnish products can offer complete protection and coating solutions for automakers and car owners, with the goals of preserving paint, enhancing gloss, enhancing durability, lowering maintenance costs, enhancing driving enjoyment, and protecting the environment. It is a reputable brand with many lasting effects and advantages.



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong
Province