

Harmless 1K 2K High Gloss Auto Clear Coat , Anti Scratch Clear Automotive Paint

Our Product Introduction

Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Meshilianke series
- Certification: ISO,SGS,MSDS
- Model Number: 8300
- Minimum Order Quantity: 100 L
- Price: 3.26USD-5USD
- Packaging Details: 0.5L/1L/4L/10L/20L/200L
- Delivery Time: 7-30days
- Payment Terms: T/T
- Supply Ability: 50000L/month



Product Specification

- Main Raw Materials: Acrylic Resin,Polyurethane Resin
- Feature: High Leveling,high Glossy,high Fullness,good Covering,high Adhesion
- Color: Transparent,transparent With Light Yellow
- Substrate: 1k Base Coat
- Shelf Time: 2 Years,at 20
- Component Style: Bi-component
- High Light: Anti Scratch Auto Base Paint, Oil Based Auto Base Paint, Acrylic Car Primer High Adhesion
- Product Name: Car Clear Coat Varnish
- Highlight: **single stage acrylic paint,
2K High Gloss Auto Clear Coat,
Anti Scratch Clear Automotive Paint**



for more products please visit us on refinishcarpaint.com

Product Description

Automotive Car Painting Factory High Gloss 1K 2K Clear Coat Color Auto Refinish Repair Car Paint

Clear Coat: To meet the needs of various customers, we offer three types of high performance varnish: economic, standard, and high solid content, all of which have high hardness, high gloss, and resistance to alcohol and gasoline. The clear coat can give protection, durability, and brightness after spraying on the 1K base coat. After two wet sprays, the crystal gleaming and smooth effect can be attained.

High-quality, anti-yellowish hardener. We have three types: Economic, Standard, and High Solid Content (HS), as well as three models: Fast Dry, Standard, and Slow Dry. It is appropriate for 2K tinters, 2K ready mixed paint, and clear coat.

Thinner: Thinner is classified as Fast Dry, Standard, or Slow Dry. It is used in 2K paint, 1K paint, clear coat, 2K primer, and other products. It has a good dissolving rate and promotes bonding.

Type	Clear Coat				
Substrates	1K Basecoat				
Mixing Ratio	Clear Coat(2)	Hardener(1)		Thinner(0.2-0.5)	
<15°C	8300 Clear Coat	120 Fast Hardener		602 Fast Thinner	
15-30°C	8300 Clear Coat	120 Standard Hardener		602 Standard Thinner	
>30°C	8300 Clear Coat	120Slow Hardener		602 Slow Thinner	
Spray Viscosity	16-19s to drop off, in 4# viscosity cup at 25°C				
Re-Treatment	There are particles or runs after spray, sand affected area with P2000 sand paper after thorough dring, then polish to solve it.				
Spray Gun Set Up	Gravity Feed: 1.2-1.5mm 4-5kg/cm² Gravity Feed: 1.4-1.6mm 4-5kg/cm²				
Spray Technology	Coats & Thickness: 2-3 coats, total 25-35um Flash-Off Time: At 25°C, 5-10 minutes between two coats Air-Drying Time: Allow 10-15 minutes air drying before forcedrying				
Drying Time	Temperature	Dust Free	Tack Free	Dry to Handle	Dry to Test
	25°C	30minutes	2 hours	8 hours	6 days
	70°C	5 minutes	10 minutes	25 minutes	60minutes
OEM ODM	As customers' order				
Shelf Life	2 years in original sealed can, cool and dry place at 25°C				
Package Size	5L*4 Tins or 2.5L*8 Tins or 5L+2.5L+1L				

PREPARE THE SURFACE:

1. The surface should be free of dust, grease, and oil.
2. Before applying the clear coat, old varnish surfaces must be sanded with 1200 grit sandpaper.

Product Description:

Meklon automotive paint's varnish products offer a number of benefits and effects, particularly in the following areas:

The surface of the automobile is successfully shielded by Meklon vehicle paint varnish solutions from environmental hazards including UV radiation, acid rain, oxidation, and corrosion, extending the paint's life and minimizing wear and scratches on the surface.

Gloss Enhancement: The varnish product has a high gloss, which may reflect more light and color, giving the car's surface a more brilliant look and raising the car's quality and worth.

Our Services

1. OEM service is available. We can design and manufacture for customers' own brands.
2. Prompt Delivery. We can complete manufacture and deliver/ship the items within 7 to 10 days of receiving the order confirmation.
3. We will manufacture the items in accordance with the clients' specifications, including quality and special requirements.
4. We supply promotional items to customers. If the clients have their own brand, the promotional gifts will bear the name and design of the customer's brand.
5. We will provide complete client assistance.



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong
Province