

## Practical Car Clear Coat Varnish Moistureproof Mirror Effect

Our Product Introduction

### Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Meshilianke series
- Certification: ISO,SGS,MSDS
- Model Number: 8500
- Minimum Order Quantity: 100 L
- Price: 3.26USD-5USD
- Packaging Details: 0.5L/1L/4L/10L/20L/200L
- Delivery Time: 7-30days
- Payment Terms: T/T
- Supply Ability: 50000L/month



### Product Specification

- Main Raw Materials: Acrylic Resin,Polyurethane Resin
- Feature: High Leveling,high Glossy,high Fullness,good Covering,high Adhesion
- Color: Transparent,transparent With Light Yellow
- Substrate: 1k Base Coat
- Shelf Time: 2 Years,at 20
- Component Style: Bi-component
- High Light: Anti Scratch Auto Base Paint, Oil Based Auto Base Paint, Acrylic Car Primer High Adhesion
- Product Name: Car Clear Coat Varnish
- Highlight: **2 pack paint automotive, 2 part car paint, spraying clear coat**



for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)

## Product Description

### High Quality Automotive Clear Coat Car Paint Mirror Effect Auto Clear Coat Car Paint

#### Paint's item description

Real Factory In Guangdong: 1K Clearcoat Colors 1K Acryl Lacquer Auto Paint.

High-tech company that has spent more than ten years developing, manufacturing, and selling industrial and vehicle paints has grown to be one of Guangdong, China's major producers of automobile coatings. Guangzhou City is about one and a half hours away by car, while Guangzhou Baiyun International Airport is forty minutes away.

High gloss and build, high leveling performance, simple construction, great preective and covering power, long-lasting vivid color are the characteristics of paint. outstanding chemical and weather resistance.

mostly applicable to mid-size automobiles, MPVs, and buses.

Type	Clear Coat				
Substrates	1K Basecoat				
Mixing Ratio	Clear Coat(2)	Hardener(1)		Thinner(0.2-0.5)	
<15°C	8500 Clear Coat	120 Fast Hardener		602 Fast Thinner	
15-30°C	8500 Clear Coat	120 Standard Hardener		602 Standard Thinner	
>30°C	8500 Clear Coat	120Slow Hardener		602 Slow Thinner	
Spray Viscosity	16-19s to drop off, in 4# viscosity cup at 25°C				
Re-Treatment	There are particles or runs after spray, sand affected area with P2000 sand paper after thorough dring, then polish to solve it.				
Spray Gun Set Up	Gravity Feed: 1.2-1.5mm	4-5kg/cm²			
	Gravity Feed: 1.4-1.6mm	4-5kg/cm²			
Spray Technology	Coats & Thickness: 2-3 coats, total 25-35um Flash-Off Time: At 25°C, 5-10 minutes between two coats Air-Drying Time: Allow 10-15 minutes air drying before forceddrying				
Drying Time	Temperature	Dust Free	Tack Free	Dry to Handle	Dry to Test
	25°C	30minutes	2 hours	8 hours	6 days
	70°C	5 minutes	10 minutes	25 minutes	60minutes
OEM ODM	As customers' order				
Shelf Life	2 years in original sealed can, cool and dry place at 25°C				
Package Size	5L*4 Tins or 2.5L*8 Tins or 5L+2.5L+1L				

#### PREPARE THE SURFACE:

1. The surface must be clean and free of dust, grease, and oil.
2. Before applying the clear coat, sand the old varnish surfaces with 1200 grit sandpaper.

#### Product Description:

The varnish products made by Meklon automotive paint provide a variety of advantages and impacts, especially in the following areas:

Meklon automotive paint varnish solutions successfully protect the surface of the car from environmental dangers including UV radiation, acid rain, oxidation, and corrosion, extending the paint's life and reducing wear and scratches on the surface.

Enhancement of Gloss: The varnish product has a high gloss, which may reflect more light and color, giving the surface of the automobile a more brilliant appearance and increasing the car's quality and value.

#### Packing

1. Each can is 1L, and there are 12 cans in a carton.
2. Each can is 3.75L, and there are four cans in a carton.
3. Each can is 4L and comes in a carton of four.
4. Each can is 18L, and there are two cans in each carton.

#### After-Sales Support

Meklon offers skilled technical assistance, paint mixing training, paint spraying training, and other services.

#### Our Products and Services

1. Good stuff at a fair price.
2. Color mixing method has been updated.
4. We visit trade shows to promote our products all over the world and to assist our distributors in promoting in their respective markets.
5. We visit our distributors and large clients to gather information about automobile painting trends and suggestions for improving the development of our products.
6. We handle all export procedures for our customers to ensure the safety of their containers.



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong  
Province