



# Nontoxic Car Clear Coat Varnish 2K Topcoat Multiscene Moistureproof

## **Basic Information**

Place of Origin: GUANGDONG CHINA
 Brand Name: Meshilianke series
 Certification: ISO,SGS,MSDS

Model Number: 8800Minimum Order Quantity: 100 L

• Price: 3.26USD-5USD

• Packaging Details: 0.5L/1L/4L/10L/20L/200L

Delivery Time: 7-30daysPayment Terms: T/T

• Supply Ability: 50000L/month



# **Product Specification**

Main Raw Materials:
 Acrylic Resin, Polyurethane Resin

• Feature: High Leveling, high Glossy, high

Fullness,good Covering,high Adhesion

Color: Transparent,transparent With Light Yellow

Substrate: 1k Base Coat
Shelf Time: 2 Years,at 20
Component Style: Bi-component

High Light: Anti Scratch Auto Base Paint, Oil Based Auto

Base Paint, Acrylic Car Primer High

Adhesion

Product Name: Car Clear Coat Varnish
 Highlight: automotive restoration paint,

car paint base coat clear coat, two part automotive paint



#### **Product Description**

#### Automotive Paint Colors Car Paint 1K Basecoat Automotive Spray Car Paint Clear Varnish

Clear Coat with Mirror Effect High Fullness Yellowish Resist Varnish

#### Characteristic

high gloss mirror effect, high fullness paint film, great yellowing resistance

| Temperature & Match | Temperat<br>ure | Clear Coat                                      | Hardener   | Thinner             |
|---------------------|-----------------|---|--|---------------------|
|                     | ווא             | ,         | Economic/Standard/High Solid Type Fast<br>Dry Hardener | Fast Dry<br>Thinner |
|                     | ロコーノコ           |   | Economic/Standard/High Solid Type<br>Standard Hardener | Standard<br>Thinner |
|                     | レコー・イコ          | Economic/Standard/High Solid Type<br>Clear Coat | Economic/Standard/High Solid Type Slow<br>Dry Hardener | Slow Dry<br>Thinner |
| Mixing Ratio        |                 | 2   | 1  | 0.2-0.5             |

#### **Clear Coat**

High hardness, high gross, alcohol and gasoline resistance, protection, durability, and brightness

To meet the needs of our customers, we offer three types of high performance varnish: economic, standard, and high solid content, all of which have high hardness, high gloss, and resistance to alcohol and gasoline. The clear coat can give protection, durability, and brightness after spraying on the 1K base coat. After two wet sprays, the crystal gleaming and smooth effect can be attained.

Spray: Wet spray two to three layers, with a 5-10 minute flash-off period between layers.

Applicable time: 2 hours at 20 °C

Drying time: 40 minutes for surface dry, 12 hours for thorough dry at 20 °C.40 minutes thorough drying at 60 °C.

Polishing: It is advisable to polish after the paint has dried overnight.

1L\*15, 5L\*4 packing

### PREPARE THE SURFACE:

- 1. The surface should be clear of dust, grease, and oil.
- 2. Sand the old varnish surfaces with 1200 grit sandpaper before applying the clear coat.

Polishing: It is advisable to polish after the paint has dried overnight.

#### **Product Description:**

Meklon automobile paint varnish compounds provide numerous advantages and effects, particularly in the following areas:

Meklon automobile paint varnish solutions successfully protect the car's surface against environmental threats such as UV radiation, acid rain, oxidation, and corrosion, extending the life of the paint and reducing surface wear and scratches.

Gloss Enhancement: The varnish product has a high gloss, which may reflect more light and color, giving the surface of the automobile a more brilliant appearance and increasing the car's quality and value.

Our Products and Services

- 1. Good products at an affordable price.
- 2. The color mixing procedure has been updated.
- 3. We attend trade shows all around the world to promote our products and to assist our distributors in promoting in their respective markets.
- 4. We visit our distributors and key clients to learn about automotive painting trends and get feedback on how to improve our product development.
- 5. We handle all export procedures to ensure the safety of our customers' containers.





Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province