

ISO Stable Automotive Paint With Hardener , Odorless Fast Hardener For Clear Coat

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 200Boxes
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

Features:	High Hardness
• Brand:	MESHILIANKE
Color:	Transparent
• Name:	Enviromentally Hardener
Material:	Resin
 Net Weight: 	0.95kG
Shelf Life:	2 Years
 Storage Temperature: 	Room Temperature
 Highlight: 	ISO Automotive Paint With Hardener, premium auto paint, auto pro paint

China Meklon

MK-620X

Carton

T/T

ISO,MSDS,SGS

4.64USD-6.92USD

10-15 Work Day

500 boxes per day



Our Product Introduction

Meklon Auto Spray Paint Automotive Refinish Universal Car Paint Factory Hardener

Product Description:

High and medium solid content, good anti-yellowing ability are features. We provide three types: Economic, Standard, and High Solid Content (HS), as well as three models: Fast Dry, Standard, and Slow Dry. It is appropriate for clear coat, 2K ready-mixed paint, and 2K tinters.

High concentration (HS) and medium concentration (MS) are the two different types of hardeners. The HDI hardener technique ensures extremely good weatherability.

The HDI is one of three Japanese companies—Tosoh HXR100, Asahikasei TKA100, or Germany's BASF HI100—to guarantee that customers obtain high-quality and dependable goods.

Features: To meet the needs of a range of customers, we provide three unique high performance varnishes. These three types come into three categories: regular, high solid content, and economical. They are all exceedingly shiny, durable, and resistant to alcohol and gasoline. The protection, durability, and brightness that the 1K base coat needs may be provided by the clear coat. The product will be smooth and crystal clear after two wet sprays.

Product Description

Hardener

characteristics of outstanding anti-yellowing quality. We provide three types: Economic, Standard, and High Solid Content (HS), in addition to the three models Fast Dry, Standard, and Slow Dry. It is suited for clear coat, 2K ready-mixed paint, and 2K tinters.

Mixing Ratio:

Temperature& mixed	· ·		Activator/ Hardener	Thinner
Temperature& mixed	<15ºC	BS/ES Clear Coat	120 Fast Dry Activator	602 Fast Dry Thinner
Temperature& mixed	15-25⁰C		120 Standard Activator	602 Standard Thinner
Temperature& mixed	25-35⁰C	BS/ES Clear Coat	120 Slow Dry Activator	602 Slow Dry Thinner
Mixing Ratio		2	1	0.3-0.5

How to Apply:

It is advised to apply Fast Dry Hardener below 15 °C. Standard Hardener: It should be used between 15 and 30 degrees Celsius. Use of the slow dry hardener is advised above 30 °C.

0.5L*30, 0.5L*24, 1L*15, 1L*12, 2.5L*8, and 5L*4 bottles

Storage Time: Original unopened items can be kept for over two years at 20 °C.

FAQ

1. Are you a factory or trade company?

A: We are a professional paint factory with 20 years'+ history. We produce the car paint mainly, and also the industrial paint, wood paint, plastic paint, etc. Except of the paint, we also can supply the car care accessories, like the undercoating, rubbing compound, spray gun, polishing pads, wool pads, abrasive paper, masking tape, filter, strainer, putty spatula, etc.

2. What is your car paint system?

A: We produce the acrylic car refine paint, medium solid(MS) and high solid(HS)system.

3. What is the applicable range of your products?

A: car, truck, metal surface products, guardrail, billboard, etc.

4. Does your company can provide the samples to test? What is the minimum order quantity?

A: We can provide the samples for free. The minimum order quantity is 100cartons.

5. Does your company provide the after-sales service.

A: Yes, if there is a request, our engineers can visit the customers and provide the professional solution.

6. If I come to China, how can I find your factory and visit?

A: We warmly welcome your visit to our factory and company. Our driver can go to the airport or the appointed place to pick you up to our factory.

Customs feedback





+8613392100968 Meklonpaint@gzmeklon.com refinishcarpaint.com
Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province