



Basic Information

Place of Origin: GUANGDONG CHINA
 Brand Name: MEISHILIANKE series
 Certification: ISO,SGS,MSDS

Model Number: MK-103Minimum Order Quantity: 100L

• Price: 3.26USD-5USD

• Packaging Details: 0.5L/1L/4L/10L/20L/200L

Delivery Time: 7-15daysPayment Terms: T/T

Supply Ability: 50000L/month



Product Specification

Main Raw Materials: Acrylic Resin, Polyurethane Resin

• Feature: High Leveling,high Glossy,high

Fullness,good Covering,high Adhesion

• Certification: Pigment

• Substrate: 1k Base Coat

Coating Type: AcrylicMildew Resistant: Yes

• Transport Package: In Standard Export Cartons

Dry Film Thickness: 1.5-2.0 Mils
Coating Material: Acrylic
Color: 1K Scarlet

• Highlight: metallic car paint, auto paint matching,

auto body paint repair



More Images



Product Description

1K Car Refinish Auto Color Mixing Tinting Car Repair Metallic Spray Paint

Product Introduction

Base Coat Of 1K/2K

2K TINTERS

Features: It is a high-quality, single-coat, bi-component automotive refinish paint series. It may be dried at room temperature or by baking at a low temperature. Fast drying, high hardness, high gloss, vivid color, good covering power, ease of spraying, etc. are some of its benefits.

1K TINTERS

Features: It is a high-quality, single-coat, bi-component automotive refinish paint series. It may be dried at room temperature or by baking at a low temperature. Fast drying, high hardness, high gloss, vivid color, good covering power, ease of spraying, etc. are some of its benefits.

Car Refinish Paint

We provide a complete line of automobile refinishing paint.

1K Tinters, including 1K pearl hues, 1K silver, and 1K crystal pearl colors.

2,000 Tinters (2,000 solid colors).

Primers (matt black primer, epoxy primer, priming for plastic, primer for 1K, and primer for 2K).

Other automobile restoration paint additives, clear coatings, hardeners, thinners, binders, putty, etc.

Meklon-COAT 1k/2k automotive paint is a coating product for automobiles based on an acrylic polyester resin system. For the past 25 years, customers all over the world have praised Meklon-COAT for its excellent leveling, gloss, adhesion, weather resistance, acid and alkali resistance, stability, and excellent color saturation. To successfully guarantee paint quality, Meklon-COAT 1k 2k automobile paint has passed several quality control procedures during manufacture.

Specification

Product name	1K BASE COAT 1K Scarlet		
Mixing ratio	1: 1-1.2 100 parts 1K Base coat 100-120 parts Thinner		
Spray coats	Spray 2-3 layers, the flash-off time is 5 to 8 mins.		
Dry Time	15 min(20°C)		
Shelf Life	2 years in original sealer in cool and dry place at 20°C		
Packaging (per carton)	1L*12can, 4L*4can		
Product advantages	Extra fast drying and high quality finishing. Good color covering power and leveling. Varied color cover full range with high color saturation.		
Instructions	Spray		
Brand Name	Meklon		

Application Method

	0 '1	0 .:		
	, ,	Suction gun		
	gun nozzie. 1.2mm, gun pressure: 2 0-3 0 MPa	gun nozzle: 1.5mm,		
		gun pressure: 2.0-3.0		
		Мра		
Substrate	dry 1K primer surface with	smooth effect		
Daint Dranavation	1K Mud Yellowpaint-			
Paini Preparation	1K Mud Yellowpaint- thinner-EX10/EX20/EX30			
Mix Ratio	1 : 1 (base paint : thinner)			
Spraying Layers	2-3 coats			
Flash Off Time	3-5 mins , 20-25			
Surface Dry Time 15-20mins				
Time to Polish	1h, P1000 sanded paper			
Relationship between drying temperature and time of 1K base coat				
Tenmperture	Surface Drying time	Time to Polish		
25	10-15 mins	1 hour		
35	5-10 mins	40 mins		
60	3-5 mins	15 mins		

Safety recommendations

To prevent irritation of the respiratory tract, skin, and eyes during application, it is advised to use the proper personal protection equipment. Only for professional usage.

-The base may be mask and sprayed with additional varnish or clear coat after 15 minutes at 20 °C.

Why Choose Us

Our Product s	Our main product is car refinish paint, we also can provide different kinds of car care accessories, like the spray gun, tack cloth, sanding paper, undercoating, mixer, mixing machine, paint cup, tec.		
Quality	ity From the raw materials to the ready products, we always control the quality strictly.		
Service	We provide OEM/ODM service, if you want the products to be your own brand, please feel free to contact us!		
Fast			
Deliver	We guarantee to deliver/ship the goods within 7 to 10 days after the order confirmed.		
у			

Meklon Coat Basecoat is a very practical basecoat for automobile paint that is easy to mix and apply. It is perfect for recreating OEM solid, metallic, and pearl color effects because to its outstanding coverage, which offers faultless results and the best color match.











Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province