



## High Solid Spray Car Refinishing Paint 1K Car Coating For Repair

Our Product Introduction

for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)

### Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Meklon
- Certification: ISO,SGS,MSDS
- Model Number: 105
- Minimum Order Quantity: 200L
- Price: USD3.06/L-10.5/L
- Packaging Details: 1L\*12,4\*4,20L,200L
- Delivery Time: 5-8 work days
- Payment Terms: T/T
- Supply Ability: 500000L/month



### Product Specification

- Material: Acrylic Resin
- Usage: Car Paint, Plastic Coating
- Application Method: Spray
- State: Liquid Coating
- Brand: Honda
- Shelf Life: 3 Years
- Port: Hong Kong, Huangpu, Shekou, Nansha
- HS Code: 320890
- High Light: Honda Ready Mixed Car Paint
- Coverage: Various Coverage
- Highlight: **High Solid Spray Car Refinishing Paint,  
Car Refinishing Paint 1K**



### More Images



## Product Description

### High-Solid Spray Application Car Refinishing Paint 1K Car Coating for Repair

Product Name: MK-105P 1K Extra Black

Product Features:

**High Blackness:** The MK-105P 1K Extra Black automotive paint offers a deep, intense black color that enhances the overall appearance of vehicles. Its high blackness ensures a sleek and stylish finish, making it a preferred choice for automotive refinishing and customization.

**Excellent Covering Power:** With its superior covering power, this automotive paint effectively conceals any imperfections or previous layers on the surface. It provides smooth and even coverage, resulting in a flawless and professional-looking finish.

**Slightly Reddish-Yellow Tint:** The MK-105P 1K Extra Black paint is formulated with a slight reddish-yellow tint, adding depth and dimension to the black color. This unique tint allows for enhanced color richness and visual appeal, making the painted surface stand out.

**Durable and long-lasting:** This automotive paint is designed to withstand the rigors of daily use and environmental factors. It offers excellent resistance to UV rays, weathering, and fading, ensuring that the black color remains vibrant and long-lasting.

**Versatile Application:** The MK-105P 1K Extra Black paint is suitable for various automotive surfaces, including metal, plastic, and composite materials. It can be applied using different methods, such as spray guns, airbrushes, or brushes, providing flexibility and convenience for professional painters and enthusiasts.

**Professional Grade:** Manufactured with high-quality ingredients and advanced technology, the MK-105P 1K Extra Black paint meets professional standards for automotive refinishing. Its consistent performance and reliable results make it a trusted choice among automotive industry professionals.

Substrates		Dried and sanded existing finishes or primer	
Substrates treatment		Remove paint dust and contaminations with degreaser	
Mixing Ratio			
Name	2K Solid color	Hardener	Thinner
Volume Ratio	2 parts	1 parts	0.3-0.5 parts
Port life		4 hours@20°C	
Viscosity		Solid colour: 110-120S Silver colour:180-220S	
Period of Coats		2-3 coats	
Flash-off time		10-15 Minutes	
Each thickness		40-60 Micron	
Spray Pressure		Gravity type: 1.2–1.5 mm, 3.4Pa Suction type:1.4-1.6mm	

Drying Time			
Temperature	Dust Free	Dry to Handle	Thorough Dry
20°C	30 minutes	10 hours	1 day
60°C	15 minutes	1 hours	1 hour
Sand ability and Polish ability	wet sanding P800 P1000 sand paper if need polish		
Shelf Life	5 years in original sealed		
Packaging	1L*12 tins /ctn 4L*4tins /ctn		

We are committed to providing high-quality automotive paint that meets the needs of the industry and exceeds our customers' expectations.

In terms of material composition, we use carefully selected raw materials to ensure the high quality and excellent performance of our products. We work with reliable suppliers to source the highest quality pigments, resins, and additives to ensure our automotive paints:

**Weather Resistance:** Our automotive paints feature highly weather-resistant ingredients that resist UV rays, oxidation, and harsh weather conditions. Whether it's the scorching heat of summer or the freezing cold of winter, our products maintain vibrant color and a long-lasting appearance.

**Wear Resistance:** Our automotive paints contain wear resistance additives to effectively resist scratches, rubs, and the wear and tear of daily use. Whether it's a high-speed drive or a minor collision in a parking lot, our paint films provide superior protection, keeping your vehicle's appearance intact and beautiful.

**Coverage:** Our automotive paints provide excellent coverage, flawlessly concealing underlying color, blemishes, and uneven surfaces. With even application, our products provide seamless coverage for a consistent, smooth look.

In terms of technological applications, we continue to introduce the latest technologies and innovations to improve our product quality and production efficiency. The following are our widely used technology promotions:

**Advanced spraying technology:** We use efficient spraying technology to ensure that the car paint is evenly and accurately applied to the vehicle surface. Through precision spraying systems, we are able to achieve high-efficiency production and ensure consistent painting quality for every vehicle.

**Automated production line:** Our factory is equipped with advanced automated production lines that utilize robotics and intelligent control systems to achieve an efficient and precise production process. This not only improves production efficiency but also ensures product consistency and quality stability.



Guangzhou Meklon Chemical Technology Co., Ltd.

+8613392100968

Meklonpaint@gzmeklon.com

refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong  
Province