




## Honda 1K Auto Refinish Paint Environmentally Friendly Efficient And Fast Drying Standard Blue Car Care Coating

Our Product Introduction

for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)

### Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Meklon
- Certification: ISO,SGS,MSDS
- Model Number: 108
- Minimum Order Quantity: 200L
- Price: USD3.06/L-10.5/L
- Packaging Details: 1L\*12,4\*4,20L,200L
- Delivery Time: 5-8 work days
- Payment Terms: T/T
- Supply Ability: 500000L/month



### Product Specification

- Material: Acrylic Resin
- Usage: Car Paint, Plastic Coating
- Application Method: Spray
- State: Liquid Coating
- Brand: Honda
- Shelf Life: 3 Years
- Port: Hong Kong, Huangpu, Shekou, Nansha
- HS Code: 320890
- High Light: Honda Ready Mixed Car Paint
- Coverage: Various Coverage
- Highlight: **1K Auto Refinish Paint,  
Standard Blue Auto Refinish Paint**



### More Images



## Product Description

### 1K Cost-Effective Auto Refinish Paint Professional Standard blue Car Care Coating

Discover the excellence of our automotive paint, an eco-friendly solution that goes beyond conventional standards. Our car paint stands out for its innovative features, starting with an environmentally conscious paint remover that is not only effective but also sustainable.

Ensuring safety is our top priority, our non-corrosive formula guarantees user well-being, providing a secure and easy-to-use application process. Say goodbye to harmful substances – our car paint is entirely free from acid, benzene, and other detrimental materials, aligning with the highest safety standards in the automotive industry.

One of the standout features of our product is its reusability. By efficiently cleaning the paint film and paint slag in the solution, our car paint can be easily reclaimed, contributing to both cost-effectiveness and eco-friendly practices.

Versatility is key – our car paint excels in the rapid removal of various paint types, including phenolic resin, acrylic, epoxy, polyurethane finishing paint, and premier paint. This makes it an ideal choice for professionals looking for a comprehensive solution for diverse automotive painting applications.

Now, let's delve into the essential features that make our car paint a game-changer. With a high solids content, our paint ensures a robust and durable finish, providing longevity and resilience against environmental elements. The high build characteristic allows for a thicker coating, delivering enhanced protection and a polished appearance.

Substrates	Dried and sanded existing finishes or primer		
Substrates treatment	Remove paint dust and contamination with degreaser		
Mixing Ratio			
Name	2K Solid color	Hardener	Thinner
Volume Ratio	2 parts	1 parts	0.3-0.5 parts
Port life		4 hours@20°C	
Viscosity		Solid colour: 110-120S Silver colour:180-220S	
Period of Coats		2-3 coats	
Flash-off time		10-15 Minutes	
Each thickness		40-60 Micron	
Spray Pressure		Gravity type: 1.2–1.5 mm, 3.4Pa Suction type:1.4-1.6mm	

Drying Time			
Temperature	Dust Free	Dry to Handle	Thorough Dry
20°C	30 minutes	10 hours	1 day
60°C	15 minutes	1 hours	1 hour
Sand ability and Polish ability	wet sanding P800 P1000 sand paper if need polish		
Shelf Life	5 years in original sealed		
Packaging	1L*12 tins /ctn 4L*4tins /ctn		

As a leading supplier of automotive paint in the Chinese domestic market, we take pride in offering excellent services and high-quality products. Our flagship brand is equivalent to Sikken class and has garnered praise for its exceptional quality from customers across many countries.

The Meklon series solid color topcoat, known for its outstanding shine effect, is a 2K two-pack solid color with a hard paint film, high gloss, and excellent build. It boasts qualities such as good resistance, long-lasting color, weathering resistance, leveling, and fast drying. The extensive color options ensure a bright and complete range for automotive applications.

For your convenience, our automotive paint is available in 200 kg/barrel or 25 kg/barrel packaging, with a storage period of approximately 12 months in closed containers kept in a shady and dry place.

#### FAQs about our car paint

##### Formula Mixing

Q: Do you have formulas for mixing the car paint?

A: Yes, we provide formulas, including online access and CD-ROM.

##### Binder Addition

Q: Do we need to add a binder into the paint?

A: No, our paint is not highly concentrated, and binders are not required.

##### Promotional Materials

Q: Can you supply promotional materials to us?

A: Yes, we offer tint charts, color cards, posters, T-shirts, pens, catalogs, mixing machines, tin openers, etc., free of charge.

##### Quality Certificates

Q: Do you have any certificates concerning the quality?

A: Our products are certified by ISO TS 16949:2002, and we hold the quality management system certificate issued by SG.

**Materials Used**

Q: What kind of materials do you use for your automotive paint?


A: We use high-quality raw materials, including resin from Akzo Noble, pigment from BASF, hardener from Bayer, additive from Clariant, and solvent from Exxon.

**Delivery Time**

Q: How about your delivery time for car paint?

A: Our delivery time is 10 working days after receipt of the deposit.





**Guangzhou Meklon Chemical Technology Co., Ltd.**



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province