



1K 2K Blue Tints Refinish Car Paint Auto Body Acrylic Repair Base Spray Coat

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Meklon
- Certification: ISO,SGS,MSDS
- Model Number: 113
- Minimum Order Quantity: 200L
- Price: USD3.06/L-10.5/L
- Packaging Details: 1L*12,4*4,20L,200L
- Delivery Time: 5-8 work days
- Payment Terms: T/T
- Supply Ability: 500000L/month



Product Specification

- Material: Acrylic Resin
- Usage: Car Paint, Plastic Coating
- Application Method: Spray
- State: Liquid Coating
- Brand: Honda
- Shelf Life: 3 Years
- Port: Hong Kong, Huangpu, Shekou, Nansha
- HS Code: 320890
- High Light: Honda Ready Mixed Car Paint
- Coverage: Various Coverage
- Highlight: 2K Tints Refinish Car Paint,
1K Refinish Car Paint



More Images



Product Description

Auto Body Acrylic Repair Base Spray Coat 1K/2K Tints Car Paint for Automotive Refinishing

Product Overview

Discover excellence in automotive refinishing with our extensive range of car refinish paint. Our comprehensive selection includes:

1K Tinters

Featuring a spectrum of options, including 1K solid colors, [1K silver](#), 1K pearl colors, and [1K crystal pearl color](#).

2K Tinters

Unleash the power of color with our high-quality 2K solid colors.

Primers

Choose from a variety of primers such as 1K primer, 2K primer, epoxy primer, plastic primer, and matte black primer.

Finishing Essentials

Elevate your finish with our clear coats, ensuring a lasting shine.

Enhance durability with our hardeners.

Achieve the perfect consistency with our thinners, binders, putty, and other refinishing paint additives.



Key Features

Good Coverage Solid Color Base Coat

Experience exceptional coverage with our solid color base coat, ensuring a flawless and vibrant finish.

Versatility

From primers to tinters and finishing essentials, our product range caters to diverse automotive refinishing needs.

Advanced Formulation

Benefit from a formulation that combines fast drying, high hardness, and a brilliant gloss, providing an easy and efficient application process.

Industry-Standard Quality

Our commitment to quality spans from raw materials to the final product, ensuring that each component meets or exceeds industry standards.

Comprehensive Solutions for Automotive Perfection

Choose our car refinish paint for a comprehensive solution that goes beyond the surface, delivering the perfect blend of quality, versatility, and performance for your automotive refinishing projects.

Product Features Overview

2K Color Tinters

Fast Drying, High Hardness, High Gloss, Bright Color, Excellent Covering Power, Easy Spraying.

1K Color Tinters

Excellent Covering Power, Metallic Effect, Easy Spraying.

Clear Coat

High Hardness, High Gloss, Resistance to Alcohol and Gasoline, Protection, Durability, and Brightness.

Thinner

Good Dissolution, Promotes Bonding.

Hardener

High Quality, Excellent Anti-Yellowish, Heat Resistance, High Solid Content.

1K Primer

Fast Drying, Easy Sanding, Excellent Filling Power, Good Adhesion to the Top Coat.

2K Primer

High Filling Power, Excellent Inter-Layer Adhesion, Fast Drying, Easy Sanding, Improves the Fullness, Brightness, and Gloss of the Top Coat.

Epoxy Primer

Excellent Adhesion, Resistance to Salt Spray, Resistant to Moist Heat, Anti-Moisture, Anti-Bubbling, Excellent Isolation.

2K Binder

Improves Gloss, Assists Leveling.

[1K Binder](#)

Accelerates the 1K Metallic Paint Film Drying Speed, Improves Application, Enhances Adhesion.

[Matte Black Primer](#)

High Blackness, Fast Drying, Good Adhesion.

[Matte Agent](#)

Reduces Brightness, Provides a Good Matting Effect.

[Poly Putty](#)

Good Filling Power, Easy Application, Fast Dry (at Normal Temperature), No Crack, No Collapse, Easy Sanding, Excellent Adhesion.

Substrates	Dried and sanded existing finishes or primer		
Substrates treatment	Remove paint dust and contamination with degreaser		
Mixing Ratio			
Name	2K Solid color	Hardener	Thinner
Volume Ratio	2 parts	1 parts	0.3-0.5 parts
Port life		4 hours@20°C	
Viscosity		Solid colour: 110-120S Silver colour:180-220S	
Period of Coats		2-3 coats	
Flash-off time		10-15 Minutes	
Each thickness		40-60 Micron	
Spray Pressure		Gravity type: 1.2–1.5 mm, 3.4Pa Suction type:1.4-1.6mm	

Drying Time			
Temperature	Dust Free	Dry to Handle	Thorough Dry
20°C	30 minutes	10 hours	1 day
60°C	15 minutes	1 hours	1 hour
Sand ability and Polish ability	wet sanding P800 P1000 sand paper if need polish		
Shelf Life	5 years in original sealed		
Packaging	1L*12 tins /ctn 4L*4tins /ctn		

Why Choose Us:

Our Products: Specializing in car refinish paint, our product range extends to a variety of car care accessories, including spray guns, tack cloths, sanding paper, undercoating solutions, mixers, mixing machines, paint cups, and more.

Quality: Our commitment to quality is unwavering. From the selection of raw materials to the final products, we adhere to strict quality control measures, ensuring excellence at every stage.

Service: Experience the flexibility of our OEM/ODM service. If you aspire to have products under your own brand, don't hesitate to contact us. We tailor solutions to bring your brand vision to life.

Fast Delivery: We prioritize efficiency. With a commitment to timely service, we guarantee fast deliveries. Count on us to meet your deadlines, ensuring your projects progress seamlessly.

Choose us for a comprehensive automotive refinishing experience that blends top-notch products, quality assurance, personalized service, and prompt deliveries for unparalleled results.



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong
Province