



Good Coverage Automotive Car Paint Acrylic Resin Auto Refinish Coating

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Meklon
- Certification: ISO,SGS,MSDS
- Model Number: 123
- Minimum Order Quantity: 200L
- Price: USD3.06/L-10.5/L
- Packaging Details: 1L*12,4*4,20L,200L
- Delivery Time: 5-8 work days
- Payment Terms: T/T
- Supply Ability: 500000L/month



Product Specification

- Material: Acrylic Resin
- Usage: Car Paint, Plastic Coating
- Application Method: Spray
- State: Liquid Coating
- Brand: Carcharm
- Shelf Life: 3 Years
- Port: Hong Kong, Huangpu, Shekou, Nansha
- HS Code: 320890
- High Light: Honda Ready Mixed Car Paint
- Coverage: Various Coverage
- Highlight: **Good Coverage Automotive Car Paint, Acrylic Resin Automotive Car Paint**



More Images



Product Description

High Quality Good Coverage Automotive Coating Car Paint Auto Refinish

Automotive Paint Basecoat:

For those entering the auto maintenance industry, the distinction between 1k and 2k paints can initially be perplexing. Understanding the unique properties of each is crucial. Let's delve into the disparity between our self-produced 1k and 2k car paints:

1k Paint:

A single-component system, composed of original paint + thinner.

Applied simply by spraying after mixing.

Ideal for use as a primer or topcoat, ensuring compatibility with other coatings.

2k Paint:

A two-component system, consisting of original paint + curing agent + thinner.

Requires careful mixing before application, maintaining the integrity of the curing process.

Essential to avoid combining 1k and 2k paints together, ensuring separate usage in the primer or topcoat.

Remember, while it's permissible to use 1k primer with 2k topcoat, it's crucial never to mix 1k and 2k paints within the same layer, be it primer or topcoat. This differentiation is key to achieving optimal results in automotive refinishing projects.



Application method

spray gun	Gravity gun	Suction gun
	gun nozzle: 1.2mm, gun pressure: 2.0-3.0 MPa	gun nozzle: 1.5mm, gun pressure: 2.0-3.0 Mpa
substrate	dry 1K primer surface with smooth effect	
Paint preparation	1k paint- thinner-EX10/EX20/EX30	
mix ratio	1 : 1 (base paint : thinner)	
spraying layers	2-3 coats	
flash off time	3-5 mins , 20-25	
surface dry time	15-20mins	
Time to Polish	1h, P1000 sanded paper	
Relationship between drying temperature and time of 1K base coat		
Tenmperture	Surface Drying time	Time to Polish
25	10-15 mins	1 hour
35	5-10 mins	40 mins
60	3-5 mins	15 mins

Superior Color Saturation: 1K Yellow Automotive Paint delivers a vibrant, rich yellow color that injects energy and eye-catching appearance into vehicle surfaces.

Excellent hiding power: It has excellent hiding power, which can effectively cover the underlying color and ensure that the coating shows a uniform yellow color.

Easy to apply: 1K yellow automotive paint uses a one-component formula, which simplifies the painting process and makes application more convenient and efficient.

Strong adhesion: It can firmly adhere to the vehicle surface, providing long-lasting protection against various environmental influences in daily driving.

Excellent weather resistance: It has excellent weather resistance and can resist damage to the paint surface by ultraviolet rays, climate change and other natural factors, maintaining long-term color stability.

Wide applicability: 1K yellow car paint is suitable for different materials and models, providing diverse painting options for vehicles.

Strong compatibility: Compatible with other coating materials and varnishes, providing more possibilities for collaborative work of the overall coating system.



FAQ:

Q1: Are you a trading company or a manufacturer?

A: Yes, we are a manufacturer with our factory located in Shaoguan, Guangdong, China. It's approximately a one and a half-hour drive from Guangzhou airport to our facility.

Q2: Do you provide samples? Is it free or at an additional cost?

A: Depending on the specific situation, we can offer free samples.

Q3: Can you manufacture the paint under my brand and logo?

A: Yes, we can pack and deliver the paint under your brand. However, certain licensing requirements and minimum order quantities are necessary. For more details, please contact us to discuss our OEM Cooperation Terms.

Q4: Is your car paint suitable for our weather?

A: Our car paint has been tested by customers nationwide and in overseas markets. Additionally, we can adjust the formula to accommodate the climate conditions in each local market.

Q5: Can you produce customized colors?

A: Yes, we can. We would need a color sample from buyers, or alternatively, you can send us a picture for reference.

Q6: What free advertising materials would you provide if I place an order? How many pieces would be given for free?

A: We offer various free advertising materials such as mixing machines, balances/scales, spray guns, display racks, T-shirts, caps, CDs, posters, tinting maps, TDS (Technical Data Sheets), color reference cards, mixing rulers, etc. The quantity of free items is determined based on your order amount.



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province