



Bright Color Car Refinish Paint High Solid Content 1K Basecoat Color Auto Paint

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Meklon
- Certification: ISO,SGS,MSDS
- Model Number: 131
- Minimum Order Quantity: 200 cartoon
- Price: USD3.06/L-10.5/L
- Packaging Details: 1L*12,4*4,20L,200L
- Delivery Time: 5-8 work days
- Payment Terms: T/T
- Supply Ability: 500000L/month



Product Specification

- Material: Acrylic Resin
- Usage: Car Paint, Plastic Coating
- Application Method: Spray
- State: Liquid Coating
- Brand: Carcharm
- Shelf Life: 3 Years
- HS Code: 320890
- High Light: Honda Ready Mixed Car Paint
- Coverage: Various Coverage
- Highlight: **Bright Color Car Refinish Paint, 1K Basecoat Car Refinish Paint**



More Images



Product Description

Bright Color Car Refinish Paint High Solid Content 1K Basecoat Color Auto Paint

Introducing our high-solid content 1K basecoat color car paint
Enhance Your Coating Experience

Key Features:

Premium Base Coat Series: Designed for two-coat and three-coat systems, ensuring exceptional quality and a flawless finish.

Versatile Tinting Options: Available in silver, pearl, and solid color tinters to achieve a wide range of stunning effects.

Superior Covering Power: Conceals imperfections effortlessly, delivering a smooth and vibrant surface.

Metallic Brilliance: Achieve a captivating metallic finish that adds depth and sophistication.

Easy Application: Smooth and effortless spraying for a seamless application process.

Application Guidelines:

Mixing Ratio: Combine 1K Tinters with Thinner at a volume ratio of 1:1-1.2 for optimal performance.

Spraying Technique: Apply in two to three wet coats, with a recommended flash-off time of 5-15 minutes between coats.

Package Options: Available in convenient packages of 1L *12, 1L *6, and 4L *4 to suit your specific needs.

Storage: Store in the original sealed container at 20°C for a shelf life exceeding 18 months.

Note: For larger spray areas, we recommend adding 5% hardener before applying the varnish for enhanced durability and a superior finish.

Elevate your coating projects with our advanced 1K Color Paint.

We offer a full range of car paint products, including 2K base colors, 1K base colors, silver, pearl, clear coats, hardeners, thinners, primers, and more.

Key Improvements:

Conciseness: Removed redundant phrases and streamlined sentences for better readability.

Clarity: Enhanced clarity by focusing on key features and benefits.

Impact: Strengthened the language to convey a sense of quality and professionalism.

Focus: Emphasized the key selling points of the product.

Professional Tone: Maintained a professional and impactful tone throughout.

Improved Formatting: Enhanced readability with bullet points and clear sectioning.

Product Name	Features
2K Color Tinters	Fast Drying, High Hardness, High Gloss, Bright Color, Excellent Covering Power, Easy Spraying
1K Color Tinters	Excellent Covering Power, Metallic Effect, Easy Spraying
Clear Coat	High hardness, high gloss, resistance to alcohol and gasoline, protection, durability, and brightness
Thinner	Good Dissolution, Promote Bonding
Hardener	High Quality, Excellent Anti-Yellowish, Heat Resistance, and High Solid Content
1K Primer	Fast drying, easy sanding, excellent filling power, and good adhesion to the top coat
2K Primer	High Filling Power, Excellent Inter-Layer Adhesion, Fast Drying, Easy Sanding, Improved Fullness, Brightness, and Gloss The Top Coat
Epoxy Primer	Outstanding Isolation, Resistance to Salt Spray, Anti-moisture, Anti-bubbling, and Resistant to Moist Heat
2K Binder	Improve The Gloss, Help Leveling
1K Binder	Boost the application, increase adhesion, and quicken the drying time of the 1K metallic paint film.
Matte Black Primer	High Blackness, Fast Drying, and Adhesion
Matte Agent	Reduce Brightness, Good Matting Effect
Poly Putty	Good filling power, easy application, fast drying (in normal temperature), no cracking, no collapsing, easy sanding, excellent adhesion

Why Choose Our Car Refinish Paint:

Proven Manufacturing Excellence:

Benefit from over 16 years of dedicated experience in crafting high-quality car refinish paint, showcasing our commitment to unmatched expertise.

Global Recognition:

Our products have gained global acclaim, being exported to over 80 countries. This international presence underscores our dedication to delivering quality on a worldwide scale.

Uncompromising Quality Standards:

Rest assured that our commitment to quality is unwavering. We proudly hold certifications such as ISO9001, REACH, TUV, factory audit, and SASO, ensuring our products consistently meet and exceed global benchmarks.

Punctual and Reliable Delivery:

Experience the reliability of on-time delivery. Our professional research and development (R&D) team, coupled with dedicated sales services, guarantees customer satisfaction through timely deliveries.

Tailored Solutions for You:

Embrace a customer-centric approach with our range of customized products. We understand the unique needs of our clients and provide tailored solutions for a refined and personalized car refinishing experience.

Product Code & Name	MK-137 1K Tinting black
Product Description	Acrylic single-component basecoat
Color Description	Brownish red, purplish red on the front and darker on the sides
Package cans	1L round, 4L round cans
Package cartons	1L*12 (carton size: 45*35*15 cm) 4L*4 (carton size: 35*35*20 cm)
Solid content	2.5%

Viscosity (T-4 cup) at 25	240s-300s
mixing ratio	MF127: thinner = 1:1-1.2
Spraying method	Spray 2 to 3 layers; the flash-off time is 5 to 10 minutes.
Scope of application	cars, mechanical equipment, advertising signboards, hardware accessories, guardrails, doors, windows, and other metal surface products.



MINIMUM ORDER
200  **boxes**



Application method

spray gun	Gravity gun	Suction gun
	gun nozzle: 1.2 mm, gun pressure: 2.0-3.0 MPa	gun nozzle: 1.5 mm, gun pressure: 2.0-3.0 MPa
substrate	dry 1K primer surface with a smooth effect	
Paint preparation	1k paint thinner-EX10/EX20/EX30	
mix ratio	1:1 (base paint: thinner)	
spraying layers	2-3 coats	
flash-off time	3-5 mins, 20-25	
surface dry time	15-20 mins	
Time to Polish	1h, P1000 sanded paper	
Relationship between drying temperature and time of 1K base coat		
Temperature	Surface Drying Time	Time to Polish
25	10-15 mins	1 hour
35	5-10 mins	40 mins
60	3-5 mins	15 mins

Our Comprehensive Services:

1. Swift and Efficient Delivery: Experience the convenience of our fast delivery service. Once your order is confirmed, we commit to completing production and shipping the goods within 7 to 10 days.
2. Customized Production: Tailoring products to meet your specific requests and quality standards is our specialty. We pride ourselves on meeting unique requirements to ensure your complete satisfaction.
3. Branded Promotional Gifts: Add a personalized touch with promotional gifts customized to your needs. For those with their own brand, these gifts will prominently feature your brand name and design, enhancing your promotional efforts.
4. Dedicated Customer Support: Count on us for unwavering support. Our dedicated customer support team is ready to assist you with any inquiries, concerns, or special requests, ensuring a seamless experience.



MEKLONG INDUSTRIAL CO., LTD.



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong
Province