

## Good Yellowing Resistance 2k Car Paint For Auto Refinish Topcoat

Our Product Introduction

for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)

### Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Meklon
- Certification: ISO,SGS,MSDS
- Model Number: 208
- Minimum Order Quantity: 200 cartoon
- Price: USD3.06/L-10.5/L
- Packaging Details: 1L\*12,4\*4,20L,200L
- Delivery Time: 5-8 work days
- Payment Terms: T/T
- Supply Ability: 500000L/month



### Product Specification

- Material: Acrylic Resin
- Usage: Car Paint, Plastic Coating
- Application Method: Spray
- State: Liquid Coating
- Brand: Carcharm
- Shelf Life: 3 Years
- HS Code: 320890
- High Light: Honda Ready Mixed Car Paint
- Coverage: Various Coverage
- Highlight: **Yellowing Resistance 2k Car Paint, 2k Car Paint Topcoat**



### More Images



## Product Description

### Good Yellowing Resistance 2k Car Paint for Auto Refinish Market Car 2k Topcoat

#### Product Description

Immerse yourself in our high-quality 2K acrylic automotive paint, which features a striking purple-blue hue that infuses mid- to high-end vehicles with a unique artistic vibe. This rich color not only provides a superior high gloss, but also displays a captivating colorful effect in different lights.

Its excellent weather resistance allows the car to maintain its excellent appearance in all kinds of bad weather and road conditions. The good pressure resistance and excellent hardness of the paint film ensure long-lasting protection of the car body against various potential scratches and abrasions.

This 2K purple-blue paint also exhibits excellent adhesion, making it ideal for partial painting of new vehicles. At the same time, its excellent leveling and easy spraying properties simplify the construction process, allowing even non-professionals to easily achieve professional painting effects.

At a temperature of 22°C, 15 hours after application, or after baking at 70°C for 30 minutes, you can polish to further enhance the fine texture of the coating. Choose our 2K Purple Blue automotive paint to give your vehicle superior looks and long-lasting protection.

Keywords: 2K paint, acrylic car paint, purple-blue paint, high gloss, weather resistance, scratch resistance, new car spraying, painting effect, baking, leveling, easy sprayability, delicate texture.

#### 2K PAINTS

Mixing Ratio (2k paints: Activator/hardener: Thinner = 2: 1: 0.3-0.5)

Our 2K paints are meticulously formulated with a precise mixing ratio of 2 parts paint, 1 part activator/hardener, and 0.3-0.5 parts thinner. For clear coat and hardener, we offer flexibility with mixing ratios such as 4:1 or 5:1.

Application Method: Ensure thorough stirring before application. Apply 2-3 coats for optimal results. Once applied, the paint can be polished after 15 hours at 22 or 30 minutes at 70 baking.

Our 2K paints deliver consistent and reliable performance, offering versatility with various mixing ratios to suit your specific requirements. Achieve professional-quality finishes with ease using our premium 2K paint formulations.

Other Name	2K Purple Blue
Features	Magnificent optical effect,high gloss, bright color
Substrates	Existing finishes, 2k and 1k intermediate primer
Color	Yellow, black, white, silver,etc.
Packing	1L*12cans, 4L*4cans,etc
Sample	Free
MOQ	100L
Product Keywords	Automotive Top Coat Piant



#### Company Information:

Founded in 2015, Guangzhou Meklon Chemical Technology Co., Ltd. stands out as a vibrant enterprise specializing in the

research, development, production, and distribution of automotive paint, alloy advertising paint, and putty. As a key player in the industry, we have established ourselves as a reliable choice for automotive coating needs.

Our extensive sales network spans across China, Southeast Asia, Africa, the Middle East, Australia, Europe, and America, reflecting our commitment to delivering quality products on a global scale. Notably, our success is exemplified by the introduction of renowned brands such as "Ferrari" and "Porsche," showcasing the high regard our products command in the market.

As we continue to evolve, our company has become a comprehensive painting enterprise, offering a diverse range of products tailored to meet the industry's demands. Join us in this journey of success and experience the innovation, reliability, and quality that define our automotive coatings.

#### **Application method**

spray gun	Gravity gun	Suction gun
	gun nozzle: 1.2mm, gun pressure: 2.0-3.0 MPa	gun nozzle: 1.5mm, gun pressure: 2.0-3.0 Mpa
substrate	dry 1K primer surface with smooth effect	
Paint preparation	1k paint- thinner-EX10/EX20/EX30	
mix ratio	1 : 1 (base paint : thinner)	
spraying layers	2-3 coats	
flash off time	3-5 mins , 20-25	
surface dry time	15-20mins	
Time to Polish	1h, P1000 sanded paper	
Relationship between drying temperature and time of 1K base coat		
Tenmperture	Surface Drying time	Time to Polish
25	10-15 mins	1 hour
35	5-10 mins	40 mins
60	3-5 mins	15 mins

Explore the exceptional qualities of our cutting-edge bi-component automotive refinish paint series, meticulously designed for mid- to high-end vehicles. This advanced car coating boasts a high-quality single-coat system, providing a seamless application process. With its innovative formulation, this automotive paint ensures efficient curing at room temperature or through low-temperature baking, offering versatility in various application scenarios.

Enjoy the benefits of fast drying, a crucial factor for productivity in automotive painting, and experience the lasting durability provided by high hardness. The high gloss finish not only enhances the visual appeal of your vehicle but also offers remarkable weather resistance, protecting against environmental elements faced during everyday driving.

The substantial film thickness, combined with excellent covering power, makes it an ideal choice for partial spraying on new cars or meticulous repairs of older vehicles. Whether you're an automotive enthusiast or a professional in the field, our premium 2K acrylic car paint delivers top-notch performance, ensuring a flawless and stunning finish.

Elevate your automotive aesthetics and protect your vehicle with our industry-leading automotive refinish paint, formulated to meet the demands of the modern road.

Product Name	2K top coat
Density	0.92-1.25 kg/L
Raw materials	Acrylic Resin, Additive, solvent, and polyurethane resin
Colors	multiple colour. See the product list below for details.
Solid content	50%



#### Frequently Asked Questions (FAQ):

Q1: What is your company's nature - a trading company or a manufacturer?

A: We operate as a reputable manufacturer situated in Shaoguan, Guangdong, China. Our state-of-the-art factory is conveniently located just a one and a half-hour drive from Guangzhou airport.

Q2: Do you offer samples, and is there a cost associated with them?

A: Depending on the situation, we can provide complimentary samples to interested parties.

Q3: Can you produce paint under my brand and logo?

A: Certainly. We provide the option to package and deliver the paint under your brand. However, certain licensing requirements and minimum order quantities apply. Feel free to contact us for a detailed discussion on our OEM Cooperation Terms.

Q4: Is your car paint suitable for our local weather conditions?

A: Our car paint has undergone rigorous testing both nationally and in overseas markets. Additionally, we can customize the formula to ensure optimal performance in various climate conditions.

Q5: Can you create customized colors?

A: Yes, we can. Provide us with a color sample, or alternatively, share a picture for reference, and we'll tailor the color to meet your specifications.

Q6: What advertising materials are provided for free with my order, and how many pieces are included?

A: With your order, we offer a range of complimentary advertising materials, including mixing machines, balances/scales, spray guns, display racks, T-shirts, caps, CDs, posters, tinting maps, TDS (Technical Data Sheets), color reference cards, mixing rulers, and more. The quantity of free items is determined based on your order amount, ensuring you have the tools to showcase our premium automotive coatings.



**Guangzhou Meklon Chemical Technology Co., Ltd.**



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province