



## Durable Professional Orange Red Car Paint With Multiple Specifications To Choose From

Our Product Introduction

for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)

### Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: ISO,MSDS,SGS
- Model Number: C-223
- Minimum Order Quantity: 200Boxes
- Price: 4.76USD-5.39USD
- Packaging Details: Can/Carton
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500 boxes per day



### Product Specification

- Brand: Carcharm
- Net Weight: 1.2KG
- Name: Orange Red
- Usage Way: Brush,Roll,Spray
- Manufacture: Meklon
- Location: China
- Highlight: Red Car Paint Top Coat, 5L Car Paint Top Coat



### More Images



## Product Description

### Base Automotive Refinish Car Paint with Mixing System

Product Name:	Orange Red	State	Liquid Paint
Specifications:	1L/2.5L/4L/5L	Certificate:	ISO,MSDS,SGS
Brand:	Carcharm	Smell:	Tasteless
Green:	Environmental friendly	Material:	pigment

#### Color introduction

Orange-Red car paint shines bright and bold, perfect for making cars pop with color. It's a mix of fiery red and sunny orange, creating a look that's both fresh and exciting.

The Tangerine car paint is a fun mix, not just orange, not just red, but the best of both. It's made to shine, bouncing light off your car so it looks amazing in the sunshine. It's the kind of color that turns heads and gives your car a cool, custom look.

This paint isn't just about color; it's also about shine and quality. It gives your car a glossy coat that lasts, keeping it looking great drive after drive. Choose this paint for a bright, eye-catching finish that adds personality to your ride.

#### Construction method

**Cleaning:** First clean the car surface thoroughly to remove oil, dust and any impurities to ensure paint adhesion.

**Sanding:** Use fine sandpaper to sand the car body to create a rough surface that will help the primer adhere.

**Dust removal:** After sanding, all sanding dust needs to be removed. You can use an air blow gun or a damp cloth to wipe it.

**Primer:** Apply a coat of primer to protect the metal surface, reduce rust, and provide an even base to enhance the color and texture of the topcoat.

**Smoothing:** Light sanding may be required after the primer has dried to smooth out uneven surfaces.

**Clean again:** Remove any dust from sanding the primer.

**Midcoat:** With some paint systems, a midcoat may be required to provide additional smoothness and texture.

**Topcoat:** Apply your chosen color of automotive paint, multiple coats may be needed to achieve ideal coverage and color saturation.

**Varnish:** Apply a final coat of varnish to protect the paint layer, add gloss and provide long-lasting protection.

#### Company Profile

Meklon is a reputable manufacturer specializing in automotive paint. With 15 years of foreign trade experience, our team has established a solid track record in delivering high-quality products to customers worldwide.

We take pride in our dedicated team of independent engineers who are committed to developing and testing our products, ensuring their reliability and performance. As a result, our automotive paints have garnered positive customer feedback and are highly sought after in numerous countries.

One of our key advantages is that our products are not only of exceptional quality but also offered at affordable prices. We strive to make our automotive paint accessible to a wide range of customers without compromising on excellence.

If you are interested in our products or have any inquiries, please do not hesitate to contact us. You can find our contact information at the bottom of this page. We look forward to serving you and meeting your automotive paint needs.

#### Effect pictures





**Guangzhou Meklon Chemical Technology Co., Ltd.**



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province