



Superior Car Paint Top Coat Glossy For Automotive 2K Standard Blue

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: ISO,MSDS,SGS
- Model Number: L-204
- Minimum Order Quantity: 200L
- Price: 2.76USD/L-4.23USD/L
- Packaging Details: Box/Carton
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T,
- Supply Ability: 200L per day



Product Specification

- Brand: CarCharm
- Code: L-206
- Product Name: 2K Standard Blue
- Specification: 1Lx12
- Durability: Long-lasting
- Package: Can And Carton
- Uv Protection: Yes
- Coating: Acrylic
- Finish: Glossy
- Net Weight: 0.95KG
- High Light: 2k Top Coat
- Highlight: single stage paint durability,
Car Paint Top Coat 2K



More Images



Product Description

Superior Car Paint TopCoat For Automotive 2K Standard Blue

Meklon company introduction

Meklon's automotive paint manufacturing plants feature innovative technology, superior quality and sustainable methods. We are committed to providing customers with high-quality automotive paint products and contributing to the development of the automotive industry.

Advanced production facilities:

Our automotive paint manufacturing plant has advanced production facilities and equipment. We invest in the latest production lines and technology to ensure our products meet the needs of the market and meet the highest quality standards. Our facilities are carefully designed to increase production efficiency, ensure product consistency and stability, and reduce resource waste.

Innovative research capabilities:

We have an experienced and creative research team dedicated to continuously promoting innovation in automotive paint technology. They work closely with customers to understand market needs and develop innovative products that meet customer needs. Our research team continuously explores new materials, formulations and processes to ensure that our automotive paints remain at the forefront in terms of appearance, durability and environmental friendliness.

Strict quality control:

At our automotive paint manufacturing facility, quality control is our top priority. We adopt a strict quality management system and strictly implement quality control standards in every aspect from raw material procurement to production process. We conduct comprehensive inspection and testing to ensure that each batch of products meets high standards of quality requirements. Our goal is to provide automotive paint products that are reliable, durable and meet industry standards.

Environmentally friendly and sustainable:

We pay attention to environmental protection and sustainable development and are committed to reducing our impact on the environment. In our automotive paint manufacturing process, we use environmentally friendly formulas and low volatile organic solvents to reduce negative impacts on air quality. We are also committed to the efficient use of resources and waste reduction to reduce the load on the environment.

Customer-oriented service:

We are always customer-centric and provide customized solutions that meet customer needs. Our sales and technical teams work with customers to understand their needs and provide comprehensive support and service. We are committed to building long-term relationships and growing together with our customers.

Product Introduction:

Product Name:	C-206 2K Standard Blue	Specifications:	1L/4L/5L
Features:	high covering power, high temperature resistance	Scope of application:	Cars, ships, vehicle, tanks
Color:	Blue	Voc:	Low
Storage method:	Store in a cool, dry, ventilated and dark place	Sales scope:	global
Drying time:	surface drying time is 2 hours, actual drying time is 24 hours	Mixing ratio:	paint:curing agent:thinner=2:1:0.3
Substrate treatment:	Before spraying the substrate, the substrate must be cleaned, degreased with degreaser, and polished with 800#~1000# sandpaper. Clean it after polishing, and use degreaser to remove oil again.		
Process:	The spraying process uses wet spraying to spray 2 to 3 layers on the surface of the substrate. Pay attention to leaving 5 to 10 minutes of evaporation time between each two layers. After spraying, the paint film needs to stand for 10 to 15 minutes. Then bake. Thickness in dry film state: 35~50 microns		

High-quality coating protection:

Standard blue car paint is made using state-of-the-art technology and high-quality raw materials to provide excellent protection for your vehicle. Its abrasion and corrosion resistance allow the paint to effectively withstand the wear and tear of daily use and external factors such as UV rays, acid rain and pollutants.

Elegant appearance:

Standard blue car paint shows a charming luster when exposed to sunlight, making the car body glow with dazzling color. Its fine texture and even coating give the entire vehicle a smoother appearance. Not only that, this paint color can also emphasize the lines and curves of the car body, making the vehicle's appearance more three-dimensional and dynamic.

Easy to maintain and repair:

Standard blue automotive paint is not only durable but also easy to maintain and repair. Even if there are scratches or small blemishes, our paints can be easily repaired to make your vehicle look like new. This easy maintenance feature extends the life of your paint and keeps your vehicle looking good.

Environmental protection and sustainability:

We are committed to environmental protection and sustainability, and our standard blue automotive paint meets the strictest environmental standards. We use low-volatile organic solvents and environmentally friendly formulas to reduce negative impact on the environment. At the same time, our paint research and development process focuses on the effective use of resources to reduce energy consumption and waste emissions.

Factory Tour



product photo





Effect picture





Certificate



Relevant Certificate Of Conformity



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province