




Weather Resistant And Wear-Resistant 2k Car Paint Suitable For Your Car Purple Repair Paint

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: China
- Brand Name: PORSHICHE
- Certification: ISO,MSDS,SGS
- Model Number: P-212
- Minimum Order Quantity: 50L
- Price: 2.73USD/L-5.56USD/L
- Packaging Details: Box/Carton
- Delivery Time: 7-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500 L per day



Product Specification

- Brand: PORSHICHE
- Color: Purple
- Product Name: P-212 Purple
- Recoat: 2 Hours
- Scrub Resistance: Yes
- Form: Liquid
- Scratch Resistance: Highly Resistant To Scratches
- Product Type: Automotive Paint
- Application: Spray
- Odor: Low
- Voc: Low
- Fade Resistant: Yes
- Sheen: High Gloss
- Highlight: Refinish Car Paint, High Quality Refinish Car Paint, Quick Refinish Car Paint



More Images



Product Description

Efficient and Fast Drying Environmentally Friendly Car Paint

Product Name	P-212 Purple	Specifcatons	1L/4L/5L
Features	High covering power, high temperature resistance	Scope of application	Cars, ships, vehicle, tanks
Color	Green	Voc	Low
Storage method	Store in a cool, dry, ventilated and dark place	Sales scope	Global
Drying time	Surface drying time is 2 hours, actual drying time is 24 hours	Mixing ratio	Paint:curing Agent:thinner=2:1:0.3
Substrate treatment	Before spraying the substrate, the substrate must be cleaned, degreased with degreaser, and polished with 800#~1000# sandpaper. Clean it after polishing, and use degreaser to remove oil again.		
Process	The spraying process uses wet spraying to spray 2 to 3 layers on the surface of the substrate. Pay attention to leaving 5 to 10 minutes of evaporation time between each two layers. After spraying, the paint film needs to stand for 10 to 15 minutes. Then bake. Thickness in dry film state: 35~50 microns		

P-212 2K purple car paint is a high-quality paint that is widely used in the field of automotive spray painting.

2K means that this paint is composed of two parts, namely base paint and curing agent. The base paint is the color part, while the hardener is the ingredient that hardens and increases the durability of the paint coating. This combination gives 2K Purple Automotive Paint excellent color stability and durability.

2K Purple Car Paint is a dark or light purple paint with rich hues and saturation. It can bring a unique appearance and visual effect to the car surface, increasing the car's appeal and personalization.

2K Purple Automotive Paint offers exceptional durability, resisting the effects of scratches, stone impacts and UV radiation from daily use. It protects the body from corrosion and fading and extends the life of the car.

2K purple car paint typically has a high gloss level that creates a stunning mirror effect. This high-gloss finish can enhance the texture and depth of your car's exterior, making it look more gorgeous and sophisticated.

Applying 2K purple car paint requires certain professional knowledge and skills. Usually, it needs to be applied by spraying to obtain an even and smooth coating. In addition, the addition and proportion control of the curing agent are also critical steps to ensure the quality and durability of the coating.

To maintain the appearance and performance of 2K Purple automotive paint, regular maintenance and upkeep is necessary. This includes car washing, wax polishing, regular application of protectants, etc. to maintain the shine and prevent damage to the coating.

Spraying method

Preparation: Make sure the vehicle surface is clean, smooth, and make any necessary repairs and polishes.

Primer Application: Apply a layer of primer to the body surface to provide good adhesion and a smooth base.

Through Green paint coating: Use professional spray guns and techniques to evenly spray green car paint on the car body surface. Make sure to follow proper spray distance and angle to avoid dripping or uneven coating.

Drying and Curing: Allow the green paint coating to fully dry and cure according to the application instructions in the instructions.

Maintenance methods after construction

To maintain the appearance and quality of green car paint, here are some post-application care methods:

Avoid exposure to extreme temperatures and weather conditions. If possible, park the vehicle in a shady area or use a garage to protect the bodywork.

Regular Cleaning and Care: Wash the car body regularly to remove dust, dirt, and other contaminants. Use an appropriate car cleaner and a soft sponge, and avoid using rough cleaning tools or chemicals that can scratch or damage the paint.

Wax regularly: Wax your P-210 through green paint regularly to provide extra protection and shine. Choose a high-quality wax suitable for car paint and follow the instructions.

Avoid Scratches and Bumps: Try to avoid scratching or bumping the car body as this may damage the paint and result in increased repair costs.

Our advantage

First of all, we focus on quality management and use high-quality raw materials and advanced production technology to ensure the production of excellent automotive paint products. We have strict quality control processes and inspection standards to ensure that each batch of products meets international standards and customer requirements.

We have a professional team and technical personnel from PPG who are committed to continuously innovating and improving the formula and production process of automotive paint. We pay close attention to the latest trends and technological


developments in the industry to ensure that our products remain at the leading edge and meet the ever-changing needs of our customers.

We have advanced production equipment and production lines, with high production capacity and flexibility. We are able to respond quickly to customer needs and meet production requirements for large batch orders. At the same time, we are also able to carry out small batch production according to customers' customized needs to meet the personalized needs of different customers.

We are committed to sustainable development and environmental protection. We use environmentally friendly materials and production processes to reduce negative impact on the environment. We comply with relevant environmental regulations and standards and strive to reduce waste and energy consumption to lower our environmental footprint.

We value cooperation and communication with customers and actively listen to their needs and feedback. We provide comprehensive pre-sales and post-sales support, including technical consulting, product training and problem solving. We strive to establish long-term cooperative relationships to achieve win-win and sustainable development.

Company Profile



Guangzhou Meklon Chemical Technology Co., Ltd.

- was established in 2014 with 25 subsidiaries and established a complete and scientific production chain.
- We specialize in the production of automotive paints, industrial paints, putty, Clear Coat and Hardener special curing agents for automotive paints, and automotive care products. Special unsaturated resin, various cans, cartons, etc.
- Our sales network covers more than 65 countries and has more than 1,500 customers in China.
- We have established good business relationships with well known automobile manufacturers, shipbuilding and machinery manufacturers. Our products have been favored by customers at home and abroad for many years.



24+

years of experience



86,645

square meters



8000+

types of bearing products



600+

skilled workers



450+

production equipment

Product Photo



Effect Pictures



Factory Photos



Manufacturer



Certificate

Relevant Certificate Of Conformity





Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong
Province