



## Automotive Paint Spraying For Car Paint Top Coat 2K Stand Blue Paint Topcoat

### Our Product Introduction

for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)

#### Basic Information

- Place of Origin: China
- Brand Name: Porshiche
- Certification: ISO,MSDS,SGS
- Model Number: 206
- Minimum Order Quantity: Could be negotiated
- Price: Could be negotiated
- Packaging Details: 1L\*12tins, 4L\*6tins, 4L\*4tins, 0.5L\*24tins, 10L, 20L, 200L
- Delivery Time: 5-8days
- Payment Terms: T/T
- Supply Ability: 500000L/month



#### Product Specification

- Application Method: Brush, Roller, Or Spray
- Coats Required: 2
- Color: Blue
- Coverage: 400 Sq. Ft. Per Gallon
- Dry Time: 2 Hours
- Finish: Glossy
- Product Name: Car Paint Topcoat
- VOC Level: Low
- Highlight: Car Paint Topcoat, 2K Stand Blue Paint Topcoat , Automotive Paint Spraying Topcoat



#### More Images



## Product Description

### Automotive Paint Spraying for Car Paint Top Coat 2K Stand Blue Paint Topcoat

#### Automotive paint Basecoat:

Introducing Meklon Basecoat – the ultimate solution for achieving flawless, OEM-quality finishes with unparalleled ease and precision. Our innovative basecoat is meticulously designed to simplify the mixing process, ensuring effortless application and delivering exceptional coverage that aligns metallic and pearl pigments perfectly.

With Meklon Basecoat, achieving an optimal color match has never been easier. Its advanced formulation guarantees a seamless blend with your vehicle's original color, enhancing the visual appeal and maintaining the integrity of the paintwork. To ensure the longevity and durability of your paint job, we recommend pairing Meklon Basecoat with our high-quality Meklon Clearcoat. This powerful combination not only enhances the overall appearance but also protects your vehicle from the elements, ensuring a long-lasting, vibrant finish.

Experience the Meklon difference today and transform your vehicle's appearance with a product that truly stands out in the market.

#### Surface Preparation:

Prepare your vehicle for a pristine finish with our meticulous surface preparation guidelines. Whether you're working with old or original paintwork, ensure it is thoroughly sanded and cleaned to perfection. Our advanced Primer-Surfacer or Surfacer products are designed to provide a smooth, even base, either sanded and cleaned or applied in an unsanded wet-on-wet process, depending on your specific needs.

Attention to detail is crucial. Prior to application, it is imperative that all surfaces are prepared and cleaned to the highest standard. For repair areas, we recommend sanding with precision using P500-P600 grit by machine or P800-P1000 grit by hand, followed by a thorough cleaning to remove any residue.

By adhering to these professional preparation techniques, you ensure that our products can perform at their best, delivering a flawless, durable finish that stands the test of time. Trust in our expertise to guide you through every step of the process, from preparation to application, for results that truly reflect the quality of our products.

#### Product Features:

Elevate your automotive refinishing projects with our premium hard paint film, engineered to deliver exceptional performance and unmatched durability. Featuring superior leveling properties, our paint ensures a smooth, even finish that is a breeze to apply, even for those with moderate experience in automotive painting.

Our paint boasts robust adhesion, ensuring a strong bond to the substrate, and offers outstanding resistance to the harsh outdoor elements. With a long-lasting anti-oxidation time, your vehicle's finish will maintain its luster and vibrancy for years to come.

Versatility is at the core of our product's design. It can be seamlessly mixed with a wide array of one-component base paints, including solid colors, metallic effects, and pearl finishes, to achieve a diverse range of aesthetic outcomes. The result is a harmonious blend of colors and effects that adhere perfectly between layers, providing a cohesive and professional finish. Experience the pinnacle of automotive paint technology with our product, where ease of use meets exceptional quality. Ideal for both DIY enthusiasts and professional painters, our paint is the ultimate choice for those who demand excellence in their vehicle's appearance.

PHYSICAL PROPERTIES	
Specific Gravity	0.95-1.0KG/L
Viscosity	140-180S
Ingredients	Acrylic resin, CAB, pigment, solvents, addition agents
Colour	All kinds of colors. For detailed information please refer to Roch® Tinters in the catalog
Mix Ratio (by volume)	2K paint: 2 part Hardener: 1 part Thinner(RC-X110, RC-X111, RC-X112): 0.3~0.5 parts
Pot Life	48 hours@20°C
Spray Gun & Air Pressure	2-3 single coating to coverage (volatilization time of each layer: 15-20 minutes)
Drying Time	Clearcoat can be sprayed within 15 minutes to 5 hours
Sanding	Before spray: P600-800 by dry sanding After spray: P1000 by wet sanding
Substrate	OEM paint, Roch® brand primer surfacer
Unapplicable Substrate	Thermal plasticity acrylic paint or alloy base coat
Packaging	1L x 12 tins/ctn, 4L x 4 tins/ctn
Shelf Life	5 years

Introducing Meklon Topcoat – the epitome of automotive refinishing excellence. This premium paint is meticulously crafted to offer effortless mixing and application, ensuring a smooth, professional finish with exceptional coverage and precise metallic orientation. Meklon Topcoat is your gateway to replicating OEM-grade solid, metallic, and pearl color effects, guaranteeing an optimal color match that meets the highest industry standards.

To unlock the full potential of your vehicle's finish, pair Meklon Topcoat with our superior Meklon Clearcoat. This dynamic duo not only enhances the visual appeal but also fortifies your paint job against the rigors of the road, ensuring enduring durability. Prior to application, meticulous surface preparation is key. Ensure old or original paintwork is thoroughly sanded and cleaned, while repair areas demand precision sanding with P500-P600 grit by machine or P800-P1000 grit by hand, followed by a comprehensive cleaning regimen. This attention to detail ensures maximum adherence and longevity of your paintwork. Meklon Topcoat is engineered with a robust hard paint film, delivering outstanding leveling performance and unwavering adhesion. Its exceptional resistance to outdoor weather conditions and prolonged anti-oxidation time make it a standout choice for automotive enthusiasts and professionals alike.

Versatility is at the heart of Meklon Topcoat. It effortlessly blends with a myriad of one-component base paints, including plain colors, metallic effects, and pearl finishes, ensuring seamless adhesion between layers for a cohesive and flawless finish. In summary, Meklon Topcoat is the quintessential choice for automotive refinishing, offering unparalleled ease of use, superior color matching, and robust durability. Its advanced features, including a hard paint film, strong adhesion, and excellent outdoor weather resistance, position it as the premier solution for achieving a showroom-worthy finish. Elevate your vehicle's appearance with Meklon Topcoat – where quality meets performance.



2K  
206

Standard Blue

*Product Features*

- Bright blue on the front side, the color is bright, with high chroma blue



**Guangzhou Meklon Chemical Technology Co., Ltd.**



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province