



Paint Mixing Cup For Car Paint Color Mixing Automotive Paint Color Mixing

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: ISO,MSDS,SGS
- Model Number: paint cover
- Minimum Order Quantity: 50 piece
- Price: 5.73USD/piece-9.56USD/piece
- Packaging Details: Box/Carton
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 2000 piece




Product Specification

- Name: Paint Mixing Cup
- Special Features: Scratch-free And Streak-free Formula
- Production Capacity: 50000 Piece/Pieces Per Day
- Safety Features: Non-toxic And Environmentally Friendly
- Type: Car Care
- Scent: Various Scents Available
- Fragrance: Lemon
- Trademark: Meklon
- Application Area: Chemical
- Durability: Long-lasting And Reusable
- Material: Various Materials Such As Microfiber, Foam, And Plastic
- Uv Protection: Yes
- Shelf Life: 3 Years
- Origin: Guangdong China



More Images



Product Description

Paint lid for automotive paint color mixing

Product Introduction

The paint mixing cup is an indispensable and important tool in the process of mixing car paint.

Meklon paint mixing cups are made of high-quality transparent plastic or glass materials, have good chemical corrosion resistance, and can safely hold various car paints and related solvents.

The design of the paint mixing cup focuses on precision and practicality. Its clear and accurate scale allows you to accurately measure and control the ratio of paint to thinners, curing agents and other ingredients, ensuring that the color of the mixed car paint is accurate and the performance is stable.



The shape and size of the cup body are carefully designed for easy grip and operation, allowing you to easily stir and mix the paint during the paint mixing process to achieve a uniform effect.

Its good sealing can effectively prevent paint leakage and volatilization, maintaining the quality and performance of the paint. Whether it is a professional car spray painter or a car paint enthusiast, the paint mixing cup is a good helper to achieve the ideal car paint effect.

You can adjust and modify the above content according to actual needs. If you have other specific requirements, such as special functions and material characteristics of the paint mixing cup, please feel free to let me know so that I can provide you with a more in line with your expectations.



Instructions:

Preparation: Make sure the paint mixing cup is clean, dry, and free of impurities.

Prepare the automotive paint, curing agent, thinner and other materials that need to be mixed.

Measure the paint: According to the mixing ratio, use the scale to accurately read the amount of paint required and pour it into the paint mixing cup.

Add curing agent hardener and thinner: Add curing agent and thinner to the paint mixing cup in the prescribed ratio.

Stirring and mixing

Use a suitable stirring tool, such as a paint mixing stick or a stirrer, to fully stir the paint, curing agent and thinner until the paint liquid is uniform without obvious stratification and particles.

Check and adjust: After stirring, check whether the color and viscosity of the paint liquid meet the requirements. If necessary, adjust the amount of curing agent or thinner appropriately.

Precautions:

Cleaning and drying: Before use, make sure that the paint mixing cup is clean and dry to prevent impurities from affecting the quality of the paint liquid.

Accurate proportion: Add curing agent, thinner, etc. in strict accordance with the proportion specified in the automotive paint product instructions. Improper proportion may result in poor performance of the paint liquid.

Stir thoroughly: Stir evenly and thoroughly to avoid uneven mixing that may affect the spraying effect.

Safety protection: During the mixing process, avoid contact between the paint and the skin and eyes. If contact occurs, rinse with plenty of water immediately and seek medical help.

Storage and sealing: The unused paint should be sealed and stored in time to prevent volatilization and contamination.

Environmental requirements

Paint mixing should be performed in a well-ventilated environment to avoid inhalation of harmful gases.

Marking and recording: Clearly mark the mixed paint and record the mixing ratio, time and other information.

Special tools: Use special paint mixing tools to avoid cross contamination.



Mode of transport:

Sea transport: This is a common and relatively low-cost mode of transport, suitable for long-distance transport of large quantities of goods. However, the transportation time is long and may be affected by weather and routes.

Air transport: It is fast and suitable for goods with high value and tight delivery time. However, the transportation cost is relatively high.

Rail transport: In some countries and regions that have railway connections with my country and frequent trade, rail transport is also an option. Its transportation speed and cost are between sea transport and air transport.

International express: Such as DHL, UPS, FedEx, etc., can provide fast, door-to-door services, but the cost is high, generally suitable for small quantities and high-value goods.

Provide OEM Service



1

Detailed Design



2

Mold Building and Sample Making



3

Send Sample for Customers



4

Quality Control



5

Product Testing



6

Shipment

Factory History and Achievements:

Meklon Automotive Paint Manufacturing Factory was established in 2010. Starting from the initial small-scale production, after years of unremitting efforts and continuous development, it has gradually emerged in the automotive paint industry.

In the early days of its establishment, facing fierce market competition and many technical difficulties, we adhered to the persistent pursuit of quality and innovative spirit, and continued to explore and try. By introducing advanced production technology and equipment and cultivating professional technical personnel, we have gradually accumulated rich production experience and professional knowledge. We continue to increase investment in research and development and are committed to improving product quality and performance. After countless experiments and improvements, we have successfully launched a series of automotive paint products with independent intellectual property rights, covering a variety of colors and functions, meeting the diverse needs of different customers.

In the past few decades, our factory has achieved many remarkable achievements. Our automotive paint products have not only been widely recognized and praised in the domestic market, but also successfully exported to many countries and regions, winning the favor of the international market.

We have established long-term and stable cooperative relations with many well-known automobile manufacturers, providing them with high-quality automotive paint solutions. At the same time, we actively participate in the formulation of industry standards and promote the advancement of industry technology, making important contributions to the development of the entire automotive paint industry.

Looking back on the past, we are deeply proud; looking forward to the future, we are full of confidence. We will continue to uphold the business philosophy of "quality first, innovation driven, customer first", constantly improve our own strength, provide customers with better products and services, and create more brilliance for the development of the automotive paint industry!



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province