



Refinish Car Paint 2K Purple Automotive Paint for Long-Lasting and Vibrant Coatings

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: China
- Brand Name: MEISHILIANKE
- Certification: ISO,MSDS,SGS
- Model Number: MK-212
- Minimum Order Quantity: 200L
- Price: 2.73USD/L-5.56USD/L
- Packaging Details: Box/Carton
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500 L per day



Product Specification

- Brand: MEISHILIANKE
- Color: Purple
- Product Name: P-212 Purple
- Recoat: 2 Hours
- Scrub Resistance: Yes
- Form: Liquid
- Scratch Resistance: Highly Resistant To Scratches
- Product Type: Automotive Paint
- Application: Spray
- Odor: Low
- Voc: Low
- Fade Resistant: Yes
- Sheen: High Gloss
- Highlight: **Vibrant Coatings Refinish Car Paint, Long-Lasting Refinish Car Paint, 2K Purple Automotive Paint**



More Images



Product Description

Refinish Car Paint 2K Purple Automotive Paint for Long-Lasting and Vibrant Coatings

Product Name:	P-212 Purple	Specifications:	1L/4L/5L
Features:	high covering power, high temperature resistance	Scope of application:	Cars, ships, vehicle, tanks
Color:	green	Voc:	Low
Storage method:	Store in a cool, dry, ventilated and dark place	Sales scope:	global
Drying time:	surface drying time is 2 hours, actual drying time is 24 hours	Mixing ratio:	paint:curing agent:thinner=2:1:0.3
Substrate treatment:	Before spraying the substrate, the substrate must be cleaned, degreased with degreaser, and polished with 800#~1000# sandpaper. Clean it after polishing, and use degreaser to remove oil again.		
Processes:	The spraying process uses wet spraying to spray 2 to 3 layers on the surface of the substrate. Pay attention to leaving 5 to 10 minutes of evaporation time between each two layers. After spraying, the paint film needs to stand for 10 to 15 minutes. Then bake. Thickness in dry film state: 35~50 microns		

2K Purple Car Paint is a high-quality paint widely used in the automotive spray painting industry.

2K refers to this paint being composed of two parts: base paint and hardener. The base paint provides the color, while the hardener ensures the paint coating's durability and hardness. This combination grants the 2K Purple Automotive Paint exceptional color stability and durability.

2K Purple Car Paint comes in rich hues and saturation, available in both dark and light purple shades. It offers a unique appearance and visual effect to the car's surface, enhancing the vehicle's appeal and personalization.

2K Purple Automotive Paint offers outstanding durability, capable of resisting scratches, stone impacts, and UV radiation from daily use. It effectively protects the car body from corrosion and fading, thus extending the vehicle's lifespan.

Typically, 2K Purple Car Paint has a high gloss level, creating a stunning mirror-like effect. This high-gloss finish enhances the texture and depth of the car's exterior, making it look more luxurious and sophisticated.

Applying 2K Purple Car Paint requires a certain level of professional knowledge and skills. It is usually applied by spraying to achieve an even and smooth coating. Additionally, the addition and proportion control of the hardener are critical steps to ensure the coating's quality and durability.

To maintain the appearance and performance of 2K Purple Automotive Paint, regular maintenance and upkeep are necessary. This includes car washing, wax polishing, and the regular application of protectants to maintain the shine and prevent damage to the coating.

Spraying method:

Preparation: Prior to application, ensure the vehicle's surface is thoroughly cleaned, smoothed, and any necessary repairs and polishing are completed to achieve an optimal substrate.

Primer Application: Apply a high-quality primer to the body surface to ensure superior adhesion and create a seamless base for subsequent layers.

Green Paint Coating: Utilize precision-engineered spray guns and advanced spraying techniques to uniformly apply the green automotive paint onto the vehicle's body surface. Maintain the correct spray distance and angle to prevent drips or uneven coverage, ensuring a flawless finish.

Drying and Curing: Allow the green paint coating to undergo complete drying and curing as per the specified instructions provided, ensuring the integrity and longevity of the paintwork.

Maintenance methods after construction:

To maintain the appearance and quality of green automotive paint, consider the following post-application care methods:

Protect from Extreme Conditions

Minimize the vehicle's exposure to extreme temperatures and harsh weather conditions. Whenever possible, park the vehicle in shaded areas or store it in a garage to protect the paintwork.

Regular Cleaning and Care

Frequent Washing: Regularly wash the car body to remove dust, dirt, and other contaminants. Use a car-specific cleaner and a soft sponge to prevent scratches or damage to the paint.

Gentle Tools: Avoid using abrasive cleaning tools or harsh chemicals that could harm the paint's surface.

Regular Waxing

Wax Application: Regularly apply a high-quality automotive wax to the green paint. This provides an additional layer of protection and enhances the paint's shine. Follow the manufacturer's instructions for best results.

Avoiding Scratches and Impact

Preventing Damage: Take precautions to avoid scratches and bumps. Physical damage can compromise the paint's integrity and aesthetics, leading to potential repairs.

By adhering to these practices, you can ensure the longevity and pristine appearance of your green automotive paint.

Our advantage:

At the core of our operations lies a steadfast commitment to quality management, underpinned by the utilization of premium raw materials and state-of-the-art production technologies to guarantee the manufacture of top-tier automotive paint solutions. Our rigorous quality control protocols and stringent inspection criteria ensure that every batch of our products adheres to international standards and meets the exacting demands of our clientele.

Our team, enriched with seasoned professionals and technical experts hailing from PPG, is dedicated to the continuous innovation and refinement of our automotive paint formulations and production processes. We maintain a keen focus on the latest industry trends and technological advancements to ensure that our offerings remain cutting-edge and adeptly cater to the dynamic requirements of our customers.

Equipped with advanced production machinery and streamlined manufacturing lines, we boast a robust production capacity and operational flexibility. This enables us to swiftly respond to customer demands and adeptly fulfill the production needs associated with sizable order volumes. Concurrently, we are also capable of executing small-scale, bespoke production runs to accommodate the unique preferences of our diverse customer base.

Our ethos is deeply rooted in sustainable development and environmental stewardship. We employ eco-friendly materials and sustainable production practices to minimize our ecological footprint. Compliance with pertinent environmental regulations and benchmarks is a cornerstone of our operations, as we endeavor to curtail waste generation and energy consumption to further mitigate our impact on the environment.

We place a premium on fostering collaborative relationships and maintaining open lines of communication with our customers. Actively soliciting and integrating their feedback, we offer a comprehensive suite of pre-sales and post-sales support services, encompassing technical consultation, product training, and issue resolution. Our objective is to cultivate enduring partnerships that foster mutual success and sustainable growth.

Company Profile



Guangzhou Meklon Chemical Technology Co., Ltd.

- was established in 2014 with 25 subsidiaries and established a complete and scientific production chain.
- We specialize in the production of automotive paints, industrial paints, putty, Clear Coat and Hardener special curing agents for automotive paints, and automotive care products. Special unsaturated resin, various cans, cartons, etc.
- Our sales network covers more than 65 countries and has more than 1,500 customers in China.
- We have established good business relationships with well known automobile manufacturers, shipbuilding and machinery manufacturers. Our products have been favored by customers at home and abroad for many years.



24+

years of experience



86,645

square meters



8000+

types of bearing products



600+

skilled workers



450+

production equipment

Effect pictures:



Factory photos:



Manufacturer



Certificate:

Relevant Certificate Of Conformity



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province