



## Toyota 202 Black Car Paint Manufacture Protection For Your Car Refinish Car Paint Automotive Refinish Paint Manufacturing Factory

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: ISO,MSDS,SGS
- Model Number: Toyota 218
- Minimum Order Quantity: 200L
- Price: 2.73USD/L-5.56USD/L
- Packaging Details: Box/Carton
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500L per day




#### Product Specification

- Name: Toyota 202 2K Black
- Durability: Long-lasting And Reusable
- Main Raw Materials: Resine, Solvent, Pigment, LPG
- Product Usage: Exterior Car Cleaning
- Special Features: Scratch-free And Streak-free Formula
- Colors: Red Pearl
- Application Area: Chemical
- Mixer Type: Static Mixers
- Storage: Cool And Dry Place
- Function: Cleaning
- Highlight: 202 Black Car Paint Manufacture, 202 Black Car Paint Manufacture Protection, Toyota 202 Black Car Paint



#### More Images



## Our Product Introduction

for more products please visit us on [refinishcapaint.com](http://refinishcapaint.com)

### Product Description

**Toyota 202 Black Car Paint provides top color and protection for your car**


#### Manufacturer Introduction:

Guangzhou Meklon company was founded in 2010. an automotive paint manufacturing factory with 20 years of rich experience,Starting as a small-scale team, we faced many difficulties like insufficient technology and fierce market competition. But with firm belief and efforts, we accumulated experience, improved production processes and product quality. After years of hard work, we emerged in the industry and gained customers' recognition and trust. focusing on providing high-quality automotive paint products to customers around the world.



Our automotive paint manufacturing factory covers an area of 3,000 square meters and is a modern production base that combines innovation, efficiency and quality. Meklon has research department, testing, production department, sales department, after-sales department, etc.

In the company's development history, we achieved outstanding breakthroughs. In technological innovation, we developed a high-performance automotive paint formula with independent intellectual property rights, improving the hardness, weather resistance and glossiness of the paint surface and making our products competitive. We are fully equipped with our own masterbatch charts and color cards. We have independently developed color matching for various types of finished paints, as well as a separate set of finished paints for Russian and Kazakh models. We have a color mixing formula software app. At present, our finished paints are very mature, with monthly sales reaching 5 million.



Our products include 1K primer, 2K topcoat, varnish/clear coat, thinner, hardener, putty, body filler, etc.

#### Main products:

137 1K black and white, 237 2K black and white, 402 silver, putty, finished paint...

## Toyota 202 Black product description:

Toyota 2022K Black paint is of relatively high quality and has good durability and corrosion resistance. Car paint has good leveling properties, which means it can automatically level and form a smooth, uniform coating. Car paint with good leveling properties can make the surface of the car body smoother and more beautiful, and can also improve the durability and corrosion resistance of the paint. The factors that affect the leveling properties of car paint mainly include the viscosity of the paint, the surface tension, the solvent evaporation rate, etc.

Car paint has a strong ability to maintain its color, gloss and performance under different climatic conditions, such as sunlight, rain, temperature changes, etc. Car paint with good weather resistance can keep the surface of the car body beautiful for a long time, and can also improve the durability and corrosion resistance of the paint. We use high-cost and high-quality raw materials, pigments, resins, additives, etc.



The quality of car paint will also be affected by factors such as the use environment, maintenance conditions and accidents.

Of course, we also have color mixing formula software. You can use our 1K.2K color paint, varnish hardener, etc. to mix the colors of various models according to our formula.

Toyota 202 2K Black				
code	name	Proportion	price	Amount
204	2K ultra black	79.49%		0.00
205	2K ultra black blue	20.19%		0.00
207	2K ultra blue green	0.32%		0.00
total		100.00%		0.000

Weather resistance is also excellent. Whether it is the hot deserts of the Middle East, the humid monsoon climate of Southeast Asia, or the changeable weather conditions in Europe and Africa, our car paint can maintain bright and lasting colors, not easy to fade and peel, and always maintain a good appearance.

If you have any needs for our car paint products, please feel free to contact us.

Looking forward to working with you to give your car a new look together!

Contact number: sally+8613822162990

Email: silentsally1@gmail.com



#### To extend the durability of car paint, here are some maintenance suggestions:

Wash the vehicle regularly, clean the stains on the body in time, and avoid damage to the paint surface by dust, debris and corrosive substances;

Try to reduce the exposure of the vehicle to the sun and prevent direct sunlight from fading the paint surface;

After being washed by rain, wash the vehicle with clean water to avoid acid rain corrosion;

Maintenance measures such as waxing, sealing glaze, coating or applying invisible car cover can be carried out to increase the protective layer of the car paint and improve durability. Among them, waxing is a more economical way, which can resist the damage of harmful external components and ultraviolet rays to the car paint and improve the gloss of the car paint, but the maintenance time is relatively short and needs to be carried out frequently; sealing glaze can increase the strength of the car paint and prevent the occurrence of small scratches, and the maintenance time can reach three to four months; coating can form a layer of transparent protective film, providing stronger protection ability, and the maintenance time is generally about one year; invisible car cover is an advanced protection method that

can resist the damage of various harsh environments to the car paint and maintain for up to five to seven years.

The vehicle's use environment, maintenance frequency and method, and driving habits will all affect the durability of the paint. If you have high requirements for the durability of the paint, in addition to daily maintenance, you must also pay attention to avoiding collisions and scratches on the vehicle.



### Operation process:

#### 1. Surface preparation

Clean the car surface thoroughly to remove dirt, grease, rust and old paint.

Use sandpaper to polish the surface to increase the adhesion of the new paint.

Protect the areas that do not need to be painted with masking materials.

#### 2. Mixing paint

According to the proportions specified in the paint product instructions, mix the paint, hardener and thinner accurately.

Stir well to ensure that the paint components are fully integrated.

#### 3. Spray gun settings

Choose a spray gun suitable for car paint. Gravity spray guns are usually recommended.

Adjust the air pressure, paint output and spray shape of the spray gun.

#### 4. Spraying skills

Keep the spray gun perpendicular to the car surface at a distance of about 15-20 cm.

Use a zigzag or overlapping spraying method. Each spray should cover 50%-60% of the previous one.

Start spraying from more hidden areas, such as the inside of the door and the inside of the hood.

Gradually expand outward and finally spray the conspicuous areas.

#### 5. Multi-layer spraying

Multi-layer spraying is usually required, and appropriate drying time should be allowed between each layer.

The first layer is sprayed thinly, called "mist spraying", to increase adhesion.

Subsequent layers are gradually thickened until the desired color and gloss are achieved.

#### 6. Drying and curing

Allow the sprayed car paint to dry naturally in a well-ventilated environment.

Depending on the type of paint and ambient temperature, the drying time may vary.

Some paints may require heat curing to enhance performance.

#### 7. Inspection and finishing

After the paint is dry, check the surface for defects such as sagging, orange peel, particles, etc.

If necessary, lightly sand with sandpaper and re-spray finishing.



## Customer feedback:

"I run an auto repair shop and have been looking for a high-quality and stable auto paint. Since using your product, it has really solved my big problem! Your auto paint has accurate color and strong covering power. Whether it is a small area repair or a full car spray, the effect is perfect. And it has excellent weather resistance. After customers use it for a long time, the paint surface is still bright and beautiful. Thank you very much for providing such an excellent product!"

"As a car modification enthusiast, the requirements for paint are quite high. After trying your car paint, I am so satisfied! The color is rich and unique, especially the metallic paint, which instantly upgraded my car to a higher level. During the construction process, the paint has good leveling and dries quickly, which greatly shortens the modification time. I highly recommend it to other friends who modify their cars!"

"We are a large car beauty chain store. After cooperating with you, customer satisfaction has been greatly improved. Your car paint is of high quality. Not only is the color full and lasting, but it is also hard and wear-resistant, and can withstand various daily wear and tear. At the same time, your after-sales service is also very thoughtful, so we have no worries during use. We will continue to cooperate with you!"



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province