



Stable Supply Car Paint Basecoat By Manufacture 1K Chestnut Red Auto Paint

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: ISO,MSDS,SGS
- Model Number: F-129
- Minimum Order Quantity: 200L
- Price: 2.73/LUSD-5.56/LUSD
- Packaging Details: Carton
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 200Lper day



Product Specification

- Brand: Meklon
- Name: Chestnut Red
- Specification: 1Lx12
- Package: Can And Carton
- Net Weight: 0.95KG
- Application: Brush, Roller, Or Spray
- Coverage: High
- Durability: Long-lasting
- Fade Resistant: Yes
- Heat Resistance: Yes
- State: Liquid Coating
- Type: Automotive Paint
- Voc: Low
- Highlight: **1K Chestnut Red Auto Paint, Car Paint Basecoat Manufacturer, Stable Supply Car Paint Basecoat**



More Images




Product Description

Meklon is a leader in the automotive paint industry

As a professional automotive paint manufacturer, we have strong strength and excellent reputation.

Our factory is equipped with advanced production equipment to ensure that every production link is efficient and accurate. Our R&D engineer team constantly explores innovation, keeps up with the latest technological trends in the automotive paint industry, and is committed to providing customers with the highest quality and most innovative products.




Meklon's production staff have undergone rigorous professional training, and carefully create each automotive paint product with a high sense of responsibility and superb craftsmanship. From the beginning of the purchase of raw materials, we strictly control to ensure that only high-quality and environmentally friendly raw materials are selected. Our raw material procurement staff works closely with high-quality suppliers around the world to ensure a stable supply and high quality of raw materials.



Quality is our lifeline. We have professional quality inspection personnel who use advanced testing equipment and strict testing standards to conduct comprehensive inspections on each batch of products to ensure stable and reliable product quality. Only products that pass strict testing will be launched on the market, which is one of the important reasons why we rank among the top ten in the automotive paint industry in China.

Our sales team is spread all over the world and has established long-term and stable cooperative relations with dealers in various countries around the world. We have won wide love and high praise from dealers with affordable prices, excellent product quality and high-quality services. At present, our products are supplied to major countries in the world, and sales continue to rise.

We not only provide high-quality products, but also have a complete after-sales service system. Our after-sales staff provide technical support and solutions to customers at any time to ensure that customers have no worries when using our products.



Product Introduction:

1K chestnut red car repair paint is a one-component car repair paint.

Features:

Color characteristics: It presents a unique chestnut red color, which is full of color and has a certain depth, and can provide a bright and eye-catching appearance effect for the car surface. From the front, the chestnut red shows a rich color; from the side, it may show some color changes, which increases the layering and three-dimensional sense of the color.

Convenience of construction: 1K paint can be sprayed directly after adding thinner. The operation is relatively simple and does not require complex mixing and blending like 2K paint. It is suitable for some small repairs or occasions with low construction requirements, which can save construction time and labor costs.

Fast drying speed: It can dry relatively quickly at room temperature, and generally reaches a surface dry state within a few minutes to tens of minutes. The specific drying time is affected by factors such as ambient temperature, humidity and paint layer thickness, which helps to improve the efficiency of repair work.

Strong covering power: It can better cover the defects, scratches and other problems on the repaired surface. Usually, only 2-3 coats of 50-70 μ m per coat are needed to achieve the ideal covering effect, so that the repaired part is consistent with the color and gloss of the surrounding paint surface.

Ingredients: It is mainly composed of pigments, resins, solvents and additives. Pigments give the paint its color; resins play a role in bonding pigments and providing paint film properties, such as giving the paint film a certain hardness, flexibility and adhesion; solvents are used to adjust the viscosity of the paint to facilitate construction; additives can improve certain properties of the paint, such as leveling, weather resistance, and anti-precipitation.

Uses: It is mainly used to repair small scratches, abrasions, fading and other parts on the surface of the car body. For example, in daily use, if the car body is partially damaged due to a slight collision or scratch, 1K chestnut red car repair paint can be used to repair it, so that the car appearance can be restored to its beautiful appearance. In addition, it can also be used for surface coating of some automotive parts or decorative parts.

Instructions:

Surface treatment: First clean the area to be repaired, remove dust, oil, rust and other impurities, and use sandpaper or a grinder to smooth the surface to increase the adhesion of the paint.

Paint preparation: According to the requirements of the product manual, mix 1K chestnut red car repair paint with an appropriate amount of thinner, generally in a ratio of 1:1 (weight ratio).

Spraying construction: Use a spray gun to spray the prepared paint evenly on the repair area, pay attention to controlling the thickness and angle of the spraying to avoid sagging, leaking and other phenomena. Usually 2-3 layers are required, with an appropriate interval between each layer to allow the paint layer to dry fully.

Drying and curing: Let the sprayed paint surface dry in a natural environment, or use low-temperature baking equipment to accelerate drying as needed. Drying time may be affected by factors such as ambient temperature, humidity and paint layer thickness, generally 5-10 minutes (20).

Subsequent treatment: If higher gloss and protective performance are required, a layer of varnish can be sprayed for varnishing after the paint surface is completely dry.

Different brands and models of 1K Maroon Car Refinish Paint may have differences in performance and usage, so be sure to read the product instructions carefully before use and operate according to the actual situation. In addition, in order to ensure the repair effect and paint quality, it is recommended to choose products with reliable quality and good reputation, and to carry out the construction under the guidance of professional car repair shops or personnel with certain painting experience.



We are a manufacturer, mainly promoting wholesale, minimum purchase of 100L.

The product quality is good, the shelf life is up to 3-5 years, some dealers import several containers every month, and even store the products in the warehouse for 7 years and they are still intact, which makes our reputation better and better. Our after-sales service is very good, if you have any questions after sales, please feel free to contact our responsible personnel to help you solve the problem. The product effect is also very good, which makes many local spray painters and spray paint shops like it.

Customer feedback:

Mr. Ifeanyi Mbanugo from Congo said: "Since cooperating with Meklon, we have truly felt the strength of professional automotive paint manufacturers. Their product quality is very stable, and both the vividness of the color and the durability of the paint have exceeded our expectations. Moreover, their prices are affordable and very competitive in the market, allowing us to gain more recognition from customers during the sales process. At the same time, their after-sales service is also very good, and any problems can be solved in a timely manner, which makes us feel very relieved to cooperate with them."

Mr. Divine from Mexico: "Meklon's automotive paints have performed extremely well in our country's market. Their R&D capabilities are amazing, and they always come up with new colors and new formulas that meet current trends and customer needs. The factory's production efficiency is also very high, and there has never been a shortage of stock. We are very fortunate to be able to cooperate with such an excellent company and look forward to continuing to work together in the future."

Mr. Aidee Ruela from Russia said: "Choosing Meklon's car paint is one of the best decisions we have ever made. Their products are well-equipped and have strict quality inspections, which gives us confidence when recommending them to customers. Customers also speak highly of their car paint, saying that the color is long-lasting and bright and does not fade easily. In addition, the company's sales team is very professional and enthusiastic, and always provides us with the latest product information and market trends in a timely manner, helping us to better expand our business."





Choosing to cooperate with us means choosing quality, innovation and success. No matter which region you are from, we will work with you to create a better future with the greatest sincerity, the best products and services. Let us shine together in the field of automotive paint and contribute to the development of the global automotive industry.



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province