



High Glossy 1K Good Filling Auto Paint Primer Acrylic Primer 1K Primer Surface for Auto Repair

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: ISO,MSDS,SGS
- Model Number: P-2114
- Minimum Order Quantity: 200L
- Price: 4.64USD/L-6.92USD/L
- Packaging Details: Carton
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500L per day



Product Specification

- Brand: PORSHICHE
- Application: Brush, Roller Or Sprayer
- Cleanup: Soap And Water
- Coating: Acrylic
- Name: Fuchsia
- Coverage: 2-3 Sq. Ft. Per Quart
- Type: Paint
- UV Protection: Yes
- Highlight: High Glossy Auto Paint Primer,
1K Auto Paint Primer,
Acrylic Primer Auto Paint Primer



Product Description

High Glossy 1K Good Filling Auto Paint Primer Acrylic Primer 1K Primer Surface for Auto Repair

Product Details:

Meklon's Golden Sun automotive paint captures the essence of warmth and elegance. This rich, golden hue exudes a sense of luxury and sophistication. When bathed in sunlight, the paint shimmers with a captivating golden glow, making your vehicle a true standout.

With its robust formulation, Meklon's Golden Sun paint offers exceptional durability and weather resistance. The advanced 2K technology ensures a long-lasting, high-gloss finish that withstands the test of time.

By prioritizing environmental sustainability, Meklon's Golden Sun paint is formulated with low-VOC compounds, minimizing its impact on the environment.

1.excellent quality

Meklon's purple-red automotive paint is a testament to our commitment to quality and durability. Our advanced formulation ensures exceptional resistance to weathering, scratches, and corrosion, preserving the vehicle's finish for years to come. This unique color offers a captivating blend of elegance and vibrancy, making your vehicle stand out from the crowd.

2.environmental protection and safety

While prioritizing quality, Meklon is also committed to environmental sustainability. Our purple-red automotive paint is formulated with low-VOC compounds, minimizing its impact on the environment and promoting healthier working conditions.

3. Personalized customization

Meklon's purple automotive paint allows you to express your unique style and personality. Whether you prefer a classic solid color or a creative custom design, our team of experts can help you achieve your vision.

Choose Meklon for a stunning finish that will turn heads and elevate your driving experience.



Precautions:

Important Considerations for Using Meklon Automotive Paint

Color Mixing and Application:

Color Ratio: Ensure a 1:1 ratio of color masterbatch to diluent for optimal results.

Color Customization: Create a wide range of colors by using individual color masterbatches or combining them to achieve your desired hue.

Coverage: Approximately 1 liter of paint can cover a surface area equivalent to a standard car door panel.

Surface Preparation: Clean the surface thoroughly with clean water to remove any dirt, grease, or contaminants. Avoid using cleaning agents with harsh chemicals.

Painting Process:

Drying Time: Allow each coat of paint to dry for 15 minutes before applying the next coat.

Durability: Once the paint is fully cured, it is highly resistant to removal and will not affect the original color of the substrate.



MINIMUM ORDER

200 boxes



Kind tips:

1. This product is flammable. Please keep it away from heat sources and open flames to prevent damage or burning. 2. Please store it in a ventilated and fire-proof place at about 25°C and keep it away from children.
3. Use in a cool, dry, dust-free, and well-ventilated place.
4. This product is a pressurized storage tank, please store it away from light.
5. If it accidentally splashes into your eyes, rinse immediately with clean water and seek medical treatment in time.



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province