



2K Orange Car Paint Top Coat For Car Paint Manufacturers

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: ISO,MSDS,SGS
- Model Number: 223
- Minimum Order Quantity: 50L
- Price: 2.73USD/L-5.56USD/L
- Packaging Details: Box/Carton
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500 boxes per day



Product Specification

- Highlight: 2K Orange Car Paint Top Coat,
Car Paint Manufacturers Top Coat,
2K Car Paint Manufacturers Top Coat



More Images



for more products please visit us on refinishcarpaint.com

Product Description

Product Description:

2K orange car paint is a two-component paint. This car paint is composed of acrylic resin, curing agent and pigment. Acrylic resin is the main film-forming substance, which gives the paint layer excellent weather resistance, gloss and chemical corrosion resistance; the curing agent undergoes a cross-linking reaction with the acrylic resin during construction, prompting the paint film to cure quickly and enhancing hardness and wear resistance. The bright orange pigment is carefully screened and blended to ensure a full, pure and lasting color, adding a unique charm to the vehicle.

Performance characteristics

High gloss and brightness: The surface of the cured paint film is as smooth as a mirror, which can reflect a strong and uniform gloss. Its orange tone is pure and eye-catching, with extremely high recognition, which can meet the owner's pursuit of personalized and beautiful coating. Due to the cross-linking reaction of the curing agent, the hardness of the formed paint film is significantly improved. In daily driving, it can effectively resist physical damage such as stone impact and branch scratches, reduce paint scratches and wear, and keep the paint surface intact and beautiful for a long time.

Meklon's orange car paint can withstand long-term exposure to sunlight, wind and rain, and temperature changes. It is not easy to fade or powder under ultraviolet light; it can maintain stable physical and chemical properties in the face of harsh climates such as humidity and acid rain, and extend the service life of the paint surface. It also has good adhesion: it has strong adhesion to the surfaces of various materials such as automobile metal and plastic, firmly adheres, and is not easy to fall off, ensuring the durability and stability of the coating effect. Compared with some single-component automotive paints, 2K orange acrylic automotive paint has a fast curing speed. It can be dry in a short time after construction, which greatly shortens the waiting time for vehicle painting and improves maintenance and production efficiency.



Construction method

Preparation: Thoroughly clean the surface of the car to be painted, remove impurities such as oil, dust, rust, etc., polish it smooth, and enhance the adhesion of the paint layer.

Mixing ratio: Strictly follow the product instructions and accurately mix the ratio of acrylic resin, curing agent and diluent. The mixing ratio of different brands of products is slightly different, usually 2:1: appropriate amount of diluent, be sure to ensure uniform mixing.

Spraying operation: Use a professional spray gun, adjust the appropriate air pressure and the spray gun distance of 15-20 cm, and spray evenly. It is recommended to use the cross-cross method to ensure consistent paint layer thickness and avoid sagging and leaking. Generally, 2-3 layers are required, with an appropriate interval between each layer, and the next layer is

sprayed after the previous layer is dry.

Drying and curing: Natural drying at a suitable temperature of 15-30 and a humidity of 40%-70%, or choose low-temperature baking according to actual conditions, generally not exceeding 60 to accelerate curing. During the drying process, the environment must be kept clean to prevent dust adhesion.



Packaging and Shipping:

Meklon's acrylic car paint is packaged in high-quality iron cans to provide reliable protection for the product. The iron can packaging has good sealing properties, which can effectively prevent the volatilization of paint and the mixing of external impurities, ensuring the stability of the quality of the paint during storage and transportation.

In terms of packaging specifications, we provide a wide range of options to meet the needs of different customers. There are three standard capacities of 1L, 4L, and 5L, and any packaging can be customized according to the special requirements of customers.

For easy handling and storage, iron cans are uniformly packaged in cartons. The specific combination is: 1L packing contains 12 cans per box. This small capacity and large quantity combination is suitable for customers with small usage, such as auto repair shops that occasionally perform local touch-ups, or small auto beauty studios; 4L packing has 4 cans per box, which is suitable for repair shops of a certain scale and can meet the needs of medium-sized spray painting operations; 5L packing also has 4 cans per box, which is more suitable for large automobile manufacturers or professional places that frequently spray paint the entire vehicle. Large-capacity packaging reduces the trouble of frequent packaging changes and improves work efficiency.


Whether it is a small repair or large-scale production, our diverse packaging solutions can provide convenient and efficient support for your acrylic car paint use, while the sturdy packaging design also ensures that the product is safe during the circulation process.



Serve:

Meklon has a professional team, sales, after-sales and other departments. Meklon's automotive refinish paint is well received by customers around the world. Its excellent quality has greatly increased sales and has become the first choice for automotive paint wholesalers, auto repair shops and car enthusiasts. And we support exclusive authorization. We support large dealers in certain provinces and cities in Kazakhstan, Russia, Dubai, Indonesia, Nigeria, Cameroon, etc., provide dealers with exclusive authorization patents to protect dealers. The market stability. We are committed to continuous improvement and innovation of products to meet and exceed the ever-changing needs of the automotive industry. After-sales staff are always available to answer any questions you have and solve them for you within 24 hours. Quality assurance, free return and exchange.

CUSTOMIZED PROCESSES



OUR SERVICES



Local training
and demo show



Localized products and
color formulas development



24H*7D online services

Company Introduction:

Meklon is a professional automotive coatings company with more than 20 years of factory operation experience. The company's products are exported to many countries in Africa, Asia, the Middle East, South America, etc., and it is experienced. The company team is divided into R&D, testing, sales and after-sales departments. We are well-equipped, have a complete production line, use high-end raw materials, and have skilled engineers.

Meklon has 6 brands, more than 500 colors, and provides matching color matching guidance and complete finished paint formulas, which are widely used by customers for Toyota, Honda, BMW, Harvard, Mercedes-Benz and other models.

We support OEM and provide packaging such as 5 liters, 4 liters, 2.5 liters, 1 liter and 0.5 liters. We also have many customers who customize their own brands, which we support very much. We have professional designers who can design your brand for you. If you have your own brand design, you can also send us samples and we will customize it for you.

WHY CHOOSE US!

CHINA Quality Car Paint Supplier



20,000m²
Factory Area



50,000t
Annual Production
Capacity



200+
Partners Worldwide



10+
Years Experience



100+
Employees



10+
Years Experience

If you need it, you can always contact our sales manager Sally: whatapp +8613822162990



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province