



Customized Olive Green Car Paint with UV-Resistant and High-Gloss Finish for Automotive Refinishing and Personalization

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: GUANGDONG CHINA
- Brand Name: Meklon
- Certification: ISO,MSDS,SGS
- Model Number: MK118
- Minimum Order Quantity: 50L
- Price: 2.73/LUSD-5.56/LUSD
- Packaging Details: Box/Carton
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500L per day



Product Specification

- Mixing Ratio: 2:1
- Chemical Resistant: Yes
- Product: Ready Mixed Paint
- Chip Resistant: Yes
- Shelf Life: 3-5 Years
- Finish: Glossy
- Coverage: Depends On The Amount Used
- Primer Required: Yes
- Top Coat Required: Yes
- Voc Content: Low
- Chemical Resistance: Yes



More Images



Product Description

Manufacture Introduction

Meklon is a manufacturer of automotive repair materials with 20 years of industry experience. The factory covers an area of 3,000 square meters and is equipped with internationally advanced production equipment and a professional R&D team. It has passed ISO 9001 quality management system certification, ISO 14001 environmental management system certification and many other authoritative certifications to ensure stable and reliable product quality and green and environmentally friendly production processes. At the same time, we have established a complete supply chain management system, strictly controlled the procurement of raw materials and production processes, and have mature production processes and strict quality inspection standards, which can provide customers with efficient and stable product supply.



Premium Raw Materials from First-class Suppliers

In order to ensure the stability of product quality and the durability of color, we always insist on selecting the world's top raw material suppliers. As one of their largest customers in China, we have priority access to the latest and highest quality raw materials. This close partnership enables us to provide customers with high-quality, high-performance products.



Excellent performance

1. High temperature resistance: able to withstand extreme temperatures ranging from -30 to 80 , suitable for tropical and cold regions;
2. Efficient curing: surface drying time ≤ 15 minutes, hard drying time ≤ 1 hour (at room temperature of 25), improving painting efficiency;
3. Low VOC emissions: compliant with EU REACH environmental standards, reducing construction environmental pollution.



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province