



Weather-Resistant and Heat-Resistant Lemon Yellow Hot Selling Car Paint

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: ISO,MSDS,SGS
- Model Number: MK214
- Minimum Order Quantity: 50L
- Price: 2.73USD/L-5.56USD/L
- Packaging Details: Can/Cartron
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500 boxes per day




Product Specification

- Size: Various Sizes
- Voc Content: Low
- Special Features: Scratch-free And Streak-free Formula
- Specification: 1Lx12
- High Light: Honda Ready Mixed Car Paint
- Form: Liquid
- Application: Brush, Roller, Or Spray
- Chemical Resistant: Yes
- Easy To Clean: Yes
- Type: Automotive Paint



More Images



Product Description

Product Introduction

This popular lemon yellow car paint is designed specifically for customers who pursue individuality and quality. It features a high saturation of bright lemon yellow as the main color tone, which is bright and lively. It is suitable for partial repair or overall color change of cars, especially for convertible cars, sports models and other scenes that require highlighting visual highlights, making your car easily the focus of the street. Excellent performance in construction - excellent paint leveling, smooth and particle free spraying, fast drying speed, greatly improving construction efficiency; Compatible with mainstream spraying equipment, paired with matching diluents and primer/varnish solutions, making it easy for beginners to operate. Environmental compliance (low VOC emissions), balancing performance and health, are all cost-effective choices that combine aesthetics and practicality!

| Product Characteristics | Detail Description |
|--------------------------|--|
| Core Color | Lemon Yellow |
| Basic Type | High temperature baking paint for automobiles |
| Weather Resistance | UV resistant, fade resistant, not easily yellowed or discolored |
| Hot Resistance | Resistant to high temperature environment, does not soften or peel under high temperature |
| Supporting Facilities | Provide recommended solutions for specialized diluents and matching primers/varnishes, compatible with mainstream spraying equipment |
| Environmental Standards | Low VOC emissions, in compliance with China's (GB) environmental protection requirements |
| Packaging Specifications | Regular 5/4/2.5/1/0.5L canned (supports bulk purchase) |





Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province