



## High Purity Restored Car Paint Is Easy To Spray And Not Prone To Yellowing. Pure White Car Paint

### Our Product Introduction

for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)

#### Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: ISO,MSDS,SGS
- Model Number: Meklon
- Minimum Order Quantity: 50L
- Price: 2.73USD/L-5.56USD/L
- Packaging Details: Box/Carton
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500L per day



#### Product Specification

- Resistance: Various Resistance
- Productname: Vehicle Car Paint
- Product: Ready Mixed Paint
- Shelf Life: 2 Years
- Top Coat Required: Yes
- Material: Acrylic Resin
- Water Resistant: Yes
- Usage: Car Paint, Plastic Coating
- Number Of Coats: 2-3
- Weather Resistance: Good
- Curing Time: 24 Hours
- Color: Assorted
- Scratch Resistance: Yes



#### More Images



## Product Description

### Usage status in different regions of the world

Region	Core Advantage	Applicable scenarios
Africa	<ul style="list-style-type: none"> <li>-Anti strong ultraviolet: The high-purity formula resists strong sunlight in Africa (such as the UV index in the Sahara region being <math>\geq 7</math> all year round), and is not easily yellowed after long-term use, maintaining a pure white color.</li> <li>-Easy to spray: Suitable for high temperature and dry climates (such as Ethiopia and Kenya), with stable paint flowability, reducing spray orange peel/sagging problems, and high construction efficiency.</li> <li>-High temperature resistance: The paint film is not easily softened or faded in an environment of 40-50 , suitable for desert/tropical climates.</li> </ul>	Suitable for second-hand car refurbishment, daily maintenance of economical vehicles, and motorcycle/commercial vehicle painting (with high demand and emphasis on cost-effectiveness and durability).
The Middle East	<ul style="list-style-type: none"> <li>-Extreme environmental resistance: In response to high temperatures in the Middle East (such as Dubai summer surface temperature <math>\geq 60</math> ) and sandstorm environments, the paint film maintains high hardness and UV resistance, and does not yellow or crack after long-term exposure to sunlight.</li> <li>-High fidelity: Accurately matching the original pure white color scheme (such as luxury cars like Mercedes Benz/BMW), enhancing the high-end car refurbishment effect.</li> <li>-Easy to apply: Suitable for dry climates, with good leveling during spraying, reducing defects caused by dust adhesion.</li> </ul>	Mainly used for refurbishing luxury cars such as Rolls Royce and Bentley, customizing coatings for high-end modification stores, and protective coatings for outdoor vehicles such as SUVs/pickups.
North America	<ul style="list-style-type: none"> <li>-Environmental compliance: The low VOC formula complies with the US EPA/Canadian CEPA environmental standards and is compatible with strict emission regulations (such as California CARB standards).</li> <li>-Durable weather resistance: resistant to temperate to cold climates (such as low temperatures of -30 in winter and high temperatures of 30 in summer in Canada), the paint film will not yellow for more than ten years, and maintain the white luster of the new car grade.</li> <li>-High adaptability: compatible with mainstream primer/varnish systems, suitable for professional 4S stores and DIY users.</li> </ul>	Suitable for factory level repair of new cars, collection and repair of classic cars (such as Ford Mustang), and home sedan painting that emphasizes environmental protection and long-term value preservation.
Nigeria	<ul style="list-style-type: none"> <li>-Economic durability: High cost-effectiveness meets the local market's demand for low-priced and high-quality coatings (the size of the Nigerian automotive aftermarket is increasing by 15% annually), with anti yellowing properties extending the coating life (reducing the cost of repeated spraying within 2-3 years).</li> <li>-Easy to operate: Simplify the spraying process (adapted to local skilled technicians) and reduce construction error rates.</li> <li>-Moisture and heat resistance: Suitable for Nigeria's high temperature and high humidity climate (with an average annual humidity of 70%+), the paint film does not powder or bubble.</li> </ul>	Mainly used for taxi/van refurbishment (such as Toyota Hiace), motorcycle painting, and factory repair of locally assembled vehicles (such as Innoson).



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



[Meklonpaint@gzmeklon.com](mailto:Meklonpaint@gzmeklon.com)



[refinishcarpaint.com](http://refinishcarpaint.com)

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong  
Province