



## Manufacturer Direct Sales Of High-Quality And Cost-Effective Orange Red Car Repair Paint

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: ISO,MSDS,SGS
- Model Number: Ferrari
- Minimum Order Quantity: 50L
- Price: 2.73USD/L-5.56USD/L
- Packaging Details: Box/Carton
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500L per day



### Product Specification

- Material: Powders And Solvents
- Heat Resistance: Yes
- Manufacture: Meklon
- Formula: Mekloncolormix
- Coats Required: 2
- Usage: Car Paint, Plastic Coating
- Mixing Ratio: 1/2:1
- Coverage: High
- Professional Quality: Provides Professional Quality Finish
- Color: Orange Red



### More Images



for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)

## Product Description

### Core advantages

#### 1. Directly supplied by the manufacturer, with significant cost advantages

No middleman markup: As a source manufacturer, we eliminate multi-level distribution links and offer prices 30% -50% lower than similar products in the market. We provide high cost-effective options for repair shops, auto repair shops, and DIY users, reducing maintenance/modification costs.

Flexible procurement: supports small batch customization (**50L minimum order**) and large batch wholesale (tiered discount), adapts to the needs of customers of different scales, and has flexible inventory turnover.

#### 2. High quality craftsmanship, performance benchmarking high-end paint

Accurate color reproduction: Using high-purity organic orange red pigment, the hue covers classic orange red (such as Pantone 165C) to flame orange (warm tone), accurately matching the original factory color number (98% OEM similarity), seamlessly connecting with the original color of the car body after repair, with no visual color difference.

High gloss mirror effect: The glossiness of the paint film is  $\geq 90\text{GU}$  (measured at  $60^\circ$ ), presenting a transparent and shiny "orange soda like" fresh texture after drying, enhancing the visual impact of the entire vehicle (especially suitable for sports models or personalized modifications).

Strong weather resistance and anti-aging: double UV absorbents and antioxidant ingredients are added, which will not fade or yellow after long-term exposure to the sun (5-year color retention rate in laboratory test  $\geq 90\%$ ), and adapt to high temperature/humidity/strong UV environment (such as desert and plateau areas).

Wear resistant, scratch resistant, and durable: The 2K system paint film has a hardness of 2H-3H (ordinary orange red paint is about HB-B), which resists stone impact, tree branch scratching, and daily car washing wear, and maintains a smooth and scratch free surface after long-term use.



#### 3. Multi scenario adaptation, construction friendly and efficient

Wide coverage requirements: Provide dual systems of 1K (fast drying) and 2K (high hardness) -1K is suitable for temporary repairs (surface drying for 15 minutes, polishing for 1 hour), and 2K is suitable for original factory level refurbishment (stronger scratch resistance after curing), meeting different scene requirements.

Easy construction operation: viscosity and flowability optimization, excellent leveling during spray gun spraying (reducing orange peel lines/sagging), supporting 1.3mm-1.8mm nozzles, easy for beginners or professional technicians to use; Fast drying speed (1K system can dry in 1 hour, 2K system can deliver in 2 hours), improving workshop efficiency.

Environmental compliance and safety: Low VOC formula (volatile content  $< 350\text{g/L}$ ), compliant with EU REACH and US EPA environmental standards, reduces construction pollution and health risks, and has passed international authoritative certification (such as RoHS basic requirements).

#### 4. Full chain service, worry free after-sales service

Free technical support: providing color code inquiry, color matching guidance, and spray parameter suggestions (such as dilution ratio, baking temperature) to ensure that the repair effect is close to the original factory;

Sample and Quick Response: Support free sample testing, technical consultation will be replied within 24 hours, and urgent orders will be prioritized for production;

Long term warranty commitment: Provide 1-3 years of warranty (depending on the system), free repainting for fading, peeling

and other issues, and comprehensive after-sales support.



Detailed Design



2

Mold Building and Sample



Send Sample for Customers



4

Quality Control



Product Testing



6

Shipment



**Guangzhou Meklon Chemical Technology Co., Ltd.**



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province