



Basic Information

Place of Origin: ChinaBrand Name: Meklon

Certification: ISO,MSDS,SGS

Model Number: ToyotaMinimum Order Quantity: 50L

• Price: 2.73USD/L-5.56USD/L

Packaging Details: Box/CartonDelivery Time: 10-15 Work Day

Payment Terms: T/T

Supply Ability: 500L per day



Product Specification

• Form: Liquid

• Usage: Car Paint, Plastic Coating

Compatibility: Suitable For All Types Of Car Paint
 Port: Hong Kong, Huangpu, Shekou, Nansha

Formula: MekloncolormixProductname: Vehicle Car Paint

High Light: Honda Ready Mixed Car Paint

• Number Of Coats: 2-3

• Voc: Low VOC

Scratch Resistant: Yes
Solvent Resistant: Yes
Function: Cleaning
Color Options: Multiple

Special Features: Scratch-free And Streak-free Formula
 Highlight: low VOC car paint, scratch resistant car paint,



More Images





Product Description

Meklon High gloss Champagne Gold Automotive Repair Paint vs. <u>Wear resistant Scratch</u> resistant Light Champagne Automotive Spray Paint Comparison

Comparing dimensions	High Gloss Champagne Gold	Wear-Resistant Light Champagne
Lore selling points	Ultimate gloss matches the original factory color	Super abrasion resistance and scratch protection
Applicable scenarios	, , ,	High frequency use of vehicles (taxis, commercial vehicles), easily scratched areas
	Luxury car 4S dealership, high-end modification factory	Fast repair chain stores, fleet operators



Durability and Protection

1. High gloss champagne gold:

Standard hardness 2H, conventional UV resistance (3-year color retention rate ≥ 85%).

2. Durable light champagne:

Hardness of 3H+, added with nano ceramic particles, resistant to stone splashing and key scratching (tested 500 times with steel wool friction without marks).

5-year color retention rate \geq 90%, dual protection against UV and chemical corrosion.

Construction characteristics

1. High gloss champagne gold:

High solid varnish (recommended 2K varnish) is required, and the spraying environment requires high standards (dust-free workshop).

2.Durable light champagne:

Flexible selection of single component/two-component, quick drying formula (surface drying for 10 minutes), suitable for outdoor quick repair.





+8613392100968

Meklonpaint@gzmeklon.com

refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province