




Hot Selling Car Repair High Temperature Resistance High Viscosity Car Paint Masking Tape

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: ISO,MSDS,SGS
- Model Number: 004
- Minimum Order Quantity: 1000Boxes
- Price: 0.04-0.10USD/L
- Packaging Details: Can/Carton
- Delivery Time: 7-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500000Boxes/Month



Product Specification

- Chemical Resistance: High
- Odor: Low
- Application Temperature: 50-90°F
- Sheen: High
- Heat Resistance: Yes
- Water Resistant: Yes
- Easy To Clean: Yes
- Storage: Cool And Dry Place
- Fields Of Use: Car Repair/car Detailing



More Images



Product Description

Product Specifications And Prices

18mm Width Series

18mm × 40m specification: This specification is relatively narrow and of moderate length, suitable for pasting, sealing, or marking small components, such as fixing circuits on small electronic modules.

18mm × 50m specification: Compared to the 40m specification, it has an increase in length, which is more suitable for small projects that require more tape or situations where small tape is used in bulk, such as fixing components in the mass production of small electronic products.


24mm Width Series

24mm × 40m specification: With a width increased to 24mm, the adhesive area is larger and can be used for pasting some medium-sized components, such as pasting medium-sized labels in automotive interior parts or fixing small insulation pads.

24mm × 50m specification: With a length of up to 50m based on a width of 24mm, it is suitable for medium width pasting scenarios that require a large amount of tape, such as sealing or fixing some medium width components in industrial equipment manufacturing.

This high-temperature adhesive tape may have wide applications in various fields such as electronic manufacturing, automotive industry, and home appliance production. For example, in electronic manufacturing, it is used for auxiliary fixing and insulation during circuit board soldering; Used for insulation and fixation of engine peripheral components in the automotive industry; Used for component assembly in high temperature environments in home appliance production.





Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province