



## Factory Direct Supply Of Hot Selling Environmentally Friendly Green Automotive Acrylic Paint Spray Paint

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: Meklon
- Certification: 2.73USD/L-5.56USD/L
- Model Number: Meklon
- Minimum Order Quantity: 200L
- Price: 2.73USD/L-5.56USD/L
- Packaging Details: Can/Boxes
- Delivery Time: 7-15Days
- Payment Terms: T/T
- Supply Ability: 500 L per day



#### Product Specification

- Highlight: environmentally friendly automotive acrylic paint  
, green car spray paint,  
factory direct refinish paint



#### More Images



## Product Description

### Factory Direct Supply Of Hot Selling Environmentally Friendly Green Automotive Acrylic Paint Spray Paint

#### Company Introduction

We are a car paint manufacturer located in Guangzhou. We have been deeply involved in this field for 20 years, producing 1K, 2K color paint, varnish, clear coat, hardener, thinner, putty, body filler, etc.

Our factory covers an area of 3,000 square meters and has advanced facilities and a reasonable layout. Among them, 3 laboratories are equipped with cutting-edge experimental equipment, providing strong technical support for product research and development and quality inspection.

The production workshop adopts modern production processes and procedures, and operates efficiently and orderly. The warehouse is well-equipped and has excellent storage conditions to ensure that both raw materials and finished products are properly kept. We attach great importance to environmental protection and hygiene.

The entire factory environment is clean and tidy, meets environmental protection standards, and is committed to achieving green production. We are extremely strict in controlling product quality. Each product must undergo multiple quality tests to ensure its excellent performance, stability and reliability. With high-quality products and good services, our sales network covers countries all over the world.

Whether it is the European and American markets, or Asia, Africa and other places, our car paint products are loved by customers and have received rave reviews from all over the world. Customers praise our products for their bright and long-lasting colors, strong weather resistance, and ability to maintain a good appearance in various harsh environments; the products have excellent leveling properties, are easy to apply, and can provide a smooth and flat paint surface for the car; and our products have good adhesion and hardness, which can effectively protect the car surface.

In the future, we will continue to uphold the attitude of excellence, continue to innovate and improve, and provide better quality automotive paint products to global customers.

#### PROSHICHE 1K Basecoat Colors

Operation Parameter		
Substrates	The surface of old paint or primer after polishing.	
Surface Cleaning	Sanding with the sandpaper or removing the oil, wax and silicon with Degreaser.	
Mixing Ratio	PROSHICHE 1K metallic paint	PROSHICHE high performance and P-602 universal thinner
	1(Volume)	1-1.2(Volume)
Pot Life at 25°C	4 hours	
Spraying Viscosity	14~18 seconds(Tu-4 cup viscosity, 25°C)	
Spray Gun Set Up	Gravity feed: 1.2~1.5mm	
	Suction feed: 1.2~1.7mm	
	The pressure of spray gun is 3~5 kg/cm <sup>2</sup>	
Coats & Thickness	2-3 coats, 10-20um	
Flash-off Time	At 25°C, 2-3minutes	
Drying Time	At 25 °C, after 15 minutes, spray varnish within 1 hours	





**Guangzhou Meklon Chemical Technology Co., Ltd.**



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province