



## Crystal Fine White Pearl Acrylic Paint Automotive Car Refinish Coating & Paint

Our Product Introduction

for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: Car Charm
- Certification: ISO,MSDS,SGS
- Model Number: X14
- Minimum Order Quantity: 50L
- Price: 3USD/L-5USD/L
- Packaging Details: Carton, Iron canister
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500 boxes -1000 boxes per day



### Product Specification

- Gloss Retention: High
- Shelflife: 12-24 Months If Unopened
- Location: Guangdong, China
- Color Options: Multiple
- Usage: Professional And DIY
- Sheen: Various Sheen
- Voc Level: Various VOC Level
- Quality: Excellent
- Durability: High Resistance To Weather
- Suitable For: Cars, Trucks, Motorcycles
- Primer Required: Yes
- Volume: 1 Liter
- Filtering Ability: High
- Highlight: **white pearl acrylic car paint, automotive refinish coating,**



### More Images



### Crystal Fine White Pearl Acrylic Paint Automotive Car Refinish Coating & Paint

Premium Acrylic Crystal Fine White Pearl Car Refinish Paint. Features delicate fine pearl luster and pure white base, outstanding weather UV and chemical resistance, strong adhesion and scratch resistance. Excellent leveling, fast drying and fine uniformity for auto repair and full car renovation. Low VOC, eco-friendly and meets international standards.

- Premium acrylic base: Excellent weather, UV and chemical resistance, strong adhesion, no fading, cracking or peeling.
- Crystal Fine White Pearl: Exquisite fine pearl particles, pure milky white base with soft multi-angle pearlescent luster, elegant high-end texture.
- Superior durability: High film hardness and toughness, scratch & wear resistant, permanently maintains delicate gloss and smooth surface.
- Easy application: Perfect leveling, fast drying, fine dispersion, great for spot repair and full car refinishing.
- Low VOC eco-friendly formula: Complies with global automotive environmental standards, safe for professional spraying work.



### Product Specifications

Paint Film Property	Scratch-resistant
HS Code	320820
Level	High
Certification	ISO4001, ISO9001, ISO16949
Substrate	Acrylic
Components	Pigment
Formation Mechanism	Non Conversion Type
Transport Package	Carton Box
Shelf life	3-5years
MOQ	50L
Carton Specification	45*33.5*13.8
Delivery	By sea



## Key Performance Features

---

### Excellent Adhesion

Ensures corrosion-resistant, long-lasting finishes on car surfaces while minimizing rework in collision repair applications.

### Strong Covering Power

High-performance automotive paint with primer-ready formula achieves flawless adhesion and durability on pre-treated metal surfaces using compatible epoxy primers.

### High Chroma Color

Ultra-high chroma automotive paint with Pantone®-validated color intensity delivers vibrant, fade-resistant finishes for custom cars and luxury restorations (ISO 105-A05 xenon test certified).

## Manufacturer Advantages

---

### Guangzhou Meklon Chemical Technology Co., Ltd

Guangzhou MEKLON Chemical Technology Co., Ltd. is a leading automotive chemical manufacturer specializing in paints, primers, and additives. With over 15 years of experience, it operates a 60,000 m<sup>2</sup> facility, adhering to ISO9001 and ISO14001 standards. The company provides high-quality, low VOC products and supports distributors with color formula software, mixing machines, and training.

- **Expert Engineering:** Our R&D team has developed unique advantages for red and green pearls including strong sparkle, high gloss, quality construction, and high temperature resistance
- **Global Reach:** Sales network covers more more than 65 countries with over 1,500 customers in China
- **Industry Partnerships:** Established relationships with well-known automobile manufacturers, shipbuilding, and machinery manufacturers
- **Professional Support:** Comprehensive technical support and timely after-sales service from order placement through completion
- **Custom Solutions:** Customized options available for special colors and effects to meet individual customer requirements

## The multi-dimensional manifestation of technical professionalism

---

2. **Resin and Curing System:** The technical team of the company has a profound understanding of the cross-linking reaction mechanism of acrylic resin and isocyanate curing agent. They can precisely control the drying speed of the paint film, as well as the balance between final hardness and flexibility. According to different climate regions, they have developed special formulations that are suitable for high humidity and heat, cold regions, and strong ultraviolet environments.
3. **Color Development Capability:** Leveraging a rich color master system and a professional color matching database, the company is able to quickly match the original factory colors of various vehicle models, meeting the strict color accuracy requirements of the repair market.
4. **Safety and Compliance Assurance:** All products are accurately classified in accordance with the United Nations GHS system and Chinese national standards (GB 30000 series). They come with complete safety data sheets (SDS) and compliant labels that meet the

requirements of GB/T 16483 and GB 15258. During the transportation process, strict compliance with international dangerous goods regulations such as UN1263 (Class 3 Flammable Liquids) is followed. Each batch of exported products is entrusted to an authoritative institution to obtain the "Cargo Transportation Condition Appraisal Certificate" to ensure full chain safety and compliance from production to delivery.



## FAQ

---

### **Q: Color Difference, Uneven Pearl Effect**

#### **A: Causes**

Crystal Fine White Pearl is super sensitive to spraying method; pearl pigments settle quickly.

Insufficient stirring leads to uneven pearl arrangement.

Different spray thickness, gun speed and distance cause bright/dull difference.

#### **Solutions**

Stir the paint thoroughly before use and stir occasionally during spraying.

Apply 2-3 thin even coats with fixed gun distance and steady moving speed.

Do not use ultra-fast thinner; choose medium drying thinner.

---



**Guangzhou Meklon Chemical Technology Co., Ltd.**



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province