



## Car Repair Paint 303 Coarse White Pearl 1L Acrylic Custom OEM Branding 7-14 Days

Our Product Introduction

for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: Car Charm
- Certification: ISO,MSDS,SGS
- Model Number: 303
- Minimum Order Quantity: 50L
- Price: 2.73USD-5.56USD
- Packaging Details: Carton- Iron canister
- Delivery Time: 10-15 Work Day
- Payment Terms: T/T
- Supply Ability: 500 boxes -1000 boxes per day




### Product Specification

- Gloss Retention: Excellent
- Weather Resistance: Yes
- Water Resistant: Yes
- Number Of Coats: 2-3
- Manufacturer: Meklon
- Form: Liquid
- Manufacturer Services: Customizable/OEM/ODM
- Color: Coarse White Pearl
- Scratch Resistance: Yes
- Custom Made: 300L
- Voc Level: Low
- Base: Acrylic
- Mixingratio: Depends On Product, Typically 2:1 Paint To Reducer
- Package Size: Varies By Product



### More Images



## Product Description

### Car Repair Paint 303 Coarse White Pearl 1L Acrylic Custom OEM Branding 7-14 Days

Meklon Chemical is a global manufacturing leader specializing in professional **Acrylic** automotive refinish systems. Our **303 Coarse White Pearl** is a premium effect tinter designed to rival global leaders like **PPG, Yatu, AkzoNobel, and Baohong**.

As a **direct factory supplier**, we provide OE-level coarse pearl brilliance at competitive **wholesale prices**. With a **7-14 days lead time** and full support for **customized branding**, we provide the industrial stability required by international distributors in the Middle East, Russia, and beyond.

### Features & Advantages

- **High Sparkle:** Large coarse pearl particles for a dramatic "diamond" reflection effect.
- **100% Acrylic Base:** Superior UV stability, high hardness, and long-term chemical resistance.
- **Bulk Capacity:** Optimized for container-level **wholesale** from our **60,000 m<sup>2</sup> factory**.
- **Professional Support:** **7-14 days lead time**, free 1L samples, and full OEM customization (MOQ 300).



### Product Specifications

Paint Film Property	Scratch-resistant
HS Code	320820
Level	High
Certification	ISO4001, ISO9001, ISO16949
Substrate	Acrylic
Components	Pigment
Formation Mechanism	Non Conversion Type
Transport Package	Carton Box
Shelf life	3-5years
MOQ	50L
Carton Specification	45*33.5*13.8
Delivery	By sea



## Key Performance Features

### Excellent Adhesion

Ensures corrosion-resistant, long-lasting finishes on car surfaces while minimizing rework in collision repair applications.

### Strong Covering Power

High-performance automotive paint with primer-ready formula achieves flawless adhesion and durability on pre-treated metal surfaces using compatible epoxy primers.

### High Chroma Color

Ultra-high chroma automotive paint with Pantone®-validated color intensity delivers vibrant, fade-resistant finishes for custom cars and luxury restorations (ISO 105-A05 xenon test certified).

## Manufacturer Advantages

### Guangzhou Meklon Chemical Technology Co., Ltd

Guangzhou MEKLON Chemical Technology Co., Ltd. is a leading automotive chemical manufacturer specializing in paints, primers, and additives. With over 15 years of experience, it operates a 60,000 m<sup>2</sup> facility, adhering to ISO9001 and ISO14001 standards. The company provides high-quality, low VOC products and supports distributors with color formula software, mixing machines, and training.



- **Global Reach:** Sales network covers more more than 65 countries with over 1,500 customers in China
- **Industry Partnerships:** Established relationships with well-known automobile manufacturers, shipbuilding, and machinery manufacturers
- **Professional Support:** Comprehensive technical support and timely after-sales service from order placement through completion
- **Custom Solutions:** Customized options available for special colors and effects to meet individual customer requirements

### The multi-dimensional manifestation of technical professionalism

- 1. Resin and Curing System:** The technical team of the company has a profound understanding of the cross-linking reaction mechanism of acrylic resin and isocyanate curing agent. They can precisely control the drying speed of the paint film, as well as the balance between final hardness and flexibility. According to different climate regions, they have developed special formulations that are suitable for high humidity and heat, cold regions, and strong ultraviolet environments.
- 2. Color Development Capability:** Leveraging a rich color master system and a professional color matching database, the company is able to quickly match the original factory colors of various vehicle models, meeting the strict color accuracy requirements of the repair market.
- 3. Safety and Compliance Assurance:** All products are accurately classified in accordance with the United Nations GHS system and Chinese national standards (GB 30000 series). They come with complete safety data sheets (SDS) and compliant labels that meet the requirements of GB/T 16483 and GB 15258. During the transportation process, strict compliance with international dangerous goods regulations such as UN1263 (Class 3 Flammable Liquids) is followed. Each batch of exported products is entrusted to an authoritative institution to obtain the "Cargo Transportation Condition Appraisal Certificate" to ensure full chain safety and compliance from production to delivery.



## FAQ

---

**Q1: What is the difference between 303 Coarse Pearl and standard White Pearl?**

**A:** **303 Coarse White Pearl** features a significantly larger grain size. This results in a much stronger "sparkling" effect under sunlight compared to the smooth, silky finish of standard pearls. It is essential for high-end custom colors.

**Q2: How do I ensure the coarse particles don't look "sandy" or uneven?**

**A:** Unevenness is usually caused by insufficient flash-off or incorrect air pressure. **Solution:** Maintain a consistent 2.5 bar pressure and allow 10 minutes between coats. Use our **Acrylic Standard Thinner** to ensure proper leveling and particle orientation.

**Q3: How does your 303 Coarse Pearl compare to PPG or Yatu?**

**A:** We benchmark our **303** directly against **PPG and Yatu** for sparkle intensity and chemical resistance. Using a 100% **Acrylic** system, it ensures identical brilliance at factory-direct prices.

**Q4: Can we order 1,000 cans of 303 with our own brand?**

**A:** Yes! As a factory with a **60,000 m<sup>2</sup> base**, we handle large **wholesale** orders easily. We support full **OEM/ODM branding and packaging** with a reliable **7-14 days lead time**.

---



**Guangzhou Meklon Chemical Technology Co., Ltd.**



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province