



## Acrylic Spray Liquid Coating Good Hardness Anti-rust X12 Car Base Primer Automotive Coating

Our Product Introduction

for more products please visit us on [refinishcarpaint.com](http://refinishcarpaint.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: Mei Guan Da
- Certification: ISO,MSDS,SGS
- Model Number: X12
- Minimum Order Quantity: 50L
- Price: 2.73USD/L-5.56USD/L
- Packaging Details: Carton, Iron canister
- Delivery Time: 7~14 working days
- Payment Terms: T/T
- Supply Ability: 500 boxes -1000 boxes per day



### Product Specification

- Manufacture Location: Guangdong,China
- Fade Resistance: Yes
- Net Weigh: 0.95KG
- Surfacecompatibility: Metal
- Package: Can/carton
- Uv Resistance: Yes
- Quality: Good
- Coats: 2-3
- Top Coat Required: Yes
- Voc: Low
- Specification: 1L/4L/5L
- Product: Ready Mixed Paint
- Paint Film Property: Scratch-resistant
- Substrate: Acrylic
- Certification: ISO4001, ISO9001, ISO16949



### More Images



## Product Description

### Acrylic Spray Liquid Coating Good Hardness Anti-rust X12 Car Base Primer Automotive Coating

X12 Crystal White Pearl Auto Paint, maximum coarse pearlescent pigment, dazzling diamond glitter in sunshine, high saturation & strong metallic luster.

Manufactured in our **60,000 m<sup>2</sup> state-of-the-art facility**, we provide consistent quality for professional wholesalers. We offer a reliable **7-14 days lead time** and full **OEM/ODM branding support (300 units)** to help you establish a premium position in your local market.

### Features & Advantages

**Diamond Sparkle Pearl Effect:** X12 Crystal White Pearl adopts coarse pearlescent particles, shining like diamond under sunshine with vivid layered luster, more dazzling than fine pearl pigments.

**UV & Weather Resistant:** Stable anti-oxidation formula, no fading or luster loss under long strong sunlight & high humidity, fits tropical South American climate.

**Good Mixing & Spraying:** Fully compatible with primer, thinner and clear coat. Anti-sediment design prevents pigment agglomeration, free of spray mottling.

**Factory Direct Supply:** ISO certified factory direct supply, sufficient stock, stable 7–14 days production cycle for bulk orders

### Key Performance Features

#### Excellent Adhesion

Ensures corrosion-resistant, long-lasting finishes on car surfaces while minimizing rework in collision repair applications.

#### Strong Covering Power

High-performance automotive paint with primer-ready formula achieves flawless adhesion and durability on pre-treated metal surfaces using compatible epoxy primers.

#### High Chroma Color

Ultra-high chroma automotive paint with Pantone®-validated color intensity delivers vibrant, fade-resistant finishes for custom cars and luxury restorations (ISO 105-A05 xenon test certified).

### Manufacturer Advantages

#### Guangzhou Meklon Chemical Technology Co., Ltd

Guangzhou Meklon Chemical integrates R&D, production and sales of automotive coatings. Our 60,000 modern factory is located in Huacai Chemical Park, Wengcheng Guangdong.

We have over 60 professional chemical engineers, and adopt premium raw materials from global well-known suppliers: BASF, DSM, BYK, BAYER, WANHUA, MERCK SERONO, Dow, DUPONT, ELEMENTIS, allnex, NETZSCH, Toyal.

Certified by ISO9001:2008 & ISO14001:2004, we own advanced testing equipment with 99.5% color difference-free samples. We supply full series auto refinish paints, colorants, clear coats, thinners, putty, chassis coatings and auxiliaries, cooperate with 2,000+ dealers worldwide, and support OEM & ODM with professional after-sales service.



- **Global Reach:** Sales network covers more more than 65 countries with over 1,500 customers in China
- **Industry Partnerships:** Established relationships with well-known automobile manufacturers, shipbuilding, and machinery manufacturers
- **Professional Support:** Comprehensive technical support and timely after-sales service from order placement through completion
- **Custom Solutions:** Customized options available for special colors and effects to meet individual customer requirements

### The multi-dimensional manifestation of technical professionalism

1. **Resin and Curing System:** Our team masters acrylic resin crosslinking mechanism, precisely controlling film drying speed, hardness and flexibility balance. Custom formulas for high-humidity, cold and strong UV regions are available.
2. **Color Development Capability:** Rich color master system and professional color database support fast OEM color matching for all car models, satisfying strict color accuracy demands of auto repair market.
3. **Safety and Compliance Assurance:** All products comply with UN GHS & GB3000 standards, complete with SDS and standard labels. Shipment follows UN1263 dangerous goods rules; every export batch gets official transport appraisal certificate.



### Color Chart & Color Mix System



**MeklonColorMix App(IOS)**



**MeklonColorMix App(Android)**

### FAQ

**Q1: Does this chameleon colorant easily cause mottling or color deviation?**

A: No. Its chameleon pearlescent flakes are evenly dispersed during production. Cooperated with our matched supporting thinner, the risk of mottling, grain aggregation and color difference is greatly reduced.

**Q2: Can I order small quantities or samples?**

A: Yes. We offer free samples for testing (you only need to cover the shipping cost). The MOQ for bulk orders is 50 boxes, with OEM/ODM customization available.

**Q3: What documents can you provide for export?**

A: We provide full export documentation, including MSDS, TDS, and COO, to meet customs requirements in most countries.

**Q4: Is the finished coating resistant to sunlight and bad weather?**

A: Absolutely. It adopts high-quality imported acrylic resin and stable pearlescent raw materials, without fading, yellowing or color loss under long-term sun exposure.



**Guangzhou Meklon Chemical Technology Co., Ltd.**



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province