



ML-137P 1K Pure Black Acrylic Car Paint High Gloss Solid Color Automotive Refinishing Paint For Car Body Repair

Basic Information

- Place of Origin: CHINA
- Brand Name: PROSHICHE
- Certification: ISO,MSDS,SGS
- Model Number: 520
- Minimum Order Quantity: 50L
- Price: 2.73USD-5.56USD
- Packaging Details: Carton- Iron canister
- Delivery Time: 7~14 working days
- Payment Terms: T/T
- Supply Ability: 500 boxes per day



Product Specification



- Gloss Retention: High
- Basetype: Acrylic
- Manufacturer Location: China
- Dryingtime: 15-30 Minutes To Touch Dry
- Color Formula App: Meklonpaintmix
- Finish: Glossy / Matte / Satin
- Wholesale: Yes
- Covering Strength: Excellent
- Scratch Resistant: Yes
- Service: OEM/ODM
- Uv Protection: Provides Protection Against UV Rays
- Hardenerrequired: Yes / No (depending On Product)
- Type: Automotive Refinish Paint
- Highlight: **1K pure black acrylic car paint, high gloss automotive refinishing paint,**



More Images



High resistance to weathering



Product Description

ML-137P 1K Pure Black Acrylic Car Paint High Gloss Solid Color Automotive Refinishing Paint For Car Body Repair

ML-137P is a 1K pure black acrylic car paint delivering deep, true jet-black color with high coverage and fast drying. Ideal for full-body color change and spot refinishing - spray 2-3 coats, then clear coat for a glossy, long-lasting finish.

For distributors tired of paying premium brand prices, Meklon Pure Black offers comparable performance at a dramatically lower cost point — typically **30-50% cheaper than PPG, Nippon Paint or AkzoNobel** equivalents without sacrificing the quality your customers expect.



Features & Advantages

Pure Jet-Black Color Depth — Formulated with high-purity carbon black, ML-137P delivers a deep, rich black tone with no gray cast, giving full-body repaints a premium show-car look.

High Coverage & Fast Drying — As a 1K single-component system, it builds full hiding power in just 2-3 coats and dries quickly at room temperature, significantly speeding up workshop turnaround.

Easy Application & High Tolerance — No hardener or complex mixing required; excellent leveling and a wide spraying window make it forgiving for painters of all skill levels, compatible with 602 fast/standard/slow thinners.

Certified & Clear-Coat Compatible — ISO, SGS and MSDS certified; pairs perfectly with



Product Specifications

Paint Film Property	Scratch-resistant
HS Code	320820
Level	High
Certification	ISO4001, ISO9001, ISO16949
Substrate	Acrylic
Components	Pigment
Formation Mechanism	Non Conversion Type
Transport Package	Carton Box
Shelf life	3-5years
MOQ	50L
Carton Specification	45*33.5*13.8
Delivery	By sea



Key Performance Features

Excellent Adhesion

Ensures corrosion-resistant, long-lasting finishes on car surfaces while minimizing rework in collision repair applications.

Strong Covering Power

High-performance automotive paint with primer-ready formula achieves flawless adhesion and durability on pre-treated metal surfaces using compatible epoxy primers.

High Chroma Color

Ultra-high chroma automotive paint with Pantone®-validated color intensity delivers vibrant, fade-resistant finishes for custom cars and luxury restorations (ISO 105-A05 xenon test certified).

Manufacturer Advantages

Guangzhou Meklon Chemical Technology Co., Ltd

Guangzhou MEKLON Chemical Technology Co., Ltd. is a leading automotive chemical manufacturer specializing in paints, primers, and additives. With over 15 years of experience, it operates a 60,000 m² facility, adhering to ISO9001 and ISO14001 standards. The company provides high-quality, low VOC products and supports distributors with color formula software, mixing machines, and training.



Global Reach: Sales network covers more more than 65 countries with over 1,500 customers in China

Industry Partnerships: Established relationships with well-known automobile manufacturers, shipbuilding, and machinery manufacturers

Professional Support: Comprehensive technical support and timely after-sales service from order placement through completion

Custom Solutions: Customized options available for special colors and effects to meet individual customer requirements

The multi-dimensional manifestation of technical professionalism

- **Resin and Curing System:** The technical team of the company has a profound understanding of the cross-linking reaction mechanism of acrylic resin and isocyanate curing agent. They can precisely control the drying speed of the paint film, as well as the balance between final hardness and flexibility. According to different climate regions, they have developed special formulations that are suitable for high humidity and heat, cold regions, and strong ultraviolet environments.
- **Color Development Capability:** Leveraging a rich color master system and a professional color matching database, the company is able to quickly match the original factory colors of various vehicle models, meeting the strict color accuracy requirements of the repair market.
- **Safety and Compliance Assurance:** All products are accurately classified in accordance with the United Nations GHS system and Chinese national standards (GB 30000 series). They come with complete safety data sheets (SDS) and compliant labels that meet the requirements of GB/T 16483 and GB 15258. During the transportation process, strict compliance with international dangerous goods regulations such as UN1263 (Class 3 Flammable Liquids) is followed. Each batch of exported products is entrusted to an authoritative institution to obtain the "Cargo Transportation Condition Appraisal Certificate" to ensure full chain safety and compliance from production to delivery.



FAQ

Q1: Is ML-137P single-component and does it need a hardener?

A1: Yes, ML-137P is a 1K (single-component) paint - no hardener needed. Just adjust thinner by shop temperature (fast/standard/slow), spray 2-3 coats, and it dries quickly for clear coat application.

Q2: Does it require a clear coat, and how to avoid color mismatch in touch-ups?

A2: For a glossy, durable finish we recommend applying clear coat over ML-137P. Pure black is the easiest color to blend - for spot repairs, feather-edge the area and blend into the adjacent panel, then re-coat with clear for an invisible repair.

Q3: What packaging and supply options are available for bulk orders?

A3:Meklon supports flexible packaging (1L/4L tins etc.) with OEM/ODM customization.



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province