



High Gloss 2K Blue Scratch Resistant Acrylic Urethane Basecoat Liquid Spray Paint for Refinish Repair

Our Product Introduction

for more products please visit us on refinishcarpaint.com

Basic Information

- Place of Origin: Guangzhou, China
- Brand Name: Meklon
- Certification: ISO 9001, ISO 14001, SGS, MSDS
- Model Number: 208
- Minimum Order Quantity: 12 Cans (1 Carton)
- Price: USD 2.50 - 6.90 / Can (to be confirmed)
- Packaging Details: 12 cans per carton, packing code ML-B05, palletized export cartons
- Delivery Time: 7-15 working days after deposit
- Payment Terms: T/T,L/C,Western Union
- Supply Ability: 50000 Liters per Month



Product Specification

- Product Type: 2K Solid Color Top Coat
- Color: 2K Blue(custom Color Matching Available)
- Mixing Ratio: Paint : Hardener = 2: 1 By Volume
- Hardener: Meklon 2K Hardener
- Thinner: Meklon 2K Thinner, 10-20% By Volume
- Pot Life: Approx. 4 Hours At 25 C
- Coats Required: 2
- Hiding Power: Full Coverage In Two Coats
- Finish: High Gloss
- Dry Time: Touch Dry 30-40 Minutes, Full Cure 12-24 Hours
- Application Method: HVLP Spray Gun, 1.3-1.4 Mm Nozzle
- Shelf Life: 2 Years Unopened
- Packing Code: ML-B05
- Packing: 12 Cans Per Carton, Palletized



More Images



Product Description

High Gloss 2K Blue Scratch Resistant Acrylic Urethane Basecoat Liquid Spray Paint for Refinish Repair

Meklon MK-208 is a 2K blue refinish paint built on an acrylic resin and isocyanate curing system, developed for collision repair and full vehicle restoration. The two-component formula cross-links into a dense film, giving bodyshops a dependable base for multi-panel repainting work.

The cured film resists scratches and scrubbing while holding strong covering power on pre-treated metal and plastic substrates. Its high chroma blue is color-matched against the Pantone system and tested for fade resistance, so the finish keeps its depth after prolonged sun and weather exposure. Low VOC emissions and a non-toxic, non-flammable profile keep the product within tightening workshop and shipping regulations.

Apply two to three coats for roughly 10 sq ft of coverage per gallon, with the film tack-free well within a normal booth cycle. Each unit weighs 0.95 kg and ships as 1L x 12 in cartons, with a 3-5 year shelf life. Production runs under ISO9001, IATF16949 and ISO4001, and custom blue shades can be matched from 300L upward.



Features & Advantages

- **2K Acrylic Cross-Linking System** — Two-component acrylic resin with isocyanate hardener, curing into a dense, high-build film.
- **Scratch & Scrub Resistant Surface** — The cured film is specified as scratch resistant and scrub resistant.
- **High Chroma Blue with Database Color Matching** — High-chroma blue validated against the Pantone system, backed by 色数据 for factory color matching.
- **Low VOC, Non-Toxic, Non-Flammable Formula** — Low VOC emissions, non-toxic and non-flammable profile, with ISO9001, IATF16949, ISO4001
- **Flexible supply** — 1L / 4L / 20L packs, private-label OEM from 300 cartons, FOB / CIF / DDP terms, with TDS, MSDS and technical training support.

Packing & Delivery

Packed 12 cans per carton under packing code ML-B05, kraft carton with can dividers by default, palletized and stretch-wrapped for export. OEM/ODM and private-label packaging are supported; please share your target quantity and destination port and we will confirm MOQ, price and delivery schedule for your market.

FACTORY & CERTIFICATION










**BLUE
2K COLOR PAINT**

- Chromatic texture
- Meeting appearance level
- Versatile temperature






Technical Specifications

Product Type	2K Solid Color Top Coat (acrylic urethane)
Shade Code	Blue
Mixing Ratio	Paint : Hardener = 2 : 1 by volume
Hardener	Meklon 2K hardener
Thinner	Meklon 2K thinner, 10-20% by volume
Pot Life	Approx. 4 hours at 25 C after mixing
Coats to Full Film	2 coats
Hiding Power	Full coverage over a two-tone test panel
Finish	High gloss, clear coat compatible
Application	HVLP spray gun, 1.3-1.4 mm nozzle
Dry Time	Touch dry 30-40 minutes, full cure 12-24 hours at 25 C
Shelf Life	2 years in original sealed can
Packing	12 cans per carton, code ML-B05, palletized



Key Performance Features

Two-Component Cross-Linking Cure

The acrylic resin reacts with the isocyanate hardener to form a dense, cross-linked film, balancing hardness against flexibility so repaired panels resist impact and flexing without cracking.

High Build & Film Fullness

The paint builds thickness quickly in two to three coats, filling light sanding marks and delivering a full, even surface that needs less clear coat work to reach a level finish.

Batch-to-Batch Color Consistency

Production runs against the Meklon color master system and mixing database, so the same shade code arrives with repeatable tone from one order to the next and stays consistent across repeat repairs.

OEM & Private Label Flexibility

Custom shades can be matched and packed under buyer branding from 300L upward, letting distributors build their own color line without running a production facility.

Manufacturer Advantages

Guangzhou Meklon Chemical Technology Co., Ltd

Guangzhou MEKLON Chemical Technology Co., Ltd. is an automotive coatings manufacturer specializing in paints, primers and additives. Established in 2015, it operates an ISO 9001 certified quality system with an export share of 80-90%, supplying body shops and distributors with low VOC products, color formula support and training.



Global Reach: Sales network covers more than 65 countries with over 1,500 customers in China

Industry Partnerships: Established relationships with well-known automobile manufacturers, shipbuilding, and machinery manufacturers

Professional Support: Comprehensive technical support and timely after-sales service from order placement through completion

Custom Solutions: Customized options available for special colors and effects to meet individual customer requirements

The multi-dimensional manifestation of technical professionalism

- **Resin and Curing System:** The technical team has a profound understanding of the cross-linking reaction mechanism of acrylic resin and isocyanate curing agent, and can precisely control the drying speed of the film as well as the balance between final hardness and flexibility. Special formulations are developed for high humidity and heat, cold regions, and strong-UV environments.
- **Color Development Capability:** Leveraging a rich color master system and a professional color matching database, the company quickly matches the original factory colors of various vehicle models, meeting the strict color accuracy requirements of the repair market.
- **Safety and Compliance Assurance:** All products are classified in accordance with the UN GHS system and Chinese national standards (GB 30000 series), with complete SDS and compliant labels meeting GB/T 16483 and GB 15258. Export batches carry an authoritative Cargo Transportation Condition Appraisal Certificate ensuring full chain safety and compliance.



2K Blue— high hiding 2K Blue top coat with 2:1 mixing, color matching and palletized export packing.

Frequently Asked Questions

Q: What is the minimum order quantity?

A: It is a standard iron oxide red in our 2K topcoat range, formulated close to RAL 3009 and to PR101 pigment references. Because it is a solid, high-opacity colour, it is normally used as a direct match or as the base for tinting to a customer's own sample. We recommend a spray-out test card against your target panel before production runs.

Q: What is the price range?

A: USD 3–5 per liter depending on pack size and order volume; exact quotation is issued against your specification and quantity.

Q: How long does delivery take?

A: 10–15 working days after deposit confirmation. Daily capacity is around 500 cartons, so larger programs can be scheduled in batches.

Q: Do you provide samples before bulk orders?

A: Yes, sample cans can be arranged for evaluation; freight is normally collected. Sample cost is credited against the first bulk order.

Meklon Premium Automotive Refinish Paint Manufacturer

ISO 9001 & ISO 14001 Certified



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province