



Two Component Clear Coat Auto Top Coat Anti Scratch For Car Body Automotive Paint

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: Mei Guan Da
- Certification: ISO,MSDS,SGS
- Model Number: 223
- Minimum Order Quantity: 50L
- Price: 2.73USD-5.56USD
- Packaging Details: Carton, Iron canister
- Delivery Time: 7~14 working days
- Payment Terms: T/T
- Supply Ability: 500 boxes per day



Product Specification

- Gloss Retention: High
- Basetype: Acrylic
- Manufacturer Location: China
- Dryingtime: 15-30 Minutes To Touch Dry
- Color Formula App: Meklonpaintmix
- Finish: Glossy / Matte / Satin
- Wholesale: Yes
- Covering Strength: Excellent
- Scratch Resistant: Yes
- Service: OEM/ODM
- Uv Protection: Provides Protection Against UV Rays
- Hardenerrequired: Yes / No (depending On Product)
- Type: Automotive Refinish Paint
- Highlight: **two component clear coat auto paint, anti scratch car body paint,**



More Images



for more products please visit us on refinishcarpaint.com

Product Description

Two Component Clear Coat Auto Top Coat Anti Scratch For Car Body Automotive Paint

Meklon 223 Orange Red car tint, bright warm tone, easy to mix with yellow. Low dosage for rich color, good compatibility with 1K/2K coatings, UV resistant and customizable bulk supply.

Manufactured in our state-of-the-art 60,000 m² ISO-certified facility, we enforce strict quality controls at every production stage. We offer competitive factory pricing, flexible MOQs and full OEM/ODM customization services to support your brand growth. With a reliable 7-14 days delivery cycle, we are your trusted partner for automotive paint supplies worldwide.

Features & Advantages

Vivid Orange Red Tone: 223 Orange Red blends well with yellow to create bright warm car color shades.

Low Dosage Tinting: Optimized pigment delivers full saturated color with small addition.

Good Dispersion Compatibility: Mixes evenly with 1K/2K paint without agglomeration or floating.

Weather Resistant & OEM Available: Anti-fade, strong adhesion, factory bulk supply with fast delivery



Product Specifications

Paint Film Property	Scratch-resistant
HS Code	320820
Level	High
Certification	ISO4001, ISO9001, ISO16949
Substrate	Acrylic
Components	Pigment
Formation Mechanism	Non Conversion Type
Transport Package	Carton Box
Shelf life	3-5years
MOQ	50L
Carton Specification	45*33.5*13.8
Delivery	By sea

Key Performance Features

Excellent Adhesion

Ensures corrosion-resistant, long-lasting finishes on car surfaces while minimizing rework in collision repair applications.

Strong Covering Power

High-performance automotive paint with primer-ready formula achieves flawless adhesion and durability on pre-treated metal surfaces using compatible epoxy primers.

High Chroma Color

Ultra-high chroma automotive paint with Pantone®-validated color intensity delivers vibrant, fade-resistant finishes for custom cars and luxury restorations (ISO 105-A05 xenon test certified).

Manufacturer Advantages

Guangzhou Meklon Chemical Technology Co., Ltd

Guangzhou MEKLON Chemical Technology Co., Ltd. is a leading automotive chemical manufacturer specializing in paints, primers, and additives. With over 15 years of experience, it operates a 60,000 m² facility, adhering to ISO9001 and ISO14001 standards. The company provides high-quality, low VOC products and supports distributors with color formula software, mixing machines, and training.



Global Reach: Sales network covers more more than 65 countries with over 1,500 customers in China

Industry Partnerships: Established relationships with well-known automobile manufacturers, shipbuilding, and machinery manufacturers

Professional Support: Comprehensive technical support and timely after-sales service from order placement through completion

Custom Solutions: Customized options available for special colors and effects to meet individual customer requirements

The multi-dimensional manifestation of technical professionalism

- **Resin and Curing System:** The technical team of the company has a profound understanding of the cross-linking reaction mechanism of acrylic resin and isocyanate curing agent. They can precisely control the drying speed of the paint film, as well as the balance between final hardness and flexibility. According to different climate regions, they have developed special formulations that are suitable for high humidity and heat, cold regions, and strong ultraviolet environments.
- **Color Development Capability:** Leveraging a rich color master system and a professional color matching database, the company is able to quickly match the original factory colors of various vehicle models, meeting the strict color accuracy requirements of the repair

market.

- **Safety and Compliance Assurance:** All products are accurately classified in accordance with the United Nations GHS system and Chinese national standards (GB 30000 series). They come with complete safety data sheets (SDS) and compliant labels that meet the requirements of GB/T 16483 and GB 15258. During the transportation process, strict compliance with international dangerous goods regulations such as UN1263 (Class 3 Flammable Liquids) is followed. Each batch of exported products is entrusted to an authoritative institution to obtain the "Cargo Transportation Condition Appraisal Certificate" to ensure full chain safety and compliance from production to delivery.



FAQ

Q1: Is it compatible with 1K and 2K automotive paints?

A: Yes, uniform mixing without agglomeration or floating.

Q2: What certifications do your automotive pigments have?

A: Our production line passes ISO certification, all pigments meet international automotive coating standards.

Q3: Can you offer technical support for paint color matching?

A: Our professional color-matching team provides one-stop technical guidance for paint mixing and formula adjustment.



Guangzhou Meklon Chemical Technology Co., Ltd.



+8613392100968



Meklonpaint@gzmeklon.com



refinishcarpaint.com

Room 1309, Tower B, Jiada International, Guangyun Road, Baiyun District, Guangzhou City, Guangdong Province